


Crystal structure of *N*-(3,5-benzenedicarboxy)-2,5-phenyl-3,4-(9,10-dihydroanthracen-diyl)-pyrrole — acetone — water (1:1:1), $C_{38}H_{25}NO_4 \cdot C_3H_6O \cdot H_2O$

K. Uytterhoeven^I, L. Van Meervelt^{*I}, M. Smet^{II} and W. Dehaen^{II}

^I K. U. Leuven, Chemistry Department, Biomolecular Architecture, Celestijnenlaan 200F, B-3001 Leuven (Heverlee), Belgium

^{II} K. U. Leuven, Chemistry Department, Organic Synthesis, Celestijnenlaan 200F, B-3001 Leuven (Heverlee), Belgium

Received September 25, 2003, accepted and available on-line November 18, 2003; CCDC-No. 1267/1158



Abstract

$C_{41}H_{33}NO_6$, triclinic, $P\bar{1}$ (No. 2), $a = 9.610(3)$ Å, $b = 12.877(3)$ Å, $c = 15.138(4)$ Å, $\alpha = 109.29(2)^\circ$, $\beta = 105.16(2)^\circ$, $\gamma = 94.24(2)^\circ$, $V = 1680.0$ Å³, $Z = 2$, $R_{\text{gt}}(F) = 0.059$, $wR_{\text{ref}}(F^2) = 0.161$, $T = 289$ K.

Source of material

The isophthalic acid was obtained by saponification of the dimethyl ester which was prepared by condensation of dimethyl 5-aminoisophthalate and the Diels-Alder adduct of anthracene and dibenzoyl ethylene in an analogous way as previously published [1]. The total yield for these two steps was 61%. The compound was crystallised from ethanol and the light yellow crystals were washed with acetone. The ¹H NMR and ¹³C NMR data are included in the deposited CIF.

Experimental details

Hydrogen atoms for O44 were found from difference Fourier maps and refined, other hydrogen atoms were placed at calculated positions and refined in the riding mode with a fixed isotropic temperature factor 1.2 times U_{eq} of the parent atom.

Discussion

Highly bulky Diels-Alder adducts of anthracene and their derivatives have been shown to have interesting complexation behavior [2–7]. The combination with the potent structure forming proper-

ties of the isophthalic acid group would likely result in modified inclusion properties. The pyrrole ring in the title compound makes an angle with its three phenyl substituents of respectively $41.7(2)^\circ$ (ring C20–C25), $43.6(2)^\circ$ (ring C26–C31) and $60.5(2)^\circ$ (ring C32–C37). The two carboxylic acid groups make an angle of $10.6(2)^\circ$ and $12.0(2)^\circ$ with the aromatic rings to which they are attached. By H-bond formation linear chains are formed in the [100] direction. Hydroxyl group O43–H43 forms a H-bond with oxygen atom O40# generated by $(1+x, y, z)$ [$d(\text{O43}\cdots\text{O40\#}) = 2.640(4)$ Å, $d(\text{O43}—\text{H43}) = 0.820$ Å, $d(\text{H43}\cdots\text{O40\#}) = 1.870$ Å, $\angle \text{O43}—\text{H43}\cdots\text{O40\#} = 156^\circ$]. Hydroxyl group O39–H39 forms a water-mediated (O44) H-bond with oxygen atom O42# generated by $(x-1, y, z)$ [$d(\text{O39}\cdots\text{O44}) = 2.612(5)$ Å, $d(\text{O39}—\text{H39}) = 0.820$ Å, $d(\text{H39}\cdots\text{O44}) = 1.790$ Å, $\angle \text{O39}—\text{H39}\cdots\text{O44} = 175^\circ$ and $d(\text{O44}\cdots\text{O42\#}) = 2.868(5)$ Å, $d(\text{O44}—\text{H44A}) = 1.00(5)$ Å, $d(\text{H44A}\cdots\text{O42\#}) = 1.88(6)$ Å, $\angle \text{O44}—\text{H44A}\cdots\text{O42\#} = 171(4)^\circ$]. Water molecule O44 forms a further H-bond with an acetone molecule [$d(\text{O44}\cdots\text{O45}) = 2.895(7)$ Å, $d(\text{O44}—\text{H44B}) = 0.72(7)$ Å, $d(\text{H44B}\cdots\text{O45}) = 2.22(7)$ Å, $\angle \text{O44}—\text{H44B}\cdots\text{O45} = 158(6)^\circ$]. In the crystal packing the dihydroanthracene rings are faced towards each other. Ring C7–C13 stacks with a symmetry equivalent one at $(-x, 1-y, 1-z)$ (distance between ring centroids: $3.830(4)$ Å). No voids larger than 30 Å³ are present in the unit cell.

* Correspondence author
(e-mail: Luc.VanMeervelt@chem.kuleuven.ac.be)

Table 1. Data collection and handling.

Crystal:	light yellow blocks, size 0.15 × 0.20 × 0.35 mm
Wavelength:	Mo K_{α} radiation (0.71073 Å)
μ :	0.84 cm ⁻¹
Diffractometer, scan mode:	Siemens P4-PC, ω
$2\theta_{\max}$:	44°
$N(hkl)_{\text{measured}}$, $N(hkl)_{\text{unique}}$:	4911, 4026
Criterion for I_{obs} , $N(hkl)_{\text{gt}}$:	$I_{\text{obs}} > 2 \sigma(I_{\text{obs}})$, 2659
$N(\text{param})_{\text{refined}}$:	441
Programs:	SHELXS-97 [8], SHELXL-97 [9], PLATON [10]

Table 2. Atomic coordinates and displacement parameters (in Å²).

Atom	Site	<i>x</i>	<i>y</i>	<i>z</i>	<i>U</i> _{iso}
H(6)	2i	-0.2812	0.2359	0.5612	0.052
H(9)	2i	0.0651	0.5467	0.7599	0.050
H(10)	2i	-0.1624	0.2103	0.4211	0.076
H(11)	2i	0.0280	0.2670	0.3683	0.092
H(12)	2i	0.2042	0.4187	0.4705	0.091
H(13)	2i	0.1950	0.5191	0.6258	0.068
H(15)	2i	-0.4867	0.3589	0.5647	0.068
H(16)	2i	-0.5531	0.5328	0.6228	0.083
H(17)	2i	-0.3792	0.6847	0.7283	0.077

Table 2. Continued.

Atom	Site	<i>x</i>	<i>y</i>	<i>z</i>	<i>U</i> _{iso}
H(18)	2i	-0.1355	0.6685	0.7735	0.063
H(21)	2i	-0.0437	0.0244	0.7542	0.063
H(22)	2i	-0.1869	-0.1488	0.6963	0.082
H(23)	2i	-0.4337	-0.1743	0.6182	0.096
H(24)	2i	-0.5372	-0.0252	0.5977	0.098
H(25)	2i	-0.3949	0.1512	0.6609	0.076
H(27)	2i	0.2895	0.4953	0.8456	0.067
H(28)	2i	0.4587	0.6395	0.9711	0.082
H(29)	2i	0.4577	0.6821	1.1304	0.087
H(30)	2i	0.2862	0.5805	1.1657	0.080
H(31)	2i	0.1123	0.4378	1.0403	0.060
H(33)	2i	-0.1631	0.2146	0.9337	0.046
H(35)	2i	0.1343	0.1129	1.1130	0.044
H(37)	2i	0.2450	0.2160	0.9143	0.049
H(39)	2i	-0.1713	0.1059	1.1740	0.076
H(43)	2i	0.5248	0.1327	1.0178	0.083
H(44A)	2i	-0.413(6)	0.084(4)	1.185(3)	0.085
H(44B)	2i	-0.322(7)	0.018(5)	1.215(4)	0.085
H(47A)	2i	-0.3456	-0.245	1.3859	0.169
H(47B)	2i	-0.2147	-0.2883	1.3497	0.169
H(47C)	2i	-0.3679	-0.3039	1.2733	0.169
H(48A)	2i	-0.0596	-0.0845	1.4129	0.232
H(48B)	2i	-0.1781	-0.0605	1.4677	0.232
H(48C)	2i	-0.1581	0.0042	1.3993	0.232

Table 3. Atomic coordinates and displacement parameters (in Å²).

Atom	Site	<i>x</i>	<i>y</i>	<i>z</i>	<i>U</i> ₁₁	<i>U</i> ₂₂	<i>U</i> ₃₃	<i>U</i> ₁₂	<i>U</i> ₁₃	<i>U</i> ₂₃
N(1)	2i	-0.0014(3)	0.2683(3)	0.8363(2)	0.036(2)	0.051(2)	0.042(2)	0.005(2)	0.008(2)	0.028(2)
C(2)	2i	-0.1165(4)	0.2193(3)	0.7472(3)	0.037(2)	0.045(3)	0.040(2)	0.006(2)	0.010(2)	0.020(2)
C(3)	2i	-0.1208(4)	0.2943(3)	0.7000(3)	0.046(3)	0.046(3)	0.038(2)	0.005(2)	0.010(2)	0.019(2)
C(4)	2i	-0.0113(4)	0.3896(3)	0.7605(3)	0.037(2)	0.046(3)	0.041(2)	0.004(2)	0.013(2)	0.021(2)
C(5)	2i	0.0624(4)	0.3739(3)	0.8441(3)	0.038(2)	0.049(3)	0.043(2)	0.001(2)	0.009(2)	0.025(2)
C(6)	2i	-0.2072(4)	0.3024(3)	0.6039(3)	0.045(2)	0.044(3)	0.034(2)	-0.002(2)	0.001(2)	0.016(2)
C(7)	2i	-0.0926(5)	0.3291(4)	0.5566(3)	0.061(3)	0.051(3)	0.039(3)	0.019(2)	0.015(2)	0.027(2)
C(8)	2i	0.0124(5)	0.4238(4)	0.6181(3)	0.052(3)	0.057(3)	0.044(3)	0.015(2)	0.017(2)	0.032(2)
C(9)	2i	-0.0091(4)	0.4802(3)	0.7175(3)	0.041(2)	0.044(2)	0.043(2)	0.000(2)	0.008(2)	0.023(2)
C(10)	2i	-0.0899(6)	0.2714(4)	0.4628(3)	0.092(4)	0.060(3)	0.042(3)	0.027(3)	0.019(3)	0.021(2)
C(11)	2i	0.0240(7)	0.3062(5)	0.4311(4)	0.103(5)	0.105(5)	0.057(3)	0.053(4)	0.050(4)	0.044(3)
C(12)	2i	0.1286(6)	0.3968(5)	0.4919(4)	0.076(4)	0.118(5)	0.073(4)	0.043(4)	0.041(3)	0.065(4)
C(13)	2i	0.1237(5)	0.4567(4)	0.5851(3)	0.052(3)	0.079(3)	0.065(3)	0.023(2)	0.027(2)	0.049(3)
C(14)	2i	-0.2712(4)	0.4097(3)	0.6339(3)	0.043(3)	0.047(3)	0.035(2)	0.004(2)	0.010(2)	0.021(2)
C(15)	2i	-0.4156(5)	0.4208(4)	0.6066(3)	0.043(3)	0.065(3)	0.059(3)	-0.002(2)	0.006(2)	0.030(3)
C(16)	2i	-0.4554(5)	0.5251(5)	0.6419(4)	0.049(3)	0.081(4)	0.089(4)	0.019(3)	0.024(3)	0.042(3)
C(17)	2i	-0.3517(6)	0.6157(4)	0.7040(4)	0.074(4)	0.058(3)	0.071(3)	0.023(3)	0.034(3)	0.025(3)
C(18)	2i	-0.2058(5)	0.6061(4)	0.7314(3)	0.057(3)	0.051(3)	0.047(3)	-0.002(2)	0.017(2)	0.019(2)
C(19)	2i	-0.1645(4)	0.5042(3)	0.6963(3)	0.046(3)	0.040(3)	0.037(2)	0.006(2)	0.012(2)	0.019(2)
C(20)	2i	-0.2028(4)	0.1072(3)	0.7143(3)	0.039(2)	0.045(3)	0.043(2)	0.005(2)	0.011(2)	0.020(2)
C(21)	2i	-0.1435(5)	0.0157(4)	0.7236(3)	0.050(3)	0.050(3)	0.056(3)	0.010(2)	0.011(2)	0.022(2)
C(22)	2i	-0.2291(6)	-0.0884(4)	0.6884(4)	0.090(4)	0.043(3)	0.069(3)	0.012(3)	0.015(3)	0.023(3)
C(23)	2i	-0.3762(7)	-0.1039(4)	0.6418(4)	0.092(4)	0.052(3)	0.085(4)	-0.012(3)	0.008(3)	0.030(3)
C(24)	2i	-0.4378(6)	-0.0151(4)	0.6303(4)	0.054(3)	0.069(4)	0.107(4)	-0.014(3)	0.000(3)	0.035(3)
C(25)	2i	-0.3518(5)	0.0907(4)	0.6675(3)	0.055(3)	0.050(3)	0.083(3)	0.007(3)	0.008(3)	0.031(3)
C(26)	2i	0.1777(4)	0.4533(3)	0.9287(3)	0.036(2)	0.047(3)	0.041(3)	0.002(2)	0.009(2)	0.019(2)
C(27)	2i	0.2863(5)	0.5132(4)	0.9097(3)	0.045(3)	0.067(3)	0.054(3)	-0.006(2)	0.009(2)	0.028(3)
C(28)	2i	0.3889(5)	0.5989(4)	0.9851(4)	0.049(3)	0.066(3)	0.081(4)	-0.013(3)	0.008(3)	0.030(3)
C(29)	2i	0.3885(5)	0.6242(4)	1.0801(4)	0.056(3)	0.065(3)	0.068(4)	-0.005(3)	-0.003(3)	0.010(3)
C(30)	2i	0.2857(5)	0.5640(4)	1.1010(3)	0.064(3)	0.076(4)	0.044(3)	0.011(3)	0.009(3)	0.008(3)
C(31)	2i	0.1810(5)	0.4786(4)	1.0256(3)	0.047(3)	0.059(3)	0.045(3)	0.007(2)	0.012(2)	0.021(2)
C(32)	2i	0.0356(4)	0.2226(3)	0.9120(3)	0.032(2)	0.044(2)	0.037(2)	0.001(2)	0.007(2)	0.021(2)
C(33)	2i	-0.0688(4)	0.2008(3)	0.9550(3)	0.026(2)	0.044(2)	0.047(2)	0.007(2)	0.009(2)	0.023(2)
C(34)	2i	-0.0326(4)	0.1582(3)	1.0297(3)	0.028(2)	0.042(2)	0.038(2)	0.004(2)	0.013(2)	0.018(2)
C(35)	2i	0.1089(4)	0.1395(3)	1.0618(3)	0.041(2)	0.036(2)	0.035(2)	0.004(2)	0.008(2)	0.018(2)

Table 3. Continued.

Atom	Site	<i>x</i>	<i>y</i>	<i>z</i>	<i>U</i> ₁₁	<i>U</i> ₂₂	<i>U</i> ₃₃	<i>U</i> ₁₂	<i>U</i> ₁₃	<i>U</i> ₂₃
C(36)	2i	0.2125(4)	0.1602(3)	1.0183(3)	0.029(2)	0.038(2)	0.039(2)	0.004(2)	0.008(2)	0.018(2)
C(37)	2i	0.1754(4)	0.2019(3)	0.9435(3)	0.031(2)	0.049(3)	0.046(2)	0.002(2)	0.015(2)	0.022(2)
C(38)	2i	−0.1483(4)	0.1380(3)	1.0745(3)	0.032(3)	0.046(3)	0.049(3)	0.007(2)	0.009(2)	0.026(2)
O(39)	2i	−0.1022(3)	0.1160(3)	1.1537(2)	0.046(2)	0.102(3)	0.066(2)	0.013(2)	0.027(2)	0.054(2)
O(40)	2i	−0.2738(3)	0.1403(3)	1.0372(2)	0.036(2)	0.134(3)	0.090(2)	0.019(2)	0.025(2)	0.074(2)
C(41)	2i	0.3638(4)	0.1394(3)	1.0537(3)	0.032(2)	0.049(3)	0.050(3)	0.005(2)	0.009(2)	0.025(2)
O(42)	2i	0.4090(3)	0.1214(3)	1.1283(2)	0.046(2)	0.112(3)	0.074(2)	0.032(2)	0.018(2)	0.057(2)
O(43)	2i	0.4427(3)	0.1446(3)	0.9956(2)	0.031(2)	0.112(3)	0.088(2)	0.022(2)	0.027(2)	0.059(2)
O(44)	2i	−0.3145(4)	0.0763(3)	1.2226(3)	0.056(2)	0.100(3)	0.076(2)	0.010(2)	0.025(2)	0.053(3)
O(45)	2i	−0.3159(6)	−0.1345(4)	1.2525(4)	0.164(5)	0.135(4)	0.127(4)	0.058(3)	0.068(3)	0.083(3)
C(46)	2i	−0.2584(6)	−0.1491(6)	1.3288(5)	0.073(4)	0.113(5)	0.097(5)	0.026(4)	0.030(3)	0.074(4)
C(47)	2i	−0.3001(8)	−0.2554(6)	1.3349(6)	0.152(7)	0.121(6)	0.162(7)	0.037(5)	0.017(6)	0.090(6)
C(48)	2i	−0.156(1)	−0.0660(7)	1.4084(7)	0.147(8)	0.127(7)	0.22(1)	−0.025(6)	−0.014(8)	0.019(7)

Acknowledgments. The FWO-Vlaanderen and K.U. Leuven are gratefully acknowledged for financial support.

References

1. Smet, M.; Corens, D.; Dehaen, W.: Synthesis of novel dendritic molecules based on pyrroloanthracene units. *Arkivoc* 2003 (IV) 51-67.
2. Shaklai, K.; Hart, H.: Synthesis of supertriptycene and two related iptycenes. *J. Org. Chem.* **56** (1991) 6905-6912.
3. Kearney, P.; Mizoue, L.; Kumpf, R.; Forman, A.; McCurdy, A.; Dougherty, D. A.: Molecular recognition in aqueous media. New binding studies provide further insights into the cation- π interaction and related phenomena. *J. Am. Chem. Soc.* **115** (1993) 9907-9919.
4. Weber, E.; Finge, S.; Reutel, C.: Crystal inclusion of oligocyclic anhydrides containing 9,10-dihydro-9,10-ethanoanthracene constructional units – crystal-structure of a benzene clathrate. *Prakt. Chem.* **335** (1993) 147-151.
5. Weber, E.; Finge, S.; Csöreg, I.: Modular design of hosts involving a rigid succinimide framework and N-bonded lateral groups. Crystalline inclusion properties and crystal structures of inclusion compounds with dioxane, methanol, and DMF. *J. Org. Chem.* **56** (1991) 7281-7288.
6. Jye-Shane, Y.; Swager, M.T.: Fluorescent Porous Polymer Films as TNT Chemosensors: Electronic and Structural Effects. *J. Am. Chem. Soc.* **120** (1998) 11864-11873.
7. Smet, M.; Corens, D.; Van Meervelt, L.; Dehaen, W.: Synthesis of the formal Diels-Alder adducts of N-substituted dehydromaleimides. *Molecules* **5** (2000) 179-188.
8. Sheldrick, G. M.: Phase Annealing in SHELX-90: Direct Methods for Larger Structures. *Acta Crystallogr.* **A46** (1990) 467-473.
9. Sheldrick, G. M.: SHELXL-97. Program for the refinement of crystal structures. University of Göttingen, Germany 1997.
10. Spek, A. L.: PLATON, Molecular Geometry Program. University of Utrecht, The Netherlands 1998.