



Crystal structure of 3*S*,4'*S*,6'*S*-2-benzyl-3-[(*tert*-butyldimethylsiloxy)-(2',2'-dimethyl-1,3-dioxolan-4'-yl)-6'-methyl]-4-[2-(trimethylsilyl)ethoxy]-3,6-dihydro-2*H*-1,2-oxazine, C₂₈H₄₉NO₅Si₂

A. Al-Harrasi, I. Brüdgam, H. Hartl and H.-U. Reißig*

Freie Universität Berlin, Institut für Chemie und Biochemie, Takustr. 3, 14195 Berlin, Germany

Received October 21, 2005, accepted and available on-line March 1, 2006; CCDC no. 1267/1671



Abstract

C₂₈H₄₉NO₅Si₂, monoclinic, *P*12₁1 (no. 4), *a* = 14.325(3) Å, *b* = 11.850(2) Å, *c* = 19.459(4) Å, *β* = 102.978(5)°, *V* = 3218.8 Å³, *Z* = 4, *R*_{gt}(*F*) = 0.046, *wR*_{ref}(*F*²) = 0.103, *T* = 173 K.

Source of material

The title compound was obtained by [3+3] cyclization of lithiated 2-(trimethylsilylethoxy)allene with L-theroso derived nitrone as described in [1,2], purified by chromatography on silica gel and recrystallized from hexane (m.p. 366-368 K).

Discussion

The crystal structure proves the constitution and configuration of the title compound and also shows details of the conformation. It proves the newly formed stereogenic center at C11 (C11a). Bond distances and bond angles show normal values. The crystal structure contains two crystallographically independent molecules with marginal differences of the bond lengths and torsion angles. The absolute structure was confirmed by the value of Flack parameter of 0.01(8).

Table 1. Data collection and handling.

Crystal:	colorless plate, size 0.05 × 0.13 × 0.65 mm
Wavelength:	Mo K _α radiation (0.71073 Å)
<i>μ</i> :	1.43 cm ⁻¹
Diffractometer, scan mode:	Bruker SMART CCD, <i>φ</i> / <i>ω</i>
2 θ _{max} :	55.16°
<i>N</i> (<i>hkl</i>) _{measured} , <i>N</i> (<i>hkl</i>) _{unique} :	22282, 14174
Criterion for <i>I</i> _{obs} , <i>N</i> (<i>hkl</i>) _{gt} :	<i>I</i> _{obs} > 2 σ (<i>I</i> _{obs}), 8416
<i>N</i> (<i>param</i>) _{refined} :	669
Programs:	SHELXS-97 [3], SHELXL-97 [4], ORTEP-3 [5]

Table 2. Atomic coordinates and displacement parameters (in Å²).

Atom	Site	<i>x</i>	<i>y</i>	<i>z</i>	<i>U</i> _{iso}
H(26A)	2a	0.7747	0.0380	0.0367	0.062
H(26B)	2a	0.6771	0.0269	0.0632	0.062
H(26C)	2a	0.7640	-0.0577	0.0924	0.062
H(27A)	2a	0.9437	0.0259	0.1929	0.068
H(27B)	2a	0.9507	0.1531	0.2211	0.068
H(27C)	2a	0.9573	0.1272	0.1416	0.068
H(28A)	2a	0.6703	0.0960	0.2126	0.074
H(28B)	2a	0.7643	0.1440	0.2650	0.074
H(28C)	2a	0.7572	0.0129	0.2448	0.074
H(25A)	2a	0.7904	0.2778	0.0760	0.034
H(25B)	2a	0.6899	0.2651	0.0974	0.034

* Correspondence author (e-mail: hans.reissig@chemie.fu-berlin.de)

Table 2. Continued.

Atom	Site	x	y	z	U _{iso}
H(24A)	2a	0.7677	0.3437	0.2121	0.038
H(24B)	2a	0.8553	0.3763	0.1768	0.038
H(9)	2a	0.8480	0.5223	0.2546	0.036
H(8A)	2a	0.7994	0.7119	0.2938	0.039
H(8B)	2a	0.8994	0.7137	0.2702	0.039
H(11)	2a	0.6207	0.6218	0.1228	0.026
H(7A)	2a	0.6535	0.8277	0.2485	0.036
H(7B)	2a	0.6373	0.6938	0.2428	0.036
H(6)	2a	0.4759	0.6343	0.2025	0.041
H(5)	2a	0.3178	0.6655	0.1421	0.052
H(4)	2a	0.2759	0.8336	0.0806	0.049
H(3)	2a	0.3917	0.9713	0.0812	0.044
H(2)	2a	0.5496	0.9398	0.1402	0.038
H(12)	2a	0.6995	0.5865	0.0300	0.025
H(13)	2a	0.6220	0.8115	0.0286	0.026
H(14A)	2a	0.5248	0.6013	0.0112	0.033
H(14B)	2a	0.4816	0.7226	0.0248	0.033
H(16A)	2a	0.5890	0.7569	-0.1989	0.057
H(16B)	2a	0.4779	0.7265	-0.2092	0.057
H(16C)	2a	0.5579	0.6353	-0.1761	0.057
H(17A)	2a	0.5158	0.9065	-0.0583	0.072
H(17B)	2a	0.4529	0.8940	-0.1370	0.072
H(17C)	2a	0.5636	0.9281	-0.1240	0.072
H(19A)	2a	0.7894	0.8142	-0.0926	0.091
H(19B)	2a	0.9001	0.8004	-0.0937	0.091
H(19C)	2a	0.8690	0.8838	-0.0381	0.091
H(18A)	2a	0.8432	0.4967	-0.0124	0.102
H(18B)	2a	0.8903	0.5447	-0.0737	0.102
H(18C)	2a	0.7780	0.5605	-0.0786	0.102
H(22A)	2a	0.9905	0.5277	0.0865	0.100
H(22B)	2a	0.9516	0.6040	0.1419	0.100
H(22C)	2a	1.0638	0.6001	0.1439	0.100
H(21A)	2a	0.9499	0.8096	0.1337	0.093
H(21B)	2a	0.9846	0.8723	0.0710	0.093
H(21C)	2a	1.0615	0.8151	0.1337	0.093
H(23A)	2a	1.1292	0.6947	0.0515	0.100
H(23B)	2a	1.0585	0.7553	-0.0133	0.100
H(23C)	2a	1.0595	0.6206	-0.0072	0.100
H(25C)	2a	0.7848	0.0280	0.5710	0.036
H(25D)	2a	0.6861	0.0133	0.5950	0.036
H(17D)	2a	0.5031	0.6434	0.4221	0.064
H(17E)	2a	0.4503	0.6199	0.3418	0.064
H(17F)	2a	0.5571	0.6690	0.3601	0.064
H(16D)	2a	0.6073	0.4996	0.2937	0.060

Table 2. Continued.

Atom	Site	x	y	z	U _{iso}
H(16E)	2a	0.5016	0.4476	0.2797	0.060
H(16F)	2a	0.5912	0.3751	0.3208	0.060
H(14C)	2a	0.5253	0.3537	0.5060	0.032
H(14D)	2a	0.4762	0.4760	0.5057	0.032
H(13A)	2a	0.6181	0.5629	0.5206	0.026
H(12A)	2a	0.7014	0.3410	0.5233	0.022
H(24C)	2a	0.7623	0.0992	0.7062	0.038
H(24D)	2a	0.8515	0.1279	0.6718	0.038
H(11A)	2a	0.6173	0.3722	0.6136	0.025
H(8A1)	2a	0.7874	0.4601	0.7884	0.038
H(8A2)	2a	0.8896	0.4659	0.7681	0.038
H(9A)	2a	0.8423	0.2734	0.7486	0.035
H(22D)	2a	1.0625	0.3649	0.6450	0.152
H(22E)	2a	0.9924	0.2912	0.5863	0.152
H(22F)	2a	0.9496	0.3657	0.6405	0.152
H(21D)	2a	0.9444	0.5698	0.6333	0.112
H(21E)	2a	0.9821	0.6354	0.5729	0.112
H(21F)	2a	1.0568	0.5774	0.6366	0.112
H(19D)	2a	0.7950	0.5696	0.4024	0.080
H(19E)	2a	0.9083	0.5650	0.4089	0.080
H(19F)	2a	0.8650	0.6442	0.4607	0.080
H(18D)	2a	0.8472	0.2567	0.4837	0.120
H(18E)	2a	0.8987	0.3065	0.4253	0.120
H(18F)	2a	0.7855	0.3210	0.4162	0.120
H(2A)	2a	0.5418	0.6913	0.6380	0.038
H(7A1)	2a	0.6416	0.5711	0.7421	0.033
H(7A2)	2a	0.6269	0.4374	0.7324	0.033
H(5A)	2a	0.3143	0.4034	0.6162	0.045
H(4A)	2a	0.2719	0.5784	0.5635	0.045
H(6A)	2a	0.4703	0.3740	0.6815	0.037
H(27D)	2a	0.9506	-0.2064	0.6984	0.087
H(27E)	2a	0.9474	-0.0788	0.7247	0.087
H(27F)	2a	0.9610	-0.1044	0.6468	0.087
H(28D)	2a	0.6682	-0.1501	0.7074	0.081
H(28E)	2a	0.7609	-0.1051	0.7626	0.081
H(28F)	2a	0.7530	-0.2354	0.7406	0.081
H(26D)	2a	0.7726	-0.3067	0.5958	0.067
H(26E)	2a	0.7888	-0.2142	0.5396	0.067
H(26F)	2a	0.6871	-0.2237	0.5604	0.067
H(3A)	2a	0.3849	0.7217	0.5751	0.046
H(23D)	2a	1.1306	0.4607	0.5557	0.106
H(23E)	2a	1.0625	0.5236	0.4905	0.106
H(23F)	2a	1.0638	0.3886	0.4943	0.106

Table 3. Atomic coordinates and displacement parameters (in Å²).

Atom	Site	x	y	z	U ₁₁	U ₂₂	U ₃₃	U ₁₂	U ₁₃	U ₂₃
Si(1)	2a	0.86556(6)	0.69446(7)	0.00109(4)	0.0221(5)	0.0404(6)	0.0285(5)	-0.0061(4)	0.0075(4)	-0.0099(4)
Si(2)	2a	0.79462(6)	0.11889(6)	0.15080(5)	0.0280(5)	0.0212(5)	0.0375(5)	0.0021(4)	0.0031(4)	0.0018(4)
O(1)	2a	0.7918(1)	0.7808(2)	0.1998(1)	0.030(1)	0.025(1)	0.029(1)	-0.0054(9)	0.0009(9)	-0.0025(9)
O(2)	2a	0.7915(1)	0.7121(2)	0.05369(9)	0.020(1)	0.029(1)	0.024(1)	-0.0027(8)	0.0040(8)	-0.0030(9)
O(3)	2a	0.6353(1)	0.7405(2)	-0.06208(9)	0.021(1)	0.040(1)	0.021(1)	0.0026(9)	0.0033(8)	0.0062(9)
O(4)	2a	0.4804(1)	0.6923(2)	-0.0759(1)	0.025(1)	0.066(2)	0.023(1)	-0.007(1)	0.0004(9)	0.007(1)
O(5)	2a	0.7332(1)	0.4590(2)	0.1346(1)	0.033(1)	0.018(1)	0.033(1)	0.0026(9)	-0.0050(9)	0.0003(9)
N(1)	2a	0.6937(2)	0.7581(2)	0.1644(1)	0.024(1)	0.024(1)	0.022(1)	0.001(1)	0.003(1)	-0.002(1)
C(26)	2a	0.7470(2)	0.0198(3)	0.0771(2)	0.043(2)	0.030(2)	0.048(2)	-0.005(2)	0.007(2)	-0.005(2)
C(27)	2a	0.9273(2)	0.1046(3)	0.1801(2)	0.035(2)	0.045(2)	0.050(2)	0.008(2)	-0.005(2)	0.001(2)
C(28)	2a	0.7401(3)	0.0894(3)	0.2274(2)	0.054(2)	0.037(2)	0.059(2)	-0.000(2)	0.016(2)	0.004(2)
C(25)	2a	0.7601(2)	0.2641(2)	0.1162(2)	0.027(2)	0.024(2)	0.034(2)	0.002(1)	0.002(1)	0.003(1)
C(24)	2a	0.7855(2)	0.3615(2)	0.1670(2)	0.033(2)	0.022(2)	0.037(2)	0.004(1)	-0.002(1)	0.005(1)
C(10)	2a	0.7514(2)	0.5595(2)	0.1682(1)	0.026(2)	0.021(2)	0.023(2)	0.002(1)	0.005(1)	0.002(1)
C(9)	2a	0.8135(2)	0.5821(2)	0.2278(2)	0.033(2)	0.027(2)	0.027(2)	0.004(1)	-0.002(1)	0.004(1)
C(8)	2a	0.8298(2)	0.7006(2)	0.2534(2)	0.034(2)	0.029(2)	0.028(2)	0.001(1)	-0.004(1)	-0.003(1)
C(11)	2a	0.6879(2)	0.6491(2)	0.1274(1)	0.021(1)	0.017(1)	0.025(2)	-0.002(1)	0.001(1)	-0.001(1)
C(7)	2a	0.6321(2)	0.7647(3)	0.2153(1)	0.035(2)	0.032(2)	0.022(2)	0.006(1)	0.004(1)	-0.001(1)
C(1)	2a	0.5294(2)	0.7832(2)	0.1771(1)	0.033(2)	0.030(2)	0.018(2)	0.003(1)	0.008(1)	-0.003(1)
C(6)	2a	0.4594(2)	0.7029(3)	0.1775(2)	0.043(2)	0.029(2)	0.033(2)	0.005(2)	0.013(2)	0.006(2)

Table 3. Continued.

Atom	Site	x	y	z	U ₁₁	U ₂₂	U ₃₃	U ₁₂	U ₁₃	U ₂₃
C(5)	2a	0.3651(2)	0.7215(3)	0.1416(2)	0.038(2)	0.045(2)	0.047(2)	−0.009(2)	0.011(2)	−0.000(2)
C(4)	2a	0.3402(2)	0.8212(3)	0.1054(2)	0.030(2)	0.047(2)	0.044(2)	0.007(2)	0.005(2)	0.001(2)
C(3)	2a	0.4088(2)	0.9021(3)	0.1055(2)	0.044(2)	0.028(2)	0.036(2)	0.009(2)	0.004(2)	0.004(2)
C(2)	2a	0.5027(2)	0.8834(2)	0.1408(2)	0.038(2)	0.026(2)	0.034(2)	0.001(1)	0.012(2)	−0.001(1)
C(12)	2a	0.7012(2)	0.6629(2)	0.0520(1)	0.019(1)	0.019(1)	0.024(2)	−0.001(1)	0.002(1)	−0.004(1)
C(13)	2a	0.6215(2)	0.7341(2)	0.0080(1)	0.023(1)	0.023(2)	0.019(1)	0.001(1)	0.005(1)	0.002(1)
C(14)	2a	0.5207(2)	0.6817(3)	−0.0031(1)	0.023(1)	0.037(2)	0.022(2)	−0.001(1)	0.004(1)	0.003(1)
C(15)	2a	0.5435(2)	0.7600(2)	−0.1064(1)	0.023(2)	0.034(2)	0.022(2)	0.002(1)	0.003(1)	0.003(1)
C(16)	2a	0.5419(2)	0.7158(3)	−0.1789(2)	0.044(2)	0.046(2)	0.025(2)	0.002(2)	0.009(2)	0.003(2)
C(17)	2a	0.5166(3)	0.8829(3)	−0.1065(2)	0.058(2)	0.039(2)	0.044(2)	0.019(2)	0.004(2)	0.006(2)
C(19)	2a	0.8547(3)	0.8122(4)	−0.0635(2)	0.043(2)	0.095(3)	0.045(2)	−0.006(2)	0.013(2)	0.019(2)
C(18)	2a	0.8414(3)	0.5580(3)	−0.0465(2)	0.044(2)	0.083(3)	0.085(3)	−0.016(2)	0.031(2)	−0.054(3)
C(20)	2a	0.9878(2)	0.6973(3)	0.0623(2)	0.023(2)	0.062(2)	0.039(2)	−0.001(2)	0.004(1)	−0.005(2)
C(22)	2a	0.9994(3)	0.5985(4)	0.1132(2)	0.039(2)	0.086(3)	0.073(3)	0.023(2)	0.008(2)	0.024(3)
C(21)	2a	0.9968(3)	0.8087(3)	0.1040(2)	0.043(2)	0.087(3)	0.049(2)	−0.021(2)	−0.003(2)	−0.023(2)
C(23)	2a	1.0659(2)	0.6915(4)	0.0194(2)	0.022(2)	0.118(4)	0.061(3)	−0.004(2)	0.012(2)	−0.006(3)
Si(1A)	2a	0.86744(6)	0.45459(7)	0.49913(4)	0.0232(5)	0.0299(5)	0.0364(5)	−0.0027(4)	0.0123(4)	−0.0050(4)
Si(2A)	2a	0.79669(6)	−0.12738(7)	0.65017(5)	0.0351(5)	0.0213(5)	0.0383(5)	0.0034(4)	0.0066(4)	0.0045(4)
O(4A)	2a	0.4912(1)	0.4256(2)	0.4107(1)	0.031(1)	0.044(1)	0.020(1)	−0.010(1)	−0.0034(9)	0.005(1)
O(3A)	2a	0.6410(1)	0.4947(2)	0.43111(9)	0.021(1)	0.040(1)	0.018(1)	0.0003(9)	0.0026(8)	0.0038(9)
O(2A)	2a	0.7903(1)	0.4695(2)	0.54954(9)	0.019(1)	0.024(1)	0.027(1)	−0.0032(8)	0.0042(8)	−0.0012(9)
O(1A)	2a	0.7837(1)	0.5326(2)	0.6958(1)	0.025(1)	0.026(1)	0.029(1)	−0.0041(9)	−0.0026(9)	−0.0044(9)
O(5A)	2a	0.7314(1)	0.2113(1)	0.6272(1)	0.033(1)	0.016(1)	0.029(1)	0.0029(8)	−0.0033(9)	0.0023(9)
N(1A)	2a	0.6872(2)	0.5090(2)	0.6580(1)	0.022(1)	0.025(1)	0.023(1)	−0.001(1)	0.004(1)	−0.005(1)
C(25A)	2a	0.7566(2)	0.0151(2)	0.6123(2)	0.032(2)	0.025(2)	0.031(2)	0.005(1)	0.004(1)	0.003(1)
C(17A)	2a	0.5120(2)	0.6184(3)	0.3760(2)	0.051(2)	0.037(2)	0.038(2)	0.013(2)	0.005(2)	0.009(2)
C(15A)	2a	0.5516(2)	0.4992(2)	0.3821(1)	0.028(2)	0.030(2)	0.020(2)	0.001(1)	−0.001(1)	0.006(1)
C(16A)	2a	0.5640(2)	0.4512(3)	0.3131(1)	0.055(2)	0.039(2)	0.023(2)	−0.001(2)	0.002(2)	0.001(2)
C(14A)	2a	0.5214(2)	0.4304(2)	0.4854(1)	0.021(1)	0.034(2)	0.023(2)	−0.000(1)	0.002(1)	0.003(1)
C(13A)	2a	0.6208(2)	0.4861(2)	0.4999(1)	0.023(1)	0.021(1)	0.022(2)	0.000(1)	0.006(1)	−0.002(1)
C(12A)	2a	0.7003(2)	0.4170(2)	0.5455(1)	0.018(1)	0.015(1)	0.023(1)	−0.003(1)	0.006(1)	−0.003(1)
C(24A)	2a	0.7815(2)	0.1143(2)	0.6613(2)	0.033(2)	0.021(2)	0.036(2)	0.003(1)	0.000(1)	0.005(1)
C(10A)	2a	0.7477(2)	0.3122(2)	0.6611(1)	0.024(2)	0.018(2)	0.024(2)	0.001(1)	0.004(1)	−0.000(1)
C(11A)	2a	0.6843(2)	0.4010(2)	0.6198(1)	0.019(1)	0.017(1)	0.026(2)	−0.002(1)	0.003(1)	−0.002(1)
C(8A)	2a	0.8205(2)	0.4514(2)	0.7492(2)	0.030(2)	0.032(2)	0.028(2)	0.001(1)	−0.003(1)	−0.000(1)
C(9A)	2a	0.8076(2)	0.3333(2)	0.7221(1)	0.032(2)	0.025(2)	0.027(2)	0.003(1)	−0.001(1)	0.002(1)
C(22A)	2a	0.9990(3)	0.3619(4)	0.6130(3)	0.041(2)	0.132(5)	0.133(4)	0.034(3)	0.023(3)	0.084(4)
C(20A)	2a	0.9876(2)	0.4609(3)	0.5624(2)	0.019(2)	0.070(3)	0.056(2)	0.004(2)	0.011(2)	0.019(2)
C(21A)	2a	0.9932(3)	0.5708(4)	0.6052(2)	0.043(2)	0.125(4)	0.052(2)	−0.030(3)	0.002(2)	−0.017(3)
C(19A)	2a	0.8578(2)	0.5722(3)	0.4353(2)	0.041(2)	0.079(3)	0.043(2)	−0.006(2)	0.014(2)	0.017(2)
C(18A)	2a	0.8473(3)	0.3187(3)	0.4503(2)	0.061(3)	0.064(3)	0.133(4)	−0.020(2)	0.063(3)	−0.060(3)
C(2A)	2a	0.4956(2)	0.6327(2)	0.6342(2)	0.034(2)	0.027(2)	0.033(2)	0.000(1)	0.009(1)	0.000(1)
C(7A)	2a	0.6225(2)	0.5102(2)	0.7069(1)	0.030(2)	0.031(2)	0.022(2)	0.005(1)	0.008(1)	−0.003(1)
C(1A)	2a	0.5214(2)	0.5291(2)	0.6664(1)	0.033(2)	0.027(2)	0.018(2)	0.004(1)	0.010(1)	−0.001(1)
C(5A)	2a	0.3603(2)	0.4622(3)	0.6210(2)	0.030(2)	0.047(2)	0.039(2)	−0.006(2)	0.011(2)	0.002(2)
C(4A)	2a	0.3354(2)	0.5657(3)	0.5897(2)	0.031(2)	0.047(2)	0.033(2)	0.006(2)	0.005(1)	0.001(2)
C(6A)	2a	0.4533(2)	0.4450(3)	0.6595(2)	0.032(2)	0.032(2)	0.031(2)	0.005(1)	0.014(1)	0.007(1)
C(27A)	2a	0.9297(3)	−0.1295(3)	0.6840(2)	0.046(2)	0.046(2)	0.073(3)	0.012(2)	−0.006(2)	0.007(2)
C(28A)	2a	0.7377(3)	−0.1581(3)	0.7239(2)	0.074(3)	0.042(2)	0.049(2)	−0.003(2)	0.021(2)	0.009(2)
C(26A)	2a	0.7566(2)	−0.2301(3)	0.5780(2)	0.055(2)	0.030(2)	0.053(2)	−0.001(2)	0.018(2)	−0.004(2)
C(3A)	2a	0.4025(2)	0.6504(3)	0.5965(2)	0.045(2)	0.031(2)	0.038(2)	0.010(2)	0.007(2)	0.008(2)
C(23A)	2a	1.0685(2)	0.4582(4)	0.5221(2)	0.022(2)	0.110(4)	0.081(3)	0.002(2)	0.015(2)	0.013(3)

Acknowledgments. Support of this work by the Deutsche Forschungsgemeinschaft, the Deutscher Akademischer Austauschdienst (fellowship for AAH) and the Fonds der Chemischen Industrie is most gratefully acknowledged.

References

- Al-Harrasi, A.; Reissig, H.-U.: Enantiomerenreine Kohlenhydratmimetika durch Lewis-Säure-induzierte Umlagerung von 1,3-dioxolanylsubstituierten 1,2-Oxazinen. *Angew. Chem.* **117** (2005) 6383–6387 (Synthesis of Enantiopure Carbohydrate Mimetics by Lewis Acid Catalyzed Rearrangement of 1,3-Dioxolanyl-Substituted 1,2-Oxazines. *Angew. Chem. Int. Ed.* **44** (2005) 6227–6231).
- Al-Harrasi, A.: New Transformations of Enantiopure 3,6-Dihydro-2H-1,2-oxazines: Ring Cleavages, Ring Enlargements and a Novel Approach to Carbohydrate Mimetics. Dissertation, Freie Universität Berlin (2005).
- Sheldrick, G. M.: Phase Annealing in SHELX-90: Direct Methods for Larger Structures. *Acta Crystallogr. A* **46** (1990) 467–473.
- Sheldrick, G. M.: SHELXL-97. Program for the Refinement of Crystal Structures. University of Göttingen, Germany 1997.
- Farrugia, L. J.: ORTEP-3 for Windows – a version of ORTEP-III with a Graphical User Interface (GUT). *J. Appl. Crystallogr.* **30** (1997) 565.