



Corrigendum

Corrigendum to 'Reliability of pressure pain threshold testing in healthy pain free young adults' [Scand. J. Pain 9 (2015) 38–41]

Robert Waller^{a,*}, Leon Straker^a, Peter O'Sullivan^a, Michele Sterling^b, Anne Smith^a^a Curtin University, GPO Box 1987, Perth, Western Australia 6845, Australia^b Griffith University Gold Coast Campus, Southport, Queensland 4222, Australia

The authors of the above paper have noticed significant errors in Table 2. The errors appear in columns 5 to 8, in which the computed sample sizes are incorrect. The correct Table 2 is provided below:

Table 2
Sample size calculations.

Site (initial mean value)	% change	SEM (kPa)	ES	Sample size required for crossover design		Sample size required for parallel design	
				80% power	90% power	80% power	90% power
Wrist (472 kPa)	30%	84	1.19	8	10	26	32
	25%	84	0.99	11	13	36	46
	20%	84	0.79	15	19	54	70
	15%	84	0.60	24	32	90	120
	10%	84	0.40	52	68	200	266
Leg (501 kPa)	30%	93	1.14	9	11	28	36
	25%	93	0.95	11	14	38	50
	20%	93	0.76	16	21	58	76
	15%	93	0.57	27	35	100	132
	10%	93	0.38	57	75	220	294
Neck (413 kPa)	30%	79	1.11	9	11	28	38
	25%	79	0.92	12	15	40	52
	20%	79	0.74	17	22	60	80
	15%	79	0.55	28	37	106	142
	10%	79	0.37	60	79	232	310
Back (606 kPa)	30%	100	1.29	7	9	22	28
	25%	100	1.07	9	12	30	40
	20%	100	0.86	13	17	46	60
	15%	100	0.64	22	28	80	106
	10%	100	0.43	45	59	172	230

SEM, standard error of measurement; ES, effect size (Gyatt's responsiveness index = percentage change divided by the square root of two times the mean square error term from the repeated measures analysis of variance test).

DOI of refers to article: <http://dx.doi.org/10.1016/j.sjpain.2015.05.004>.

* Corresponding author at: School of Physiotherapy & Exercise Science, Curtin University, GPO Box 1987, Perth, Western Australia 6845, Australia. Tel.: +61 8 9266 3662; fax: +61 8 9266 3699.

E-mail addresses: R.Waller@curtin.edu.au (R. Waller), L.Straker@curtin.edu.au (L. Straker), P.OSullivan@curtin.edu.au (P. O'Sullivan), M.Sterling@griffith.edu.au (M. Sterling), Anne.Smith@exchange.curtin.edu.au (A. Smith).