

# List of illustrations

 <https://doi.org/10.1075/impact.40.loi>

Pages xxi–xxii of

**The Written Questionnaire in Social Dialectology: History, theory, practice**

**Stefan Dollinger**


[IMPACT: Studies in Language, Culture and Society, 40]

2015. xxvii, 397 pp.

© John Benjamins Publishing Company

This electronic file may not be altered in any way. For any reuse of this material written permission should be obtained from the publishers or through the Copyright Clearance Center (for USA: [www.copyright.com](http://www.copyright.com)).

For further information, please contact [rights@benjamins.nl](mailto:rights@benjamins.nl) or consult our website at [benjamins.com/rights](http://benjamins.com/rights)



# List of illustrations

<b>Illustration 1.1</b>	Types of linguistic data by degree of monitoring and naturalness	5
<b>Illustration 2.1</b>	Social background questions in Hempl's WQ	29
<b>Illustration 2.2</b>	Part of the questionnaire of the 1972 <i>Survey of Canadian English</i>	42
<b>Illustration 4.1</b>	<i>Chesterfield</i> (left) vs. <i>chesterfield</i> (right)	88
<b>Illustration 5.1</b>	Visualization of Kachru's Three Circle Model	143
<b>Illustration 6.1</b>	Youngest example of <i>dumping truck</i> in <i>The Globe (and Mail)</i>	183
<b>Illustration 6.2</b>	Canada-U.S. border along "0 Avenue" in Surrey, BC (left), and Blaine, WA (right)	193
<b>Illustration 7.1</b>	Informed Consent Form (UBC 2013)	228
<b>Illustration 7.2</b>	Beginning of Washington State English Survey (2011)	229
<b>Illustration 7.3</b>	Instructions for the linguistic part (Washington Survey)	230
<b>Illustration 7.4</b>	Raw material from Preston's 1984 map task	254
<b>Illustration 7.5</b>	Perceived dialect regions by 100 Ontarians and 100 Albertans	257
<b>Illustration 7.6</b>	Instructions from Gregg's BC Linguistic Survey	260
<b>Illustration 8.1</b>	DT of Canada Introductory Screen ("ABOUT")	276
<b>Illustration 8.2</b>	View Results screen	278
<b>Illustration 8.3</b>	Basic output for View Results function	279
<b>Illustration 8.4</b>	Automatic Graphing feature (full circles) with manual additions (semi-circles)	280
<b>Illustration 8.5</b>	Regional comparison feature	281
<b>Illustration 8.6</b>	Output of Regional comparison function	282
<b>Illustration 8.7</b>	Tutorial View with Split Windows	283
<b>Illustration 8.9</b>	Raw download format (Full Data Length)	297
<b>Illustration 8.8</b>	Data Request home screen (Dialect Topography)	297
<b>Illustration 8.10</b>	Importing the text into Excel 2010	298
<b>Illustration 8.11</b>	Copy-and-pasting the delimiting character into the Excel	299
<b>Illustration 8.12</b>	Imported data in Excel	300
<b>Illustration 8.13</b>	Mac procedure for inserting the Pipe symbol via Copy-and-Paste	301
<b>Illustration 8.14</b>	Downloaded DT file, Golden Horseshoe (All), q1-different, in Excel	303
<b>Illustration 8.15</b>	COUNTIF example	304
<b>Illustration 8.16</b>	Basic variant count for q1-different	305
<b>Illustration 8.17a</b>	SUM command	305
<b>Illustration 8.17b</b>	SUM command & percent calculation	306

Illustration 8.18	Creating a percent formula that is automatically “shiftable”	306
Illustration 8.19	Shift box (top) and full percentages with “shifted” function	307
Illustration 8.20	COUNTIFS in age groups	309
Illustration 8.21a	Formula dragged to the right	309
Illustration 8.21b	First correction of dragged formula	309
Illustration 8.22	q1-different by age group & three major variants	310
Illustration 8.23	Marking data for graphing tool and chart	310
Illustration 8.24	COUNTIFS and RI	312
Illustration 8.25	Calling up the PivotTable function in Excel	314
Illustration 8.26a	Submenu for command “PivotTable...”	314
Illustration 8.26b	Responses for q1 per age cohort	315
Illustration 8.27a	Manipulate-able Pivot Table for q1 and all other variables (header in top row)	316
Illustration 8.27b	Answer for <i>different from</i> only in display view in PivotTables	317
Illustration 9.1	Normal distribution with 95% area shaded (95% likelihood or 0.05 cut-off)	330
Illustration 9.2	Histogram for <i>wedgie</i> and variants in Vancouver	339
Illustration 9.3	Input routine for HCFA testing	343
Illustration 9.4	Select all tables from 0000 to 0015 (in our case)	344
Illustration 9.5	HCFA_output_sum.txt for differentvan.txt	345
Illustration 9.6a	Montreal.news.txt: original output in “q42”	349
Illustration 9.6b	Montreal.news2.txt: original q42 replaced with R-compatible format	349
Illustration 9.7a	Montreal.news2: missing value for dependent variable in line 234, id 5234	350
Illustration 9.7b	Montreal.news3: missing values removed	351
Illustration 9.8	Logistic Regression modelling, model 1, with interactions. AIC not shown	353
Illustration 9.9	Model 2, model.glm2, without interactions	356
Illustration 9.10	Model 3, model.glm3, without interactions	357
Illustration 9.11	Model 4, model.glm4, without interactions	358