

Appendix II: Dimensions of Letters

This list contains a selection of completely preserved letters (they have published images from which it could be confirmed that their margins been preserved intact or almost intact; measurements of their original dimensions can be regarded as accurate).

Publication	Provenance (HGV)	Dating (HGV)	Height	Width	Width : Height	fibres direction
P.Sorb. I 9	Oxyrhynchite nome or Herakleopolite nome (?)	268 BC	10.7	37.2	3.5	recto, ↓
P.Cair. Zen. I 59025	Alexandria	258–256 BC	31.5	10	0.3	recto, →
P.Cair. Zen. I 59034	Alexandria (?)	257 BC	30	35	1.2	recto, →
P.Cair. Zen. I 59046	Alexandria	257 BC	31	14	0.5	recto, →
P.Cair. Zen. I 59057	unknown	257 BC	12.5	33	2.6	recto, ↓
P.Cair. Zen. I 59093	Syria	257 BC	22.5	34	1.5	recto, ↓
P.Cair. Zen. I 59107	Alexandria (?)	257 BC	19.5	32	1.6	recto, ↓
P.Mich. I 6	unknown	257 BC	10	32	3.2	recto, ↓
P.Mich. I 23	Alexandria (?)	257 BC	8	25	3.1	recto, ↓
P.Mich. I 26	Arsinoite nome (?)	257 BC	14	32	2.3	recto, ↓
PSI IV 330	Philadelphiea (Arsinoite nome)	257 BC	14.7	32.9	2.2	recto, ↓
P.Cair. Zen. II 59150	Alexandria	256 BC	31	19	0.6	recto, →
P.Col. III 31	unknown	256 BC	16	33	2.1	recto, ↓
P.Petr. II 6	Arsinoite nome	256 BC	18.5	34	1.8	recto, ↓
P.Petr. II 13 (1)	Arsinoite nome	256 BC	13.5	17.5	1.3	recto, ↓
P.Petr. II 13 (2)	Arsinoite nome	256 BC	24.5	7.5	0.3	recto, →
PSI IV 335	Philadelphiea (Arsinoite nome)	256 BC	11.7	23.5	2.0	recto, ↓
P.Mich. I 32	unknown	255 BC	32.5	9.5	0.3	recto, →

Publication	Provenance (HGV)	Dating (HGV)	Height	Width	Width : Height	fibres direction
P.Petr. II 4 (11)	Arsinoite nome	255 BC	11.5	33	2.9	recto, ↓
P.Mich. I 35	Memphite nome (?)	254 BC	8	24	3.0	recto, ↓
P.Mich. I 36	unknown	254 BC	23	33	1.4	recto, ↓
P.Mich. I 41	Philadelphieia (Arsinoite nome)	253 BC	31	11	0.4	recto, →
P.Mich. I 42	unknown	253 BC	20.5	33.5	1.6	recto, ↓
P.Mich. I 43	Arsinoite nome	253 BC	13.5	29	2.1	recto, ↓
P.Col. III 51	unknown	251 BC	33	6.7	0.2	recto, →
P.Mich. I 72	unknown	251 BC	33	13	0.4	recto, →
PSI IV 361 Z. 1–19	Philadelphieia (Arsinoite nome)	251 BC	34.5	34	1.0	recto, ↓
P.Mich. I 51	Arsinoite nome	250 BC	22.5	11	0.5	recto, →
P.Mich. I 57	Arsinoite nome	248 BC	17.5	33.5	1.9	recto, ↓
P.Col. IV 91	Philadelphieia (Arsinoite nome)	242 BC	13.5	13	1.0	recto, →
P.Petr. III 43 (3)	Arsinoite nome	241 BC	30	34	1.1	recto, ↓
P.Haun. I 9	Arsinoite nome	240 BC	19	32.5	1.7	recto, ↓
P.Mich. I 55	Philadelphieia (Arsinoite nome)	240 BC	36	11.7	0.3	recto, →
P.Köln XI 438	Herakleopolite nome	214 BC	10	31	3.1	recto, ↓
P.Köln XI 439	Herakleopolite nome	213 BC	31	16	0.5	recto, →
P.Heid. VI 366	Kerkeosiris (Arsinoite nome)	3 rd c. BC	31	7.5	0.2	recto, →
P.Cair. Zen. III 59526	unknown	mid 3 rd c. BC	12	34.5	2.9	recto, ↓
P.Col. IV 103	Philadelphieia (?) (Arsinoite nome)	mid 3 rd c. BC	23	8	0.3	recto, →
P.Mich. I 74	Arsinoite nome	mid 3 rd c. BC	34	9	0.3	recto, →
P.Mich. I 81	Arsinoite nome	mid 3 rd c. BC	11.5	5.5	0.5	recto, →
P.Petr. II 4 (7)	Arsinoite nome	mid 3 rd c. BC	9.5	30	3.2	recto, ↓
P.Petr. II 11 (1)	Alexandria	mid 3 rd c. BC	11	27.5	2.5	recto, ↓
P.Haun. I 10	Arsinoite nome	end of 3 rd c. BC	31.5	11.5	0.4	recto, →
P.Sijp. 57	Arsinoite nome	3 rd /2 nd c. BC	31	21.5	0.7	recto, →

Publication	Provenance (HGV)	Dating (HGV)	Height	Width	Width : Height	fibres direction
P.Sijp. 45	Arsinoite nome or Herakleopolite nome (?)	197 BC	24.1	27.2 (2 columns)	1.1	recto, →
P.Col. IV 121	Krokodilopolis (Arsi- noite nome)	181 BC	11	31	2.8	recto, ↓
UPZ I 59	Memphis	179 BC	31.8	14.6	0.5	recto, →
P.Phrur. Diosk. 15	unknown	158 BC	32	14.5	0.5	recto, →
UPZ I 69	Memphis	152 BC	8	33	4.1	recto, ↓
UPZ I 70	Memphis	152 BC	33	12	0.4	recto, →
UPZ I 71	Memphis	152 BC	31	12	0.4	recto, →
UPZ I 72	Memphis	152 BC	26	8	0.3	recto, →
P.Phrur. Diosk. 16	unknown	151 BC	31.5	15.7	0.5	recto, ↓
P.Phrur. Diosk. 17	Herakleopolite nome	151 BC	28.6	15	0.5	recto, →
P.Bad. IV 48	Hipponon (Herakleo- polite nome)	127 BC	32	17	0.5	recto, ↓
P.Tebt. I 35	Arsinoite nome	111 BC	31.2	19.5	0.6	recto, →
SB I 5216	Labyrinthos (Arsinoite nome)	101 BC	23.5	12.5	0.5	recto, →
P.Köln IX 365	unknown (Arsinoite nome?)	2 nd c. BC	29.5	15	0.5	recto, →
UPZ I 148	unknown	2 nd c. BC	22.2	10.8	0.5	recto, →
P.Mich. XV 688	Soknopaiu Nesos (Arsinoite nome)	2 nd /1 st c. BC	32	11.2	0.4	recto, →
P.Tebt. I 34	Arsinoite nome	ca. 100 BC	30	12	0.4	recto, →
P.Tebt. I 59	Alexandria	99 BC	32.5	12	0.4	recto, →
P.Lips. I 104	Pathyrite nome (?)	95 BC	28	9	0.3	recto, →
P.Grenf. II 38	Arsinoite nome	80 BC	24.1	10.2	0.4	recto, →
SB V 8754	Herakleopolite nome	77 BC	30	35 (2 columns)	1.2	recto, →
P.Lips. I 104	Pathyrite nome (?)	62 BC	28.5	9	0.3	recto, →
PSI VIII 969	unknown	51 BC	24.3	15	0.6	recto, →

Publication	Provenance (<i>HGV</i>)	Dating (<i>HGV</i>)	Height	Width	Width : Height	fibres direction
P.Coll. Youtie I 17	unknown	37 BC	21	7	0.3	recto, →
BGU IV 1204	Busiris (Herakleopolite nome)	28 BC	23	13	0.6	recto, →
BGU IV 1205	Busiris (Herakleopolite nome)	28 BC	25	33+ (3 columns)	1.3	recto, →
BGU IV 1206	Busiris (Herakleopolite nome)	28 BC	25	32+ (3 columns)	1.3	recto, →
BGU IV 1209	Busiris (Herakleopolite nome)	23 BC	24	15	0.6	recto, →
BGU XVI 2655	Herakleopolite nome	21/20 BC	27	10	0.4	recto, →
BGU XVI 2622	Herakleopolite nome	ca. 21–5 BC	26	13	0.5	recto, →
BGU XVI 2612	Herakleopolite nome	15 BC	20	16.5	0.8	recto, →
BGU XVI 2613	Herakleopolite nome	14 BC	22.7	13.3	0.6	recto, →
BGU XVI 2661	Herakleopolite nome	12 BC	31.4	10.8	0.3	recto, →
BGU XVI 2611	Herakleopolite nome	10 BC	25.5	13.5	0.5	recto, →
BGU XVI 2608	Herakleopolite nome	10–1 BC	21.6	13.5	0.6	recto, →
BGU XVI 2610	Herakleopolite nome	9 BC	20.2	9.5	0.5	recto, →
BGU XVI 2651	Herakleopolite nome	9 BC	23	15.3	0.7	recto, →
BGU XVI 2643	Herakleopolite nome	8 BC	33	15	0.5	recto, →
BGU XVI 2606	Herakleopolite nome	7 BC	26.5	11.5	0.4	recto, →
BGU XVI 2624	Herakleopolite nome	7 BC	19.7	16	0.8	recto, →
BGU XVI 2654	Herakleopolite nome	6 BC	31.2	14	0.4	recto, →
BGU XVI 2629	Herakleopolite nome	4 BC	25.2	14.5	0.6	recto, →
BGU XVI 2637	Herakleopolite nome	3/2 BC	25.5	19.8	0.8	recto, →
BGU XVI 2627	Herakleopolite nome	2 BC	17.5	10	0.6	recto, →
SB XIV 11294	Arsinoite nome (?)	2 BC	22.5	10	0.4	recto, →
P.Oxy. IV 744	Alexandria	1 BC	25	14.7	0.6	recto, →
PSI VIII 968	Arsinoite nome	1 st c. BC	22.9	11.5	0.5	recto, →
PSI XV 1539	Thosbis (?) (Oxyrhynchite nome) or Herakleopolite nome	end of 1 st c. BC	23.1	10.2	0.4	recto, →
P.Oslo II 47	unknown	1 AD	26	9.7	0.4	recto, →

Publication	Provenance (HGV)	Dating (HGV)	Height	Width	Width : Height	fibres direction
P.Tebt. II 408	Tebtynis (Arsinoite nome)	3 AD	23.9	8.7	0.4	recto, →
P.NYU II 18	Philadelphieia (Arsinoite nome)	6 AD	21	17	0.8	recto, →
SB XIV 12172	unknown	7 AD	21.2	8	0.4	recto, →
P.Tebt. II 289	Ptolemais Euergetis (Arsinoite nome)	23 AD	18	9.8	0.5	recto, →
P.Oxy. II 292	Oxyrhynchos	25 AD	20	14.7	0.7	recto, →
P.Oxy. X 1291	Oxyrhynchos	30 AD	8.2	4.8	0.6	recto, →
P.Oxy. XXII 2353	Oxyrhynchite nome	32 AD	27.5	15.7	0.6	recto, →
SB XIV 12143	Philadelphieia (Arsinoite nome)	41–54 AD	28.5	8.5	0.3	recto, →
P.Oxy. II 297	Oxyrhynchos	54 AD	31.6	9.4	0.3	recto, →
P.Oxy. II 269	Oxyrhynchos	57 AD	20.5	33 (1+ columns)	1.6	recto, →
P.Oxy. XLVII 3356	Oxyrhynchos	76 AD	20.5	8.8	0.4	recto, →
P.Sarap. 103 bis	Hermopolite nome	90–133 AD	22	10	0.5	recto, →
P.Wisc. II 68	Theadelphia or Philadelphieia (?) (Arsinoite nome)	93 AD	22.8	12.3	0.5	recto, →
P.Fay. 110	Euhemeria (Arsinoite nome)	94 AD	26.9	10.5	0.4	recto, →
P.Fay. 111	Euhemeria (Arsinoite nome)	95 AD	25.2	9.3	0.4	recto, →
P.Lips. I 106	Arsinoite nome (?)	99 AD	24.5	8	0.3	recto, →
P.Mich. III 201	Philadelphieia (Arsinoite nome)	99 AD	21.8	12.5	0.6	recto, →
P.Fay. 114	Euhemeria (Arsinoite nome)	100 AD	24.2	8.1	0.3	recto, →
P.Fay. 122	Euhemeria (Arsinoite nome)	100 AD	7.7	23.7	3.1	recto, →
P.Oxy. I 46	Oxyrhynchos	100 AD	25.3	7.8	0.3	recto, →

Publication	Provenance (<i>HGV</i>)	Dating (<i>HGV</i>)	Height	Width	Width : Height	fibres direction
SB XXII 15708	Oxyrhynchos	100 AD	22.6	27 (2 columns)	1.2	recto, →
P.Oxy. XIV 1756	Oxyrhynchos	1 st c. AD	21.8	9.4	0.4	recto, →
P.Oxy. XXXVIII 2844	Oxyrhynchos	second half of 1 st c. AD	32.5	11.3	0.3	recto, →
P.Pintaudi 53	Koptos (?) or Berenike	second half of 1 st c. AD	20.5	8.5	0.4	recto, →
P.Col. X 252	Alexandria (?)	late 1 st c. AD	23.4	11.5	0.5	recto, →
P.Phil. 32	unknown	end of 1 st c.? AD	21	8.5	0.4	recto, →
P.Wisc. II 69	Philadelphieia (Arsinoite nome)	100/101 AD	23	10.4	0.5	recto, →
P.Mich. III 202	Philadelphieia (?) (Arsinoite nome)	105 AD	21.5	10.5	0.5	recto, →
P.Mich. VIII 466	Bostra (Arabia)	107 AD	30.2	15.5	0.5	recto, →
P.Mich. VIII 465	Bostra (Arabia)	108 AD	30	13.5	0.5	recto, →
P.Sarap. 90	Alexandria (?)	108 AD	20	12	0.6	recto, →
P.Fay. 121	Euhemeria (Arsinoite nome)	110 AD	21.3	7.5	0.4	recto, →
P.Giss. Bibl. III 20	Alexandria	113–117 AD	22.5	30 (2–3 columns)	1.3	recto, →
P.Brem. 12	Hermopolis (?)	113–120 AD	25	8	0.3	recto, →
P.Brem. 14	Hermopolis (?)	113–120 AD	11	29 (2 columns)	2.6	recto, →
P.Brem. 19	Hermopolis (?)	113–120 AD	21.5	14	0.7	recto, →
P.Brem. 21	Hermopolis (?)	113–120 AD	22	14	0.6	recto, →
P.Brem. 58	Hermopolis (?)	113–120 AD	17	9	0.5	recto, →
P.Giss. Apoll. 20	Apollonopolite nome (Heptakomia)	113–120 AD	21	11	0.5	recto, →
P.Brem. 53	Hermopolis (?)	114 AD	25	29 (2 columns)	1.2	recto, →
P.Brem. 13	Hermopolis (?)	114/115 AD	24	10.5	0.4	recto, →
SB X 10278	Apollonopolite nome (Heptakomia)	114–119 AD	22.8	13.6	0.6	recto, →

Publication	Provenance (HGV)	Dating (HGV)	Height	Width	Width : Height	fibres direction
P.Brem. 63	Hermopolis (?)	116 AD	21.5	10	0.5	recto, →
P.Giss. Apoll. 06	Koptos	117 AD	33.5	21	0.6	recto, →
P.Mil. Vogl. I 24	Tebtynis (Arsinoite nome)	117 AD	29.5	24.5 (1+ columns)	0.8	recto, →
P.Brem. 5	Hermopolis (?)	117–119 AD	22.5	18	0.8	recto, →
P.Brem. 49	Hermopolis (?)	117–120 AD	20	11.5	0.6	recto, →
SB IV 7335	Soknopaiu Nesos (?) (Arsinoite nome)	117–138 AD	23	19.3	0.8	recto, →
P.Brem. 48	Hermopolis (?)	118 AD	36	13	0.4	recto, →
P.Giss. Apoll. 31	Apollonopolite nome (Heptakomia)	118 AD	22.5	10	0.4	recto, →
P.Wisc. II 73	Oxyrhynchite nome	122/123 AD	21.3	9.9	0.5	recto, →
PSI XII 1241	Alexandria	159 AD	29.5	9.5	0.3	recto, →
P.Petaus 17	Psinaryo (Arsinoite nome)	184 AD	22.3	20.9	0.9	recto, →
P.Petaus 14	Syron Kome (Arsinoite nome)	184/185 AD	22.5	9.4	0.4	recto, →
P.Petaus 19	Ptolemais Hormu (Arsinoite nome)	185 AD	22.5	25.2 (wide 1.1 column)		recto, →
P.Petaus 52	Ptolemais Hormu (Arsinoite nome)	185/186 AD	22	12	0.5	recto, →
BGU II 423	Misenum (?) (Italien)	2 nd c. AD	22.5	14	0.6	recto, →
BGU II 601	Arsinoite nome	2 nd c. AD	22.5	9.5	0.4	recto, →
BGU II 602	Arsinoite nome	2 nd c. AD	22.5	9.5	0.4	recto, →
P.Mich. III 206	unknown	2 nd c. AD	22.5	11.8	0.5	recto, →
P.Mich. VIII 490	Portus (Ostia)	2 nd c. AD	22	18	0.8	recto, →
P.Mich. VIII 491	Rome	2 nd c. AD	22	15.5	0.7	recto, →
P.Mil. Vogl. II 76	Tebtynis (Arsinoite nome)	2 nd c. AD	31	12.5	0.4	recto, →
P.Oslo II 60	unknown	2 nd c. AD	19	15.7	0.8	recto, →
P.Oslo III 156	Arsinoite nome	2 nd c. AD	11.3	7.4	0.7	recto, →
P.Oxy. III 531	Oxyrhynchos	2 nd c. AD	21.5	11.7	0.5	recto, →

Publication	Provenance (HGV)	Dating (HGV)	Height	Width	Width : Height	fibres direction
P.Oxy. III 532	Oxyrhynchos	2 nd c. AD	21.5	10	0.5	recto, →
P.Oxy. XXXI 2559	Oxyrhynchite nome (?)	2 nd c. AD	22.8	9.5	0.4	recto, →
P.Oxy. XLI 2981	Oxyrhynchos	2 nd c. AD	30	10	0.3	recto, →
P.Oxy. XLVI 3313	Oxyrhynchos	2 nd c. AD	31	18	0.6	recto, →
P.Mich. VIII 468	Alexandria	early 2 nd c. AD	21.8	26.5 (2 columns)	1.2	recto, →
P.Mich. VIII 472	Alexandria	early 2 nd c. AD	22.5	14	0.6	recto, →
P.Mich. VIII 473	Alexandria (?)	early 2 nd c. AD	21.9	17.5	0.8	recto, →
P.Mich. VIII 476	Alexandria (?)	early 2 nd c. AD	22	24	1.1	recto, →
P.Mich. VIII 477	Alexandria	early 2 nd c. AD	27	17.1	0.6	recto, →
P.Mich. VIII 479	Alexandria	early 2 nd c. AD	21.4	16.4	0.8	recto, →
P.Oxy. VI 932	Oxyrhynchos	late 2 nd c. AD	9.4	12	1.3	recto, →
P.Oxy. I 63	Oxyrhynchos	2 nd /3 rd c. AD	20.5	12.1	0.6	recto, →
P.Oxy. III 533	Oxyrhynchos	late 2 nd /early 3 rd c. AD	26	27.5 (wide column)	1.1	recto, →
P.Oxy. XII 1483	Oxyrhynchite nome	late 2 nd /early 3 rd c. AD	15.8	8	0.5	recto, →
P.Oxy. XLII 3030	Arsinoite nome	207 AD	18	12	0.7	recto, →
P.Oxy. VII 1064	Oxyrhynchos	post 218/219 AD	25.4	9	0.4	recto, →
P.Coll. Youtie II 66	Oxyrhynchos	258 AD	19.2	55.6+ (2 columns)	2.9	recto, →
P.Mich. VIII 514	Alexandria	3 rd c. AD	35.5	11.5	0.3	recto, →
P.Oxy. VI 934	Oxyrhynchos	3 rd c. AD	14	14.3	1.0	recto, →
P.Oxy. VII 1068	Oxyrhynchos	3 rd c. AD	24.1	9.9	0.4	recto, →
P.Oxy. XIV 1671	Oxyrhynchos	3 rd c. AD	22.5	8	0.4	recto, →

Publication	Provenance (HGV)	Dating (HGV)	Height	Width	Width : Height	fibres direction
P.Oxy. XIV 1769	Oxyrhynchos	3 rd c. AD	12.3	10.8	0.9	recto, →
P.Oxy. XXXVIII 2862	Oxyrhynchite nome	3 rd c. AD	6.8	11.5	1.7	recto, ↓
P.Mich. VIII 511	Memphis or Pto- lemais Euergetis (Arsinoite nome)	first half of 3 rd c. AD	16.2	9.5	0.6	recto, →
PSI XV 1553	Oxyrhynchite nome	first half of 3 rd c. AD	24	14.2	0.6	recto, →
P.Oxy. VIII 1157	Oxyrhynchos	late 3 rd c. AD	26.1	8.7	0.3	recto, →
P.Oxy. I 123	Oxyrhynchos	3 rd /4 th c. AD	24	15	0.6	recto, →
P.Oxy. VIII 1160	Oxyrhynchos	3 rd /4 th c. AD	17.6	13.9	0.8	recto, →
P.Oxy. XLII 3086	Oxyrhynchos	3 rd /4 th c. AD	7.6	15.3	2.0	recto, ↓

