

Literaturverzeichnis

- [1] Scheidt-Nave C., Ellert U., Thyen U., Schlaud M. (2007): Prävalenz und Charakteristika von Kinder und Jugendlichen mit speziellem Versorgungsbedarf im Kinder- und Jugendgesundheitsurvey (KiGGS) in Deutschland. Bundesgesundheitsblatt, Gesundheitsforschung, Gesundheitsschutz 50(5/6), S. 750–756.
- [2] Seiffge-Krenke I. (2015): „Emerging Adulthood“: Forschungsbefunde zu objektiven Markern, Entwicklungsaufgaben und Entwicklungsrisiken. Zeitschrift für Psychiatrie, Psychologie und Psychotherapie 63(3), S. 165–173.
- [3] Arnett J. J. (2004): Emerging Adulthood: The winding road from the late teens through the twenties. New York: Oxford University Press.
- [4] McPherson M., Arango P., Fox H., Lauver C., McManus M., Newacheck P. W., Perrin J. M., Shonkoff J. P., Strickland B. (1998): A New Definition of Children With Special Health Care Needs. Pediatrics 102(1), S. 137–140.
- [5] Hölling H., Schlack R., Kamtsiuris P., Butschalowsky H., Schlaud M., Kurth B. M. (2012): Die KiGGS-Studie. Bundesweit repräsentative Längs- und Querschnittstudie zur Gesundheit von Kindern und Jugendlichen im Rahmen des Gesundheitsmonitorings am Robert Koch-Institut. Bundesgesundheitsblatt 55, S. 836–842.
- [6] Scheidt-Nave C., Ellert U., Thyen U., Schlaud M. (2008): Versorgungsbedarf chronisch kranker Kinder und Jugendlicher. Bundesgesundheitsblatt, Gesundheitsforschung, Gesundheitsschutz 51(6), S. 592–601.
- [7] Van Walleghem N., MacDonald C. A., Dean H. J. (2011): The Maestro Project: A Patient Navigator for the Transition of Care for Youth With Type 1 Diabetes. Diabetes Spectrum 24(1), S. 9–13.
- [8] Dolk H., Loane M., Garne E., Anomalies E.S.o.C. (2011): Congenital Heart Defects in Europe: Prevalence and Perinatal Mortality, 2000 to 2005. Journal of the American Heart Association 123, S. 841–849.
- [9] Centers for Disease Control and Prevention (CDC) (2014): Prevalence of Autism Spectrum Disorders Among Children Aged 8 Years – Autism and Developmental Disabilities Monitoring Network, 11 Sites, United States, 2010. Morbidity and Mortality Weekly Report 63(2), March 28, 2014.
- [10] Perminow G., Frigessi A., Rydning A., Nakstad B., Vatn M. H. (2006): Incidence and clinical presentation of IBD in children: Comparison between prospective and retrospective data in a selected Norwegian population. Scandinavian Journal of Gastroenterology 41(12), S. 1433–1439.
- [11] Reinhardt D., Götz M., Kraemer R., Schöni M. (Hrsg.) (2001): Cystische Fibrose. Berlin: Springer-Verlag.
- [12] Erhebungseinheit für seltene pädiatrische Erkrankungen in Deutschland (ESPED) Forschungsstelle für Pädiatrische Epidemiologie bei der Deutschen Gesellschaft für Kinder- und Jugendmedizin e. V. (2015): Jahresberichte. <http://hhu4.at.xencon.de/index.php?menu=berichte> [Abruf am 22.9.2015].
- [13] Kurlmann G., Fiedler B. (2008): Aktuelle Epilepsiebehandlung im Kindes- und Jugendalter – ein allgemeiner Leitfaden. Nr. 065. Letzte Aktualisierung 04/2008. Berlin: Deutsche Gesellschaft für Epileptologie. <http://www.dgfe.info/home/showdoc,id,400,aid,2805.html> [Abruf am 19.11.2013].
- [14] Robert Koch-Institut (RKI) (2012): HIV/AIDS in Deutschland – Eckdaten der Schätzung: Epidemiologische Kurzinformation des Robert Koch-Instituts. Stand: Ende 2012. Berlin. http://www.rki.de/DE/Content/InfAZ/H/HIVAIDS/Epidemiologie/Daten_und_Berichte/EckdatenDeutschland.pdf?__blob=publicationFile [Abruf am 21.10.2013].

- [15] Koskull S., Truckenbrodt H., Holle R., Hörmann A. (2001): Incidence and prevalence of juvenile arthritis in an urban population of southern Germany: a prospective study. *Annals of the Rheumatic Diseases* 60, S. 940–945.
- [16] Deutsches Krebsforschungszentrum (2012): Krebs in Deutschland: Leukämien. Robert Koch-Institut und Gesellschaft der epidemiologischen Krebsregister in Deutschland e. V. (Hrsg.). Krebs in Deutschland 2007/2008: Eine gemeinsame Veröffentlichung des Robert Koch-Instituts und der Gesellschaft der epidemiologischen Krebsregister in Deutschland e. V. 8. Ausgabe. Berlin: Robert Koch-Institut; S. 116–119. http://www.rki.de/DE/Content/Gesundheitsmonitoring/Gesundheitsberichterstattung/GBEDownloadsB/KID2012.pdf?__blob=publicationFile [Abruf am 21.10.2013].
- [17] Bertz J., Dahm S., Haberland J., Kraywinkel K., Kurth B.-M., Wolf U. (2010): Verbreitung von Krebserkrankungen in Deutschland: Entwicklung der Prävalenz zwischen 1990 und 2010. Eine Veröffentlichung des Zentrums für Krebsregisterdaten am RKI. (Beiträge zur Gesundheitsberichterstattung des Bundes) Berlin: Robert Koch-Institut. http://www.bmg.bund.de/fileadmin/dateien/Downloads/K/Krebs/Nationaler_Krebsplan/Krebspraevaleznz.pdf [Abruf am 21.10.2013].
- [18] Frei U., Schober-Halstenberg H.-J. (2008): Nierenersatztherapie in Deutschland. [Bericht]. Berlin: QuaSi-Niere gGmbH. http://www.bundesverband-niere.de/files/QuaSi-Niere-Bericht_2006-2007.pdf [Abruf am 7.2.2014].
- [19] Kohne E., Kleihauer E. (2010): Hämoglobinopathien – eine Langzeitstudie über vier Jahrzehnte. *Deutsches Ärzteblatt* 107(5), S. 65–71.
- [20] Dörr H. G., Schöfl C. (2009): Adrenogenitales Syndrom und Wachstumshormonmangel. *Internist* 50(10), S. 1202–1212.
- [21] Robert Koch-Institut (RKI) (2008): Übergewicht und Adipositas. Robert Koch-Institut und Bundeszentrale für gesundheitliche Aufklärung (Hrsg.). Erkennen – Bewerten – Handeln: Zur Gesundheit von Kindern und Jugendlichen in Deutschland. Berlin: S. 41–49. http://www.rki.de/DE/Content/Gesundheitsmonitoring/Studien/Kiggs/Basiserhebung/KiGGS_GPA.pdf?__blob=publicationFile [Abruf am 21.10.2013].
- [22] Sachverständigenrat zur Begutachtung der Entwicklung im Gesundheitswesen (Hrsg.) (2010): Sondergutachten 2009: Koordination und Integration – Gesundheitsversorgung in einer Gesellschaft des längeren Lebens. Band I. Baden-Baden: Nomos Verlagsgesellschaft.
- [23] Böhm B. O., Dreyer M., Fritsche A., Füchtenbusch M., Gözl S., Martin S. (2011): S3-Leitlinie: Therapie des Typ-1-Diabetes – Version 1.0; September/2011. Berlin: Deutsche Diabetes-Gesellschaft (DDG). http://www.deutsche-diabetes-gesellschaft.de/fileadmin/Redakteur/Leitlinien/Evidenzbasierte_Leitlinien/AktualisierungTherapieTyp1Diabetes_1_20120319_TL.pdf [Abruf am 28.11.2013].
- [24] Pai A. L. H., Ostendorf H. M. (2011): Treatment adherence in adolescents and young adults affected by chronic illness during the health care transition from pediatric to adult health care: A literature review. *Children's Health Care* 40(1), S. 16–33.
- [25] Lotstein D. S., Seid M., Klingensmith G., Case D., Lawrence J. M., Pihoker C., Dabelea D., Elizabeth J. M.-D., Gilliam L. K., Corathers S., Imperatore G., Lawrence D., Anderson A., Bell R. A., Waitzfelder B. (2013): Transition From Pediatric to Adult Care for Youth Diagnosed With Type 1 Diabetes in Adolescence. *Pediatrics*. Official Journal of the American Academy of Pediatrics 131, S. e1062. 25. März 2013 [vorab elektronisch veröffentlicht] DOI: 10.1542/peds.2012-1450.
- [26] National Institute for Health and Care Excellence (NICE) (2013): NICE quality standard QS26: Quality standard for the epilepsies in adults. <http://publications.nice.org.uk/quality-standard-for-the-epilepsies-in-adults-qs26> [Abruf am 18.10.2013].

- [27] Camfield P., Camfield C., Pohlmann-Eden B. (2012): Transition from pediatric to adult epilepsy care: a difficult process marked by medical and social crisis. *Epilepsy Currents/American Epilepsy Society* 12(Suppl. 3), S. 13–21.
- [28] Khan A., Baheerathan A., Hussain N., Whitehouse W. (2013): Transition of children with epilepsies to adult care. *Acta Paediatrica* 102(3), S. 216–221.
- [29] Van Arendonk K. J., James N. T., Boyarsky B. J., Garonzik-Wang J. M., Orandi B. J., Magee J. C., Smith J. M., Colombani P. M., Segev D. L. (2013): Age at Graft Loss after Pediatric Kidney Transplantation: Exploring the High-Risk Age Window. *Clinical Journal of the American Society of Nephrology* 8(6), S. 1019–1026.
- [30] Fredericks E. M., Dore-Stites D. (2010): Adherence to immunosuppressants: how can it be improved in adolescent organ transplant recipients? *Current Opinion in Organ Transplantation* 15(5), S. 614–620.
- [31] Watson A. R. (2000): Non-compliance and transfer from paediatric to adult transplant unit. *Pediatric Nephrology* 14, S. 469–472.
- [32] Dobbels F., Ruppert T., De Geest S., Decorte A., Van Damme-Lombaerts R., Fine R. N. (2010): Adherence to the immunosuppressive regimen in pediatric kidney transplant recipients: a systematic review. *Pediatric Transplantation* 14(5), S. 603–613.
- [33] Zink A., Minden K., List S. M. (2010): Entzündlich-rheumatische Erkrankungen im Kindesalter. Robert Koch-Institut (Hrsg.). Entzündlich-rheumatische Erkrankungen. (Gesundheitsbe-richterstattung des Bundes, Heft 49). Berlin: S. 23–27. http://www.rki.de/DE/Content/Gesundheitsmonitoring/Gesundheitsberichterstattung/GBEDownloadsT/rheumatische_erkr.pdf?__blob=publicationFile [Abruf am 28.10.2013].
- [34] Niewerth M., Minden K. (2011): Transition: Der schwierige Weg des Übergangs von der pädiatri-schen in die internistische Rheumatologie. *arthritis + rheuma* 31(4), S. 265–269.
- [35] Keller K. M. (2010): Transition bei Jugendlichen mit CED: Kinder und Jugendliche mit chronisch-entzündlichen Darmerkrankungen (CED) auf dem Weg ins Erwachsenenalter. *Monatsschrift für Kinderheilkunde* 158(8), S. 738–744.
- [36] Kreuzer M. et al. (2014): The TRANSNephro-study examining a new transition model for post-kidney transplant adolescents and an analysis of the present health care: study protocol for a randomized controlled trial. <http://www.trialsjournal.com/content/15/1/505> [Abruf am 5.8.2015].
- [37] Fegert J. M., Petermann F., Freyberger H. J. (2015): Transitionspsychiatrie der Adoleszenz und des jungen Erwachsenenalters. *Zeitschrift für Psychiatrie, Psychologie und Psychotherapie* 63(3), S. 151–153
- [38] Mayr M., Kapusta N. D., Plener P. L., Pollak E., Schulze U., Freyberger H. J., Fegert J. M. (2015): Transitionspsychiatrie der Adoleszenz und des jungen Erwachsenenalters. *Zeitschrift für Psychiatrie, Psychologie und Psychotherapie* 63(3), S. 155–163.
- [39] Nathan D. M., Zinman B., Cleary P. A., Backlund J. Y., Genuth S., Miller R., Orchard T. J. (2009): Modern-Day Clinical Course of Type 1 Diabetes Mellitus After 30 Years' Duration: The Diabetes Control and Complications Trial/Epidemiology of Diabetes Interventions and Complications and Pittsburgh Epidemiology of Diabetes Complications Experience (1983–2005). *Archives of Internal Medicine* 169(14), S. 1307–1316.
- [40] World Health Organization (WHO) (2003): Adherence to long-term therapies: evidence for action. Geneva. http://www.who.int/chp/knowledge/publications/adherence_full_report.pdf [Abruf am 3.12.2013].
- [41] Liebl A., Neiß A., Spannheimer A., Rettberger A., Reitberger U., Wagner T., Görtz A. (2001): Kos-ten des Typ-2-Diabetes in Deutschland. Ergebnisse der CODE-2-Studie. *Deutsche Medizinische Wochenschrift* 126(20), S. 585–589.

- [42] Icks A., Strassburger K., Baechle C., Rosenbauer J., Giani G., Beyer P., Holl R. W. (2013): Frequency and cost of diabetic ketoacidosis in Germany – study in 12,001 paediatric patients. *Experimental and Clinical Endocrinology and Diabetes* 121(1), S. 58–59.
- [43] American Academy of Pediatrics, American Academy of Family Physicians, American College of Physicians – American Society of Internal Medicine (2002): A Consensus Statement on Health Care Transitions for Young Adults with Special Health Care Needs. *Pediatrics* 110(6 (Suppl.)), S. 1304–1306.
- [44] American Academy of Pediatrics, American Academy of Family Physicians, American College of Physicians, Transitions Clinical Report Authoring Group (2011): Supporting the Health Care Transition from Adolescence to Adulthood in the Medical Home. *Pediatrics* 128(1), S. 182–200.
- [45] Peters A., Laffel L. (2011): Diabetes care for emerging adults: recommendations for transition from pediatric to adult diabetes care systems: a position statement of the American Diabetes Association, with representation by the American College of Osteopathic Family Physicians, the American Academy of Pediatrics, the American Association of Clinical Endocrinologists, the American Osteopathic Association, the Centers for Disease Control and Prevention, Children with Diabetes, The Endocrine Society, the International Society for Pediatric and Adolescent Diabetes, Juvenile Diabetes Research Foundation International, the National Diabetes Education Program, and the Pediatric Endocrine Society (formerly Lawson Wilkins Pediatric Endocrine Society). *Diabetes Care* 34(11), S. 2477–2485.
- [46] Clayton P. E., Cuneo R. C., Juul A., Monson J. P., Shalet S. M., Tauber M. (2005): Consensus statement on the management of the GH-treated adolescent in the transition to adult care. *European Journal of Endocrinology* 152, S. 165–170.
- [47] Steward D., Freeman M., Law M., Healy H., Burke-Gaffney J., Forhan M., Young N., Guenther S. (2009): “The best journey to adult life” for youth with disabilities. An evidence-based model and best practice guidelines for the transition to adulthood for youth with disabilities. <http://transitions.canchild.ca/en/OurResearch/resources/BestPractices.pdf>
- [48] Calvo I., Anton J., Bustabad S. et al. (2014): Consensus statement on the transition process from pediatric care to adult care in patients with chronic inflammatory rheumatic diseases with childhood-onset. *Pediatric Rheumatology* 12(Suppl. 1), P85.
- [49] Stewart D., Stavness C., King G., Antle B., Law M. (2006): A Critical Appraisal of Literature Reviews About the Transition to Adulthood for Youth with Disabilities. *Physical and Occupational Therapy in Pediatrics* 26(4), S. 5–24.
- [50] New South Wales Government (NSW), The Greater Metropolitan Clinical Taskforce (GMCT) Sydney West Diabetes Service Penrith. Young Adults’ Clinic yearly assessment form.
- [51] New South Wales Government (NSW), The Greater Metropolitan Clinical Taskforce (GMCT) Transition carepath 1. – Transition separation completed at final paediatric clinic attendance.
- [52] The Greater Metropolitan Clinical Taskforce (GMCT). (2006): Transition Care for Young People with Chronic Childhood Illnesses. [Framework]: New South Wales Government (NSW). http://www.aci.health.nsw.gov.au/__data/assets/pdf_file/0010/155719/final_framework.pdf [Abruf am 13.11.2013].
- [53] The Greater Metropolitan Clinical Taskforce (GMCT) (2010): Feedback Survey: GMCT Clinical Connect Newsletter. New South Wales Government (NSW). http://www.aci.health.nsw.gov.au/__data/assets/pdf_file/0006/153663/gmct_feedback_report.pdf [Abruf am 13.11.2013].
- [54] The Greater Metropolitan Clinical Taskforce (GMCT). Checklist for Diabetes Type 1: For young people about to move from paediatric to adult health services. [Checklist]: New South Wales Government (NSW). http://www.aci.health.nsw.gov.au/__data/assets/pdf_file/0019/155701/checklist_diabetes.pdf [Abruf am 14.11.2013].
- [55] The Greater Metropolitan Clinical Taskforce (GMCT). Transition Planning Checklist for young people with a chronic gastrointestinal condition. [Checklist]: New South Wales Government

- (NSW). http://www.aci.health.nsw.gov.au/__data/assets/pdf_file/0007/155707/checklist_gastrointestinal.pdf [Abruf am 14. 11. 2013].
- [56] Reincke M., Zepp F. (Hrsg.) (2012): Report Versorgungsforschung. Medizinische Versorgung in der Transition. Bd. 5. S. 147–192. Köln.
- [57] von Voß H., Schmid R. (Hrsg.) (2012): Das Interview. Erwachsenenmediziner sind für adolleszente Patienten erst einmal fremde Personen. In: *Kinder spezial. Zeitschrift über Kinder und Jugendliche mit besonderen Bedürfnissen* 44, S. 16–18. Aschaffenburg.
- [58] Haubitz M., Pape L. (2011): Mögliche Ansätze für eine gute Transition. *Der Nephrologe* 6(1), S. 44–50.
- [59] Department for Children, Schools and Families (DCSF) (2007): A transition guide for all services: key information for professionals about the transition process for disabled young people. [Handbook]. Nottingham. <http://webarchive.nationalarchives.gov.uk/20130401151715/https://www.education.gov.uk/publications/eOrderingDownload/00776-2007DOM-EN.pdf> [Abruf am 14. 11. 2013].
- [60] Department of Health (DH), Child Health and Maternity Services Branch (2006): Transition: getting it right for young people. Improving the transition of young people with long term conditions from children's to adult health services. London. <https://www.bspar.org.uk/DocStore/FileLibrary/PDFs/Transition-%20getting%20it%20right%20for%20young%20people%20-%2023rd%20March%202006.pdf> [Abruf am 14. 11. 2013].
- [61] Department of Health (DH), DH Partnerships for Children F.a.M.C.D. (2008): Transition: moving on well: A good practice guide for health professionals and their partners on transition planning for young people with complex health needs or a disability. [Guidance] London. http://www.bacdis.org.uk/policy/documents/transition_moving-on-well.pdf [Abruf am 13. 11. 2013].
- [62] Department of Health (DH) (2004): Disabled Children and Young People and those with Complex Health Needs. London. https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/199955/National_Service_Framework_for_Children_Young_People_and_Maternity_Services_-_Disabled_Children_and_Young_People_and_those_with_Complex_Health_Needs.pdf [Abruf am 14. 11. 2013].
- [63] Department of Health (DH) (2011): Your're Welcome – Quality criteria for young people friendly health services. London. http://webarchive.nationalarchives.gov.uk/20130107105354/http://dh.gov.uk/prod_consum_dh/groups/dh_digitalassets/documents/digitalasset/dh_127632.pdf [Abruf am 13. 11. 2013].
- [64] Commission for Social Care Inspection (CSCI) (2007): Growing Up Matters: Better transition planning for young people with complex needs. London. http://dera.ioe.ac.uk/6433/1/growing_up_matters.pdf [Abruf am 13. 11. 2013].
- [65] Birmingham Children's Hospital. DreamTeam UK. [Homepage]. <http://www.dreamteam-uk.org/> [Abruf am 12. 12. 2013].
- [66] McDonagh J. E. (2010): Transition for Young People at Birmingham Children's Hospital: Rheumatology. Policy and procedures for the transfer of young people from paediatric to adult rheumatology care. Last Update: 12/2009. <http://www.dreamteam-uk.org/upload/Microsoft%20Word%20-%20BCH%20Rheum%20Transition%20PolicyJan2010.pdf> [Abruf am 13. 11. 2013].
- [67] Integrated Care Network, Care Services Improvement Partnership (CSIP), Department of Health (DH) (2007): Briefing Note: Children's Services Transitions. London. http://www.dhcarenetworks.org.uk/_library/Resources/ICN/ICN_Childrens_Services_Transitions.pdf [Abruf am 13. 11. 2013].
- [68] BC Children's Hospital. [Internet]. <http://www.bcchildrens.ca/Services/SpecializedPediatrics/YouthHealth/default.htm> [Abruf am 12. 3. 2014].

- [69] ON TRAC. Transitioning Responsibly to Adult Care. [Homepage]. Stand: 2013. <http://ontracbc.ca> [Abruf am 13.11.2013].
- [70] Van Wallegghem N., MacDonald C. A. et al. (2006): Building connections for young adults with type 1 diabetes mellitus in Manitoba: Feasibility and acceptability of a transition initiative. *Chronic Diseases in Canada* 27(3), S. 130–134.
- [71] Maestro Project (2013): About Maestro. [Homepage]. <http://www.maestroproject.com/about-maestro/> [Abruf am 13.11.2013].
- [72] Tucker L. B., Cabral D. A. (2005): Transition of the Adolescent Patient with Rheumatic Disease: Issues to Consider. *Pediatric Clinics of North America* 52, S. 641–652.
- [73] Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/objectiveslist.aspx?topicId=9> [Abruf am 12.3.2014].
- [74] Institute for Child Health Policy (ICHP) at the University of Florida, Florida Department of Health, Children's Medical Services (2005): Envisioning My Future: A Young Person's Guide to Health Care Transition. [Guide] Gainesville (FL). http://hctransitions.ichp.ufl.edu/pdfs/envisioning_my_future_gray.pdf [Abruf am 14.11.2013].
- [75] Betz C. L. (2004): Transition of adolescents with special health care needs: review and analysis of the literature. *Issues in Comprehensive Pediatric Nursing* 27, S. 179–241.
- [76] Shaw K. L., Southwood T. R., McDonagh J. E. (2004): User perspectives of transitional care for adolescents with juvenile idiopathic arthritis. *Rheumatology* 43(6), S. 770–778.
- [77] Shaw K. L., Southwood T. R., McDonagh J. E. (2007): Development and preliminary validation of the 'Mind the Gap' scale to assess satisfaction with transitional health care among adolescents with juvenile idiopathic arthritis. *Child: Care, Health and Development* 33(4), S. 380–388.
- [78] Watson R., Parr J. R., Joyce C., May C., Le Couteur A. S. (2011): Models of transitional care for young people with complex health needs: a scoping review. *Child: Care, Health and Development* 37(6), S. 780–791.
- [79] Goodhand J., Hedin C. R., Croft N. M., Lindsay J. O. (2011): Adolescents with IBD: the importance of structured transition care. *Journal of Crohn's & Colitis* 5(6), S. 509–519.
- [80] Neu A., Löscher-Binder M., Ehehalt S., Schweizer R., Hub R., Serra E. (2010): Follow-up of adolescents with diabetes after transition from paediatric to adult care: results of a 10-year prospective study. *Experimental and Clinical Endocrinology & Diabetes* 118(6), S. 353–355.
- [81] Holmes-Walker D. J., Llewellyn A. C., Farrell K. (2007): A transition care programme which improves diabetes control and reduces hospital admission rates in young adults with Type 1 diabetes aged 15–25 years. *Diabetic Medicine* 24(7), S. 764–769.
- [82] Lyons S. K., Becker D. J., Helgeson V. S. (2013): Transfer from pediatric to adult health care: effects on diabetes outcomes. *Pediatr Diabetes* 15, S. 10–17.
- [83] Löcherbach, P. (2002): Qualifizierung im Case Management – Bedarf und Angebote. In: Löcherbach P., Klug W., Rimmel-Faßbender R., Wendt W. R. (Hrsg.). *Case Management – Fall- und Systemsteuerung in Theorie und Praxis*, S. 201–226. Neuwied.
- [84] Vanderbilt University Evidence-based Practice Center (2014): Transition Care for Children With Special Health Needs. Technical Brief Number 15. <http://www.effectivehealthcare.ahrq.gov/ehc/products/546/1920/children-special-needs-transition-report-140617.pdf> [Abruf am 5.8.2015].
- [85] Action of Children (2008): The transition to adulthood: keeping disabled young people at the centre. http://www.actionforchildren.org.uk/media/95854/action_for_children_briefing_the_transition_to_adulthood.pdf [Abruf am 13.11.2013].
- [86] Children's Medical Services. CMS Provider Information. [Homepage]. <http://www.floridahealth.gov/AlternateSites/CMS-Kids/providers/providers.html> [Abruf am 13.11.2013].

- [87] UF Pediatric Integrated Care System (ICS). Ped-I-Care. [Homepage]. Stand: 31. Oktober 2013; University of Florida College of Medicine's Department of Pediatrics. <http://pedicare.peds.ufl.edu> [Abruf am 13.11.2013].
- [88] Deutsche Gesellschaft für Kinder- und Jugendmedizin (2013): http://www.dgkj.de/service/meldungsarchiv/meldungen/2014/mitteilung_der_ag_transition/ [Abruf am 1.8.2015].
- [89] Deutsche Gesellschaft für Transitionsmedizin (2012): <http://www.transitionsmedizin.de/index.php/ueber-uns/verein/3-gruendung-der-deutschen-gesellschaft-fuer-transitionsmedizin-e-v> [Abruf am 1.8.2015].
- [90] Müther S., Müller B., von Moers A., Burger W. (2012): Berliner TransitionsProgramm – ein Strukturkonzept für die Transition in die Erwachsenenmedizin. In: Reincke M., Zepp F. (Hrsg.) (2012): Medizinische Versorgung in der Transition. Reihe Report Versorgungsforschung, Bd. 5. Deutscher Ärzteverlag, Köln.
- [91] Kompetenznetz Patientenschulung e. V. KomPaS (2015): <https://cdn.website-start.de/proxy/apps/ilai8i/uploads/gleichzwei/instances/401036D8-2757-4215-8BFE-42F39A53CC4E/wcinstances/epaper/4175dec2-7130-4908-be3f-aba4a60b7197/pdf/Modus-Transition.pdf> [Abruf am 3.8.2015].
- [92] Deutsche Epilepsievereinigung (2015): <http://www.epilepsie-vereinigung.de/seminare-und-veranstaltungen/schulungen/fur-jugendliche/> [Abruf am 3.8.2015].
- [93] Kinder-Rheumahilfe München e. V. (2015): <http://www.kinder-rheumahilfe-muenchen.de/Unsere%20Projekte/rheumacamp.html> [Abruf am 3.8.2015].
- [94] American Diabetes Association (2008): Economic costs of diabetes in the U.S. in 2007. *Diabetes Care* 31(3), S. 596–615.
- [95] Callahan S. T., Winitzer R. F., Keenan P. (2001): Transition from pediatric to adult-oriented health care: A challenge for patients with chronic disease. *Curr Opin Pediatr* 13), S. 310–316.
- [96] Lausch M., Reincke M. (2004): Übergangssprechstunden für chronisch Kranke in Endokrinologie und Diabetologie in Deutschland. *Deutsche Medizinische Wochenschrift* 129, S. 1125–1129.
- [97] Schöffler L. F. (2002): Nachuntersuchung zum Krankheitsverlauf und zur Betreuungssituation bei Patienten mit Diabetes mellitus Typ 1 nach mindestens 15jähriger Krankheitsdauer. Dissertation Charité, Universitätsmedizin Berlin.
- [98] Von der Hardt H., Hürter P., Lange K., Ullrich G. (1997): Versorgungssituation chronisch kranker Jugendlicher beim Übergang in das Erwachsenenalter. Expertise für das Bundesministerium für Gesundheit 313 – 1722003/10 unter Mitarbeit von: M. Ballmann, J. Brodehl, G. Offner, S. Schweitzer, A. Thon und G. Wolff. VAS, Frankfurt-Bockenheim.

