









## Abbreviations and Icons

ADI	Acceptable daily intake
approx.	approximately
BfR	German Federal Institute for Risk Assessment
B.C.	Before Christ
B.P.	Boiling point
BW	Body weight
CNS	Central nerve system
CYP	Cytochrom P
DW	Dry weight
EFSA	European Food Safety Authority
EMA	European Medicines Agency
FDA	Food and Drug Administration (USA)
FW	Fresh weight
GABA	$\gamma$ -Aminobutyric acid
GSH	Glutathione ( $\gamma$ -glutamylcysteinylglycine)
HMPC	Herbal Medicinal Products Committee (EMA)
IARC	International Agency for Research on Cancer (WHO)
i.a.	Intraarterial
i.m.	Intramuscular
i.p.	Intraperitoneal
i.v.	Intravenous
LD	Letal dose
LOAEL	Lowest observed adverse effect level
MAO	Monoamine oxidase
M.P.	Melting point
Mr	Molecular weight
NF- $\kappa$ B	Nuclear factor $\kappa$ B
NOAEL	No observed adverse effect level
PPAR	Peroxisome proliferator-activated receptor
p.e.	Parenteral
P-gp	P-glycoprotein
p.i.	Per inhalationem
p.o.	Peroral
resp.	Respectively
s.c.	Subcutaneous
TCM	Traditional Chinese Medicine
TRP	Transient receptor potential cation channels
Vol.	Volume
WHO	World Health Organization

	Symptoms of acute poisoning
	Low risk of acute poisoning
	Case description
	Poisoning of animals
	Allergy
	Chronic poisoning
	Low risk of chronic poisoning
	First aid and potential treatment

