

Contents

Acknowledgments — V

Preface — VII

Abstract — IX

About the author — XXI

Abbreviations — XXIII

Aim of this book — XXV

Chapter 1

Reverse osmosis fundamentals — 1

- 1.1 Membrane filtration — 1
- 1.2 The rise of reverse osmosis — 3
- 1.3 Sustainability of reverse osmosis — 4
- 1.4 Understanding the osmosis process — 5
 - 1.4.1 Semipermeable membranes — 5
 - 1.4.2 The reverse osmosis process — 6
- 1.5 Equations — 9
 - 1.5.1 Fundamental equations — 9
 - 1.5.1.1 Osmotic pressure — 9
 - 1.5.1.2 Water flux — 11
 - 1.5.1.3 Salt transport — 12
 - 1.5.1.4 The difference between convective and concentration-driven flows — 12
 - 1.5.2 System equations — 13
 - 1.5.3 Factors affecting membrane performance — 15
 - 1.5.3.1 Feed pressure — 15
 - 1.5.3.2 Feed concentration — 16
 - 1.5.3.3 Feed temperature — 16
 - 1.5.3.4 Concentration polarization — 16
- 1.6 Reverse osmosis membranes — 17
 - 1.6.1 The history of desalination — 19
 - 1.6.2 The importance of desalination — 20
- 1.7 Performance monitoring — 21
- 1.8 Normalization — 22
 - 1.8.1 Why normalization matters — 22
 - 1.8.2 Equations — 24

1.8.2.1	Normalized permeate flow —	24
1.8.2.2	Normalized salt rejection —	26
1.8.2.3	Normalized pressure drop —	26
1.9	Fouling —	27
1.9.1	Biofouling —	27
1.9.2	Organic fouling —	28
1.9.3	Particulate fouling —	28
1.9.4	Scaling —	28
1.9.5	Integrity failure —	29
	References —	30

Chapter 2

Biofouling fundamentals — 32

2.1	Biofouling as the key challenge —	32
2.2	Fouling in reverse osmosis membranes —	33
2.2.1	Organic fouling and its consequences —	33
2.2.2	Biofouling and its consequences —	34
2.2.3	The role of the biofilm in biofouling —	36
2.3	The causes of biofouling —	36
2.3.1	The biofouling triangle —	37
2.3.2	Bacteria —	37
2.3.3	Nutrients —	38
2.3.4	Temperature —	38
2.4	Identifying biofouling and organic fouling —	38
2.4.1	No fouling —	38
2.4.2	Biofouling —	39
2.4.3	Organic fouling —	40
2.5	Identifying biofouling and organic fouling in an example —	40
2.5.1	Pressure drop —	40
2.5.2	Water permeability —	40
2.5.3	Salt passage —	41
2.6	Quantifying the impact of biofouling —	41
2.7	Cleaning fouled membranes —	45
2.7.1	Cleaning biofouled membranes —	45
2.7.2	Cleaning organic fouled membranes —	46
2.8	Designing biofouling-resistant membranes —	47
	References —	48

Chapter 3

Membrane fouling simulators: a quick tool for studying biofouling and why biofouling does not depend on flux — 50

- 3.1 Introduction — 50
- 3.2 Materials and methods — 52
 - 3.2.1 Membrane fouling simulators — 52
 - 3.2.2 RO element testing units — 52
 - 3.2.2.1 The 2.5-inch multielement RO test — 52
 - 3.2.2.2 Eight-inch multielement RO test system — 54
 - 3.2.3 Analytical biofouling characterization — 55
 - 3.2.4 Water sources — 55
- 3.3 Results and discussion — 56
 - 3.3.1 MFS versus 2.5-inch element test bench — 56
 - 3.3.2 MFS versus 8-inch multielement system — 58
- 3.4 Conclusions — 61
- References — 62

Chapter 4

The importance of the feed spacer compared to the membrane in biofouling prevention — 64

- 4.1 Introduction — 64
- 4.2 Materials and methods — 65
 - 4.2.1 CDC reactor — 66
 - 4.2.2 Membrane fouling simulator — 66
 - 4.2.3 Flat cells — 67
 - 4.2.4 Natural river and wastewater — 68
 - 4.2.5 ATP and TOC analytical methods to quantify biofouling — 69
 - 4.2.6 Membranes and feed spacers tested — 70
- 4.3 Results and discussion — 70
 - 4.3.1 No shear and high-nutrient dosage without spacer or permeation (CDC) — 71
 - 4.3.2 No shear and low-nutrient dosage without spacer and permeation (CDC) — 71
 - 4.3.3 Typical shear and spacer without permeation (MFS) — 73
 - 4.3.3.1 ATP and TOC results — 73
 - 4.3.3.2 Visual observations — 73
 - 4.3.4 Typical shear with and without spacer and without permeation (MFS) — 75
 - 4.3.4.1 ATP and TOC results — 75
 - 4.3.4.2 Visual observations — 76
 - 4.3.5 High shear with and without spacer and permeation (flat cell) — 77
 - 4.3.5.1 ATP and TOC results — 77

4.3.5.2	Visual observations —	78
4.3.5.3	Experiment with 34-mil spacer —	79
4.4	Conclusions —	80
	References —	80

Chapter 5

Effect of temperature and development of quick biofouling test — 83

5.1	Introduction —	83
5.2	Materials and methods —	84
5.2.1	Flat cell description —	84
5.2.2	Operating conditions —	86
5.2.3	Flat sheet membranes —	87
5.2.4	Feed spacers —	87
5.2.5	Brackish water characterization —	88
5.2.6	Nutrients —	88
5.2.7	ATP analysis —	90
5.2.8	TOC analysis —	91
5.3	Results and discussion —	91
5.3.1	Initial biofouling protocol setup —	92
5.3.2	Cross-flow velocity optimization —	92
5.3.3	Nutrient loading optimization —	93
5.3.4	Warm temperature method validation —	93
5.3.5	Temperature effect study —	93
5.3.6	Cold temperature method validation —	95
5.4	Conclusions —	95
	References —	96

Chapter 6

Differentiating between biofouling and organic fouling during operation — 98

6.1	Introduction —	98
6.2	Materials and methods —	99
6.2.1	Wastewater characterization —	99
6.2.2	Experimental plant —	99
6.2.3	Membranes used —	100
6.2.4	Experimental setup —	101
6.3	Results and discussion —	101
6.3.1	Pressure drop —	101
6.3.2	Water permeability —	101
6.3.3	Salt passage —	103
6.4	Conclusions —	103
	References —	104

Chapter 7**Differentiating between biofouling and organic fouling on a membrane surface — 105**

- 7.1 Introduction — 105
- 7.1.1 Fouling in reverse osmosis — 105
- 7.1.2 Fouling characterization — 106
- 7.1.3 Biofouling vs. organic fouling: characteristics and composition — 106
- 7.2 Materials and methods — 108
- 7.2.1 Wastewater characterization — 108
- 7.2.2 Experimental plant — 108
- 7.2.3 Experimental setup — 109
- 7.2.4 Membrane foulant extraction — 109
- 7.2.5 Adenosine triphosphate quantification — 110
- 7.2.6 Total organic carbon and total nitrogen quantification — 110
- 7.2.7 Carbohydrate quantification — 110
- 7.2.8 Protein quantification — 111
- 7.2.9 EPS fraction quantification — 111
- 7.3 Results and discussion — 112
- 7.3.1 Wastewater trial with nutrients added — 112
- 7.3.2 Wastewater trial with no nutrients added — 113
- 7.3.3 Correlation between EPS fraction and membrane performance — 113
- 7.4 Conclusions — 115
- References — 116

Chapter 8**Biofouling starts to develop before pressure drop starts to increase — 120**

- 8.1 Introduction — 120
- 8.2 Materials and methods — 121
- 8.2.1 Wastewater characterization — 121
- 8.2.2 Pilot plant — 122
- 8.2.3 Experimental setup — 122
- 8.3 Results and discussion — 123
- 8.3.1 Pressure drop — 123
- 8.3.2 ATP — 124
- 8.3.3 TOC — 125
- 8.4 Conclusions — 127
- References — 127

Chapter 9

Biofouling mainly happens in the lead elements — 128

- 9.1 Introduction — **128**
- 9.2 Materials and methods — **129**
 - 9.2.1 Wastewater characterization — **129**
 - 9.2.2 Wastewater pilot plant and experimental setup — **130**
 - 9.2.3 Membrane fouling simulator skid — **130**
 - 9.2.4 Cleaning protocol in the wastewater plant — **131**
- 9.3 Results and discussion — **131**
 - 9.3.1 Biofouling prevention study — **131**
 - 9.3.1.1 Pressure drop — **131**
 - 9.3.1.2 Water permeability — **132**
 - 9.3.2 Where biofouling develop — **132**
 - 9.3.2.1 Pressure drop — **132**
 - 9.3.2.2 Fouling visual observation — **133**
 - 9.3.2.3 Fouling distribution — **134**
 - 9.3.2.4 Total organic carbon — **135**
 - 9.3.2.5 Total nitrogen — **135**
 - 9.3.2.6 ATP analysis — **135**
 - 9.3.2.7 Visualization of biofouling on the membrane — **136**
 - 9.3.2.8 Ease of scraping biofilm — **136**
 - 9.3.2.9 Study on how to effectively clean the biofilm — **138**
 - 9.3.2.10 Beaker cleaning study — **140**
 - 9.3.3 Cleaning study — **140**
- 9.4 Conclusions — **140**
- References — **141**

Chapter 10

Biocides do not fully prevent biofouling — 142

- 10.1 Introduction — **142**
- 10.2 Materials and methods — **143**
 - 10.2.1 Wastewater characterization — **143**
 - 10.2.2 Experimental plant — **143**
 - 10.2.3 Membranes used — **143**
 - 10.2.4 Operating conditions — **144**
 - 10.2.5 Dosing strategy — **145**
- 10.3 Results and discussion — **145**
 - 10.3.1 Pressure drop — **145**
 - 10.3.2 Salt rejection — **145**
 - 10.3.3 Water permeability — **147**
- 10.4 Conclusions — **148**
- References — **148**

Chapter 11**Visualizing biofouling on the membrane surface — 149**

- 11.1 Introduction — **149**
- 11.1.1 Biofouling on reverse osmosis membranes — **149**
- 11.1.2 State-of-the-art biofouling visualization techniques — **150**
- 11.1.3 Fortilife™ Director™ biofilm visualization tool — **151**
- 11.2 Materials and methods — **152**
- 11.2.1 Fortilife™ Director™ overview — **152**
- 11.2.2 Comparison to alternative biofilm visualization procedures — **152**
- 11.2.3 Biofilm visualization — **153**
- 11.2.4 Biofilm surface coverage calculation — **153**
- 11.2.5 Biofouling quantification in different fouling matrices — **154**
- 11.3 Results and discussion — **155**
- 11.3.1 Comparison to alternative biofilm visualization procedures — **155**
- 11.3.2 Biofilm visualization example — **156**
- 11.3.3 Biofilm surface coverage quantification — **156**
- 11.3.4 Biofouling quantification in different fouling matrices — **158**
- 11.3.4.1 Flat-sheet coupons operated with river water — **158**
- 11.3.4.2 Spiral-wound elements operated with municipal wastewater — **159**
- 11.3.4.3 Spiral-wound elements operated with city water — **161**
- 11.4 Conclusions — **162**
- References — **163**

Chapter 12**Why preventing biofouling matters — 166**

- 12.1 Introduction — **166**
- 12.2 Materials and methods — **167**
- 12.2.1 Water characterization — **167**
- 12.2.2 Membranes used — **168**
- 12.2.3 Experimental plant — **169**
- 12.3 Results and discussion — **169**
- 12.3.1 Pressure drop — **169**
- 12.3.2 Feed pressure — **170**
- 12.3.3 Salt rejection — **171**
- 12.4 Conclusions — **172**
- References — **173**

Chapter 13**Limiting nutrients to prevent biofouling in brackish water — 175**

- 13.1 Introduction — **175**
- 13.1.1 Biofouling — **175**
- 13.1.2 Methods to mitigate biofouling — **176**

13.1.3	Biofouling prevention technology —	176
13.2	Materials and methods —	179
13.2.1	Brackish water characterization —	179
13.2.2	Pilot plant —	180
13.2.3	Total suspended solids removal —	181
13.3	Results and discussion —	183
13.3.1	First trial —	183
13.3.1.1	Backwash —	183
13.3.1.2	Reverse osmosis —	183
13.3.1.3	Visual analysis —	184
13.3.1.4	Fouling analysis —	184
13.3.1.5	Biomass growth —	185
13.3.2	Second trial —	187
13.3.2.1	Backwash —	187
13.3.2.2	Reverse osmosis —	187
13.3.2.3	Visual analysis —	188
13.3.2.4	Fouling analysis —	189
13.3.3	Media size effect on biofouling prevention —	189
13.4	Conclusions —	190
	References —	191

Chapter 14

Limiting nutrients to prevent biofouling in wastewater — 193

14.1	Introduction —	193
14.1.1	Biofouling —	193
14.1.2	Methods to mitigate biofouling —	194
14.1.3	Biofouling prevention technology —	194
14.2	Materials and methods —	196
14.2.1	Wastewater characterization —	196
14.2.2	Experimental plant —	197
14.3	Results and discussion —	198
14.3.1	Backwashes —	198
14.3.2	Cartridge filter —	200
14.3.3	Reverse osmosis —	200
14.3.4	Biofilm management —	200
14.3.5	Organics removal —	203
14.3.6	Organics fractions removal —	204
14.3.7	Reverse osmosis membranes —	205
14.4	Conclusions —	207
	References —	207

Chapter 15**Limiting nutrients to prevent biofouling in seawater: part 1 — 209**

- 15.1 Introduction — **210**
- 15.1.1 Biofouling — **210**
- 15.1.2 Method to mitigate biofouling — **211**
- 15.1.3 Biofouling prevention technology — **212**
- 15.2 Materials and methods — **214**
- 15.2.1 Experimental plant — **214**
- 15.2.2 Seawater characteristics — **216**
- 15.3 Results and discussion — **216**
- 15.3.1 Backwash — **216**
- 15.3.2 Cartridge filters — **218**
- 15.3.3 Reverse osmosis — **218**
- 15.3.4 Bio-stratum growth — **218**
- 15.3.5 Backwash observation — **222**
- 15.3.6 Membrane autopsies results — **223**
- 15.4 Conclusions — **223**
- References — **223**

Chapter 16**Limiting nutrients to prevent biofouling in seawater: part 2 — 225**

- 16.1 Introduction — **225**
- 16.1.1 Biofouling — **225**
- 16.1.2 Methods to mitigate biofouling — **226**
- 16.1.3 Biofouling prevention technology — **226**
- 16.2 Materials and methods — **228**
- 16.2.1 Experimental plant — **228**
- 16.2.2 Seawater characteristics — **230**
- 16.3 Results and discussion — **232**
- 16.3.1 Backwash — **232**
- 16.3.2 Reverse osmosis — **233**
- 16.4 Conclusions — **235**
- References — **235**

Index — 237**Back cover — 241**

