

Verzeichniß

der

im achten Theile beschriebenen und abgebildeten Käfer.

Tenebrio ferratus		Taf. 117	Fig. 3	Seite 6
	laevigatus	— 117	— 4	— 7
	variegatus	— 117	— 5	— 7
	abbreviatus	— 117	— 6	— 8
	cornutus	— 117	— 8	— 8
	sanguinipes	— 117	— 9	— 9
	pallens	— 117	— 10	— 9
30	— viridis	— 117	— 11	— 10
31	— 4 maculatus	— 117	— 12	— 10
32	— laevis	— 118	— 1	— 11
33	— spondylioides	— 118	— 2	— 11
34	— faperdoides	— 118	— 3	— 12
35	— elateroides	— 118	— 4	— 13
36	— scaber	— 118	— 5	— 13

37	<i>Tenebrio planus</i>	Taf. 117	Fig. 7	Seite 14
38	— <i>cavus</i>	— 118	— 6	— 15
39	— <i>bimaculatus</i>	— 118	— 7	— 16
40	— <i>ovatus</i>	— 118	— 8	— 16
41	— <i>chrysomelinus</i>	— 118	— 9	— 17
42	— <i>oryzae</i>	— 118	— 10	— 18
43	— <i>pellucidus</i>	— 118	— 11	— 19
44	— <i>purpurascens</i>	— 119	— 1	— 20
45	— <i>purpureus</i>	— 119	— 2	— 21
46	— <i>anomalus</i>	— 119	— 3	— 23
47	— <i>cyaneus</i>			— 24
48	— <i>variabilis</i>			— 25
49	— <i>brunneus</i>			— 25
50	— <i>glabratus</i>			— 26
51	— <i>ellipticus</i>			— 26
7	<i>Upis striata</i>	— 119	— 4	— 27
8	— <i>aenea</i>	— 119	— 5	— 28
9	— <i>cuprea</i>	— 119	— 6	— 29
10	— <i>variolosa</i>	— 119	— 7	— 31
11	— <i>glabra</i>	— 119	— 8	— 32
1	<i>Eurichora ciliata</i>	— 119	— 9	— 35
2	— <i>modesta</i>	— 119	— 10	— 37
3	— <i>pufilla</i>	— 119	— 11	— 38
4	— <i>barbata</i>	— 119	— 12	— 38

1	<i>Pimelia striata</i>	Taf. 120	Fig. 1	Seite 43
2	— <i>unicolor</i>	— 120	— 2	— 45
3	— <i>scabra</i>	— 120	— 3	— 46
4	— <i>gibba</i>	— 120	— 4	— 48
5	— <i>strigosa</i>	— 120	— 5	— 49
6	— <i>bistriata</i>	— 120	— 6	— 50
7	— <i>gibbula</i>	— 120	— 7	— 51
8	— <i>gibbosa</i>	— 120	— 8	— 52
9	— <i>brunnea</i>	— 120	— 9	— 53
10	— <i>marginata</i>	— 120	— 10	— 54
11	— <i>orbiculata</i>	— 120	— 11	— 55
12	— <i>glabrata</i>	— 120	— 12	— 56
13	— <i>laevigata</i>	— 121	— 1	— 58
14	— <i>curculionoides</i>	— 121	— 2	— 58
15	— <i>glabra</i>	— 121	— 3	— 60
16	— <i>glabella</i>	— 121	— 4	— 61
17	— <i>punctata</i>			— 62
18	— <i>pygmaea</i>			— 62
19	— <i>coronata</i>	— 121	— 5	— 63
20	— <i>fericea</i>	— 121	— 6	— 64
21	— <i>variolaris</i>	— 121	— 7	— 65
22	— <i>angulata</i>	— 121	— 8	— 65
23	— <i>dentipes</i>	— 121	— 9	— 66
24	— <i>chrysomeloides</i>	— 121	— 10	— 68
25	— <i>hirtipes</i>	— 121	— 11	— 68
26	— <i>globularis</i>	— 121	— 12	— 69
27	— <i>scabriuscula</i>	— 122	— 1	— 70

28	Pimelia	hispida	Taf. 122	Fig. 2	Seite 70
29	—	pustulata	— 122	— 3	— 72
30	—	mamillata	— 122	— 4	— 73
31	—	gratilla	— 122	— 5	— 75
32	—	armata	— 122	— 6	— 76
33	—	tuberculata			— 77
34	—	ovata	— 122	— 7	— 77
35	—	fornicata	— 122	— 8	— 79
36	—	verrucosa	— 122	— 9	— 81
37	—	gemmata	— 122	— 10	— 82
38	—	gloiosa			— 83
39	—	muricata	— 122	— 11	— 84
40	—	intricata	— 122	— 12	— 86
41	—	bipunctata	— 123	— 1	— 87
42	—	porcata	— 123	— 2	— 88
43	—	fenegalenfis	— 123	— 3	— 90
44	—	ryffos	— 123	— 4	— 90
45	—	grossa	— 123	— 5	— 91
46	—	arapipes	— 123	— 6	— 92
47	—	obscura	— 123	— 7	— 93
48	—	echinata	— 123	— 8	— 94
49	—	maculata	— 123	— 9	— 95
50	—	variabilis	— 123	— 10	— 96
51	—	modesta	— 123	— 11	— 96
52	—	inflata	— 123	— 12	— 98
53	—	6 lineata	— 124	— 1	— 99
54	—	fulcata	— 124	— 2	— 101

55	<i>Pimelia lineata</i>	Taf. 124	Sig. 3	Seite 102
56	— <i>leucographa</i>	— 124	— 4	— 103
57	— <i>tomentosa</i>	— 124	— 5	— 105
58	— <i>pufilla</i>	— 124	— 6	— 107
59	— <i>porosa</i>	— 124	— 7	— 109
60	— <i>longipes</i>	— 124	— 8	— 110
61	— <i>pedestris</i>	— 124	— 9	— 111
62	— <i>dentata</i>	— 124	— 10	— 112
63	— <i>curfor</i>	— 124	— 11	— 113
64	— <i>rugosa</i>	— 124	— 12	— 114
65	— <i>leucophrys</i>	— 125	— 1	— 115
66	— <i>crinita</i>	— 125	— 2	— 117
67	— <i>collaris</i>	— 125	— 3	— 118
68	— <i>ferrata</i>			— 120
69	— <i>minuta</i>	— 125	— 4	— 120
70	— <i>carinata</i>			— 121
71	— <i>crenata</i>			— 122
72	— <i>planata</i>			— 122
73	— <i>variolosa</i>			— 123
74	— <i>ruslica</i>			— 123
1	<i>Akis spinosa</i>	— 125	— 5	— 126
2	— <i>reflexa</i>	— 125	— 6	— 128
3	— <i>acuminata</i>	— 125	— 7	— 129
4	— <i>trilineata</i>	— 125	— 8	— 130
5	— <i>hispida</i>	— 125	— 9	— 131

1	Scaurus	triflis	Taf. 125	Fig. 10	Seite 135
2	—	ovatus	— 125	— 11	— 136
3	—	striatus	— 125	— 12	— 136
4	—	punctatus	— 125	— 13	— 138
5	—	calcaratus			— 139
6	—	atratus			— 139
7	—	fulcatus			— 140
1	Sepidium	tricuspidatum	— 126	— 1	— 143
2	—	reticulatum	— 126	— 2	— 145
3	—	variegatum	— 126	— 3	— 146
4	—	cristatum	— 126	— 4	— 147
5	—	rugosum	— 126	— 5	— 149
6	—	vittatum	— 126	— 6	— 149
7	—	elongatum	— 126	— 7	— 150
1	Machla	villosa	— 126	— 8	— 153
2	—	carinata	— 126	— 9	— 156
3	—	nodulosa	— 126	— 10	— 157
4	—	rugosa	— 126	— 11	— 159
1	Stenosis	angustata	— 127	— 1	— 161
2	—	unicolor	— 127	— 2	— 163
3	—	atra	— 127	— 3	— 164
4	—	orientalis	— 127	— 4	— 165
1	Erodium	gibbus	— 127	— 5	— 168
2	—	laevigatus	— 127	— 6	— 169

3	<i>Erodius trilineatus</i>	Taf. 127	Fig. 7	Seite 170
4	--- <i>quadrilineatus</i>	--- 127	--- 8	--- 170
5	--- <i>punctulatus</i>	--- 127	--- 9	--- 171
6	--- <i>flavicollis</i>	--- 127	--- 10	--- 171
7	--- <i>testudinarius</i>	--- 127	--- 11	--- 173
8	--- <i>bilineatus</i>	--- 127	--- 12	--- 174
9	--- <i>planus</i>			--- 176
10	--- <i>minutus</i>	--- 127	--- 13	--- 176
11	--- <i>muricatus</i>			--- 177
12	--- <i>dytiscoides</i>	--- 127	--- 14	--- 178
1	<i>Blaps gigas</i>	--- 128	--- 1	--- 181
2	--- <i>mortifaga</i>	--- 128	--- 2. 3	--- 182
3	--- <i>cylindrica</i>	--- 128	--- 4	--- 185
4	--- <i>striata</i>	--- 128	--- 5	--- 186
5	--- <i>crenata</i>	--- 128	--- 6	--- 186
6	--- <i>buprestoides</i>	--- 128	--- 7	--- 187
7	--- <i>elongata</i>	--- 128	--- 8	--- 188
8	--- <i>gemellata</i>	--- 128	--- 9	--- 189
9	--- <i>femoralis</i>	--- 128	--- 10	--- 189
10	--- <i>ruficornis</i>	--- 128	--- 11	--- 191
11	--- <i>fulcata</i>			--- 192
12	--- <i>glabra</i>	--- 128	--- 12	--- 192
13	--- <i>granulata</i>			--- 193
14	--- <i>dermestoides</i>			--- 193
15	--- <i>emarginata</i>			--- 194
16	--- <i>variolosa</i>	--- 129	--- 1	--- 194

17	Blaps	laevigata				Seite	195
18	—	trifidis				—	196
19	—	punctata				—	196
20	—	clathrata				—	197
21	—	lusitanica	Taf. 129	Sig. 2	—	197	
22	—	laticollis	— 129	— 3	—	198	
23	—	pufilla	— 129	— 4	—	199	
24	—	obtusa				—	200
25	—	spinipes				—	201
26	—	calcarata				—	201
27	—	dentipes				—	201
28	—	dilatata				—	202
29	—	undata				—	202
30	—	ferrata				—	203
31	—	tibialis				—	203
1	Cassida	viridis	— 130	— 8	—	209	
2	—	equestris	— 130	— 10	—	216	
3	—	vibex	— 129	— 5	—	218	
4	—	prafina	— 129	— 6	—	221	
5	—	rubiginofa	— 129	— 7	—	223	
6	—	viridana	— 129	— 8	—	224	
7	—	margaritacea	— 130	— 16	—	225	
8	—	hemifpharica	— 126	— 9	—	226	
9	—	dorfalis	— 129	— 10	—	227	
10	—	thoracica	— 129	— 11	—	228	
11	—	fanguinolenta	— 129	— 12	—	229	

12	Cassida	russica	Taf.	131	Fig.	1	Seite	232
13	—	signata	—	131	—	2	—	234
14	—	caesidata	—	131	—	3	—	235
15	—	nebulosa	—	130	—	10	—	236
16	—	nobilis	—	130	—	15	—	233
17	—	murraea	—	130	—	12 13	—	240
18	—	ocellata	—	131	—	4	—	244
19	—	ferruginea	—	130	—	14	—	245
20	—	obsoleta	—	131	—	5	—	248
21	—	laevis	—	131	—	6	—	250
22	—	lineata	—	131	—	7	—	252
23	—	exclamationis	—	131	—	8	—	253
24	—	austriaca	—	131	—	9	—	254
25	—	bistripustulata	—	131	—	10	—	256
26	—	atrata	—	131	—	11	—	257
27	—	nigra	—	131	—	12	—	258
28	—	collaris	—	130	—	7	—	259
29	—	obliterata	—	132	—	1	—	260
30	—	livida	—	132	—	2	—	261
31	—	pallida	—	132	—	3	—	262
32	—	bimaculata	—	132	—	4	—	262
33	—	4 maculata	—	132	—	5	—	263
34	—	20 maculata	—	132	—	6	—	264
35	—	furcata	—	132	—	7	—	265
36	—	reticulata	—	132	—	8	—	265
37	—	purpurea	—	132	—	9	—	266
38	—	vesicularis					—	266

39	<i>Cassida</i>	<i>dispar</i>	Taf. 132	Sig 10	Seite 267
40	—	<i>circumdata</i>	— 132	— 11	— 268
41	—	<i>varians</i>	— 132	— 12	— 269
42	—	<i>6 notata</i>	— 133	— 1	— 271
43	—	<i>bipunctata</i>	— 133	— 2	— 271
44	—	<i>annulus</i>	— 133	— 3	— 272
45	—	<i>hebraea</i>	— 133	— 4	— 273
46	—	<i>marylandica</i>	— 133	— 5	— 274
47	—	<i>bistripunctata</i>	— 133	— 6	— 275
48	—	<i>pumila</i>	— 133	— 7	— 276
49	—	<i>nigromaculata</i>	— 133	— 8	— 277
50	—	<i>argus</i>	— 133	— 9	— 278
51	—	<i>capensis</i>	— 133	— 10	— 278
52	—	<i>judaica</i>	— 133	— 11	— 280
53	—	<i>haematites</i>	— 133	— 12	— 280
54	—	<i>cribraria</i>	— 130	— 6	— 281
55	—	<i>rufescens</i>	— 134	— 1	— 283
56	—	<i>truncata</i>	— 134	— 2	— 284
57	—	<i>variegata</i>	— 134	— 3	— 286
58	—	<i>grossa</i>	— 130	— 1	— 288
59	—	<i>trifasciata</i>	— 134	— 4	— 290
60	—	<i>annulata</i>	— 134	— 5	— 291
61	—	<i>retufa</i>	— 134	— 6	— 292
62	—	<i>aterrima</i>	— 134	— 7	— 294
63	—	<i>reticularis</i>	— 130	— 3	— 295
64	—	<i>hieroglyphica</i>	— 134	— 8	— 296
65	—	<i>transversa</i>	— 134	— 9	— 298

66	<i>Cassida flava</i>	Taf. 134	Fig. 10	Seite 299
67	— <i>testacea</i>	— 134	— 11	— 300
68	— <i>St. Crucis</i>	— 134	— 12	— 301
69	— <i>jamaicensis</i>	— 135	— 1	— 303
70	— <i>tricolor</i>	— 135	— 2	— 304
71	— <i>clathrata</i>	— 135	— 3	— 305
72	— <i>4 notata</i>	— 135	— 4	— 307
73	— <i>crux</i>	— 135	— 5	— 308
74	— <i>ephippium</i>	— 135	— 6	— 310
75	— <i>clavata</i>	— 135	— 7	— 311
76	— <i>miliaris</i>	— 135	— 8	— 312
77	— <i>signifer</i>	— 135	— 9	— 313
78	— <i>lateralis</i>	— 130	— 5	— 315
79	— <i>inaequalis</i>	— 130	— 4	— 316
80	— <i>tetra stigma</i>	— 135	— 10	— 318
81	— <i>discoides</i>	— 135	— 11	— 319
82	— <i>decussata</i>	— 135	— 12	— 320
83	— <i>cuprea</i>	— 136	— 1	— 321
84	— <i>venosa</i>			— 322
85	— <i>pavonina</i>	— 136	— 2	— 322
86	— <i>bipustulata</i>	— 136	— 3	— 324
87	— <i>marginata</i>	— 130	— 2	— 325
88	— <i>spinifex</i>	— 136	— 4 5	— 327
89	— <i>bicornis</i>	— 136	— 6	— 328
90	— <i>cruenta</i>			330
91	— <i>marginella</i>			330
92	— <i>cincta</i>			333

93	<i>Cassida obscura</i>	Seite 332
94	— <i>trifurcata</i>	— 332
95	— <i>interrupta</i>	— 333
96	— <i>8 punctata</i>	— 334
97	— <i>deusta</i>	— 334
98	— <i>II punctata</i>	— 335
99	— <i>sinuata</i>	— 336
100	— <i>arcuata</i>	— 336
101	— <i>binotata</i>	— 337
102	— <i>tuberculata</i>	— 338
103	— <i>tuberculata</i>	— 338
104	— <i>futuralis</i>	— 339
105	— <i>biguttata</i>	— 340
106	— <i>bimaculata</i>	— 340
107	— <i>punctata</i>	— 341
108	— <i>4 pustulata</i>	— 341
109	— <i>dorsata</i>	— 342
110	— <i>perforata</i>	— 343
111	— <i>taurus</i>	— 344
112	— <i>cyanea</i>	— 344
113	— <i>bidens</i>	— 345
114	— <i>gibbosa</i>	— 346
115	— <i>leucophaea</i>	— 346
116	— <i>retiformis</i>	— 347
117	— <i>palliat</i>	— 347
118	— <i>6 pustulata</i>	— 348
119	— <i>16 punctata</i>	— 349

120	<i>Cassida</i>	<i>brunnea</i>	Seite	350
121	—	<i>ornata</i>	—	350
122	—	<i>brachiata</i>	—	351
123	—	<i>scripta</i>	—	351
124	—	<i>gibba</i>	—	352
125	—	<i>bicolor</i>	—	352
126	—	<i>chinensis</i>	—	353
127	—	<i>vittata</i>	—	353
128	—	<i>12 pustulata</i>	—	354
129	—	<i>cruciata</i>	—	354

1	<i>Erotylus</i>	<i>5 punctatus</i>	Taf. 136	Sig. 7	—	357
2	—	<i>concatenatus</i>	— 136	— 8	—	359
3	—	<i>giganteus</i>	— 136	— 9	—	360
4	—	<i>gemmatus</i>	— 137	— 1	—	361
5	—	<i>rubricatus</i>	— 137	— 2	—	363
6	—	<i>pustulatus</i>	— 137	— 3	—	364
7	—	<i>variegatus</i>	— 137	— 4	—	365
8	—	<i>gibbosus</i>	— 137	— 5	—	366
9	—	<i>punctatissimus</i>	— 137	— 6	—	267
10	—	<i>quagga</i>	— 137	— 7	—	368
11	—	<i>alternans</i>	— 137	— 8	—	369
12	—	<i>bifasciatus</i>	— 137	— 9	—	370
13	—	<i>notatus</i>	— 137	— 10	—	371
14	—	<i>cinctus</i>	— 137	— 11	—	372
15	—	<i>surinamensis</i>	— 137	— 12	—	373
16	—	<i>hispidus</i>	— 137	— 13	—	374

17	<i>Erotylus</i>	<i>6 fasciatus</i>	Seite 375
18	—	<i>histris</i>	— 376
19	—	<i>longimanus</i>	— 576
20	—	<i>abdominalis</i>	— 377
21	—	<i>testaceus</i>	— 377
22	—	<i>fasciatus</i>	— 378
23	—	<i>zebra</i>	— 378
24	—	<i>morio</i>	— 379
25	—	<i>limbatus</i>	— 379
26	—	<i>cupreus</i>	— 380
27	—	<i>nebulosus</i>	— 380
28	—	<i>dilatatus</i>	— 381
29	—	<i>smaragdulus</i>	— 381
30	—	<i>amethystinus</i>	— 382
31	—	<i>bicolor</i>	— 382
32	—	<i>rufipes</i>	— 383
33	—	<i>unifasciatus</i>	— 383
34	—	<i>marginatus</i>	— 384
35	—	<i>tristis</i>	— 384
