

Contents

1	Introduction	18
2	Wetting- and dispersing additives	20
2.1	Modes of action	20
2.1.1	Pigment wetting	20
2.1.2	Grinding	22
2.1.3	Stabilisation	22
2.1.3.1	Electrostatic stabilisation	23
2.1.3.2	Steric stabilisation	23
2.1.3.3	Electrosteric stabilisation	24
2.1.4	Influences on formulation	25
2.1.4.1	Viscosity	25
2.1.4.2	Colour strength	25
2.1.4.3	Compatibility	27
2.1.4.4	Stability	27
2.2	Chemical structures	27
2.2.1	Polyacrylate salts	27
2.2.2	Fatty acid and fatty alcohol derivatives	28
2.2.3	Acrylic-copolymers	28
2.2.4	Maleic anhydride copolymers	29
2.2.5	Alkyl phenol ethoxylates	29
2.2.6	Alkyl phenol ethoxylate replacements	30
2.3	Wetting and dispersing additives in different market segments	30
2.3.1	Architectural coatings	30
2.3.1.1	Direct-grind	30
2.3.1.2	Pigment concentrates	31
2.3.2	Wood and furniture coatings	31



EC European Coatings SHOW

PLUS ADHESIVES, SEALANTS, CONSTRUCTION CHEMICALS

www.european-coatings-show.com

Nuremberg, Germany

European Coatings CONGRESS

NÜRNBERG  **MESSE**

Organiser

Vincentz Network
Plathnerstrasse 4c
30175 Hanover
Germany
Tel +49 (0) 511.99 10-270
Fax +49 (0) 511.99 10-279
info@european-coatings.com

Organisation

NürnbergMesse GmbH
Messezentrum
90471 Nuremberg
Germany
Tel +49 (0) 911.86 06-84 52
Fax +49 (0) 911.86 06-82 87
ecs@nuernbergmesse.de



VINCENTZ

2.3.2.1	Direct grind.....	31
2.3.2.2	Pigment concentrates	31
2.3.3	Industrial coatings	32
2.3.3.1	Direct grind.....	32
2.3.3.2	Pigment concentrates	32
2.3.4	Printing inks.....	32
2.3.4.1	Direct grind.....	32
2.3.4.2	Pigment concentrates	32
2.4	Tips and Tricks	32
2.5	Test methods	33
2.5.1	Particle size.....	33
2.5.2	Colour strength	34
2.5.3	Rub-out	34
2.5.4	Viscosity	35
2.5.5	Zeta potential	35
2.6	Summary	38
2.7	Literature	38
3	Defoaming of coating systems.....	39
3.1	Defoaming mechanisms	39
3.1.1	Foam	39
3.1.1.1	Causes of foam	40
3.1.1.2	Types of foam	40
3.2	Defoamers.....	42
3.2.1	Composition of defoamers	42
3.2.2	Defoaming mechanisms	42
3.2.2.1	Defoaming by drainage/slow defoaming.....	42
3.2.2.2	Entry barrier/entry coefficient	43
3.2.2.3	Bridging mechanism.....	44
3.2.2.4	Spreading mechanism.....	45
3.2.2.5	Bridging stretching mechanism	46
3.2.2.6	Bridging dewetting mechanism	46
3.2.2.7	Spreading fluid mechanism	47
3.2.2.8	Spreading wave mechanism	47

3.2.2.9	Effect of fillers on the performance of defoamers	48
3.3	Chemistry and formulation of defoamers	49
3.3.1	Active ingredients in defoamers	49
3.3.1.1	Silicone oils (polysiloxanes)	49
3.3.1.2	Mineral oils	49
3.3.1.3	Vegetable oils	49
3.3.1.4	Polar oils	50
3.3.1.5	Molecular defoamers (gemini surfactants)	50
3.3.1.6	Hydrophobic particles	50
3.3.1.7	Emulsifiers	51
3.3.1.8	Solvents	51
3.3.2	Defoamer formulations	51
3.3.3	Suppliers of defoamers	51
3.4	Product recommendations for different binders	52
3.4.1	Acrylic emulsions	52
3.4.2	Styrene acrylic emulsions	53
3.4.3	Vinyl acetate based emulsions	53
3.4.4	Polyurethane dispersions	53
3.5	Product choice according to field of application	53
3.5.1	Influence of the pigment volume concentration (PVC)	53
3.5.2	Method of incorporating the defoamer	54
3.5.3	Application of shear forces during application	54
3.5.4	Surfactant content of the formulation	54
3.6	Tips and tricks	54
3.7	Summary	55
3.8	Literature	55
4	Rheology modifiers	56
4.1	General assessment of rheology modifiers	56
4.1.1	Market overview	56
4.1.2	Basic characteristics of the different rheological additives	57
4.2	Requirements for rheology modifiers	58
4.2.1	Rheology	58

4.2.2	Example of application	59
4.3	Ethoxylated and hydrophobically modified urethanes	62
4.3.1	Synthesis of HEUR.....	62
4.3.2	Associative properties of HEUR additives.....	63
4.3.3	From self association to associative behaviour	65
4.3.4	Hydrophobic/hydrophilic equilibrium of waterborne coatings	66
4.3.5	Improved colour acceptance with HEUR.....	67
4.4	Alkali swellable emulsions: ASE and HASE	69
4.4.1	Synthesis	69
4.4.1.1	ASE.....	70
4.4.1.2	HASE.....	71
4.4.1.3	Interaction with binders	73
4.4.2	Thixotropy and HASE.....	76
4.5	Outlook	77
4.6	Literature	78
5	Substrate wetting additives.....	79
5.1	Mechanism of action	79
5.1.1	Water as a solvent	79
5.1.2	Surface tension	79
5.1.3	Reason of the surface tension	80
5.1.4	Effect of the high surface tension of water.....	81
5.1.5	Substrate wetting additives are surfactants.....	82
5.1.6	Mode of action of substrate wetting additives.....	83
5.1.7	Further general properties of substrate wetting additives/side effects.....	83
5.2	Chemical structure of substrate wetting additives	84
5.2.1	Basic properties of substrate wetting additives	84
5.2.2	Chemical structure of substrate wetting additives important in coatings	84
5.2.2.1	Polyethersiloxanes	84
5.2.2.2	Gemini surfactants	85
5.2.2.3	Fluoro surfactants	85

5.2.2.4	Acetylenediols and modifications.....	86
5.2.2.5	Sulfosuccinate.....	86
5.2.2.6	Alkoxyated fatty alcohols.....	87
5.2.2.7	Alkylphenol ethoxylates (APEO).....	87
5.3	Application of substrate wetting additives	88
5.3.1	Basic properties of various chemical classes.....	88
5.3.2	Reduction of static surface tension.....	88
5.3.3	Possible foam stabilisation	89
5.3.4	Effective reduction in static surface tension versus flow ...	89
5.3.5	Reduction of dynamic surface tension	89
5.3.6	Which property correlates with which practical application?.....	90
5.3.6.1	Craters.....	90
5.3.6.2	Wetting and atomisation of spray coatings.....	91
5.3.6.3	Rewettability, reprintability, recoatability	91
5.3.6.4	Flow	92
5.3.6.5	Spray mist uptake	92
5.4	Use of substrate wetting additives in different market sectors	92
5.5	Tips und tricks	93
5.5.1	Successful use of substrate wetting additives in coatings ..	93
5.5.2	Metallic shades	94
5.6	Test methods for measuring surface tension.....	95
5.6.1	Static surface tension	95
5.6.2	Dynamic surface tension	95
5.6.3	Dynamic versus static	95
5.6.4	Further practical test methods	96
5.6.4.1	Wedge spray application.....	96
5.6.4.2	One spray path.....	97
5.6.4.3	Crater test.....	97
5.6.4.4	Draw down	98
5.6.4.5	Spray drop uptake.....	98
5.6.5	Analytical test methods	99
5.7	Literature	99

6	Improving performance with co-binders	100
6.1	Preparation of co-binders	101
6.1.1	Secondary dispersions	101
6.1.1.1	Polyester dispersions	103
6.1.1.2	Polyurethane dispersions	104
6.2	Applications of co-binders	106
6.2.1	Co-binders for better property profiles	106
6.2.1.1	Drying time.....	106
6.2.1.2	Adhesion.....	108
6.2.1.3	Hardness-flexibility balance	110
6.2.1.4	Gloss	111
6.2.2	Co-binders for pigment pastes.....	112
6.3	Summary.....	114
6.4	Literature	114
7	Deaerators	115
7.1	Mode of action of deaerators	116
7.1.1	Dissolution of microfoam.....	116
7.1.2	Rise of microfoam bubbles in the coating film	118
7.1.3	How to prevent microfoam in coating films.....	119
7.1.4	How deaerators combat microfoam.....	120
7.1.4.1	Deaerators promote the dissolution or formation of small microfoam bubbles	120
7.1.4.2	How deaerators promote the dissolution of microfoam bubbles.....	121
7.2	Chemical composition of deaerators	122
7.3	Main applications according to binder systems.....	124
7.4	Main applications according to market segments	124
7.5	Tips and tricks	125
7.6	Evaluating the effectiveness of deaerators	125
7.6.1	Test method for low to medium viscosity coating formulations.....	126
7.6.2	Test method for medium to high viscosity coating formulations.....	126

7.6.3	Further test methods for microfoam	126
7.7	Conclusion	127
7.7	Literature	128
8	Flow additives	129
8.1	Mode of action.....	129
8.1.1	Mode of action in waterborne systems without co-solvents	129
8.1.2	Sagging	130
8.1.3	Total film flow	131
8.1.4	Mode of action in waterborne systems with co-solvents....	132
8.1.5	Mode of action in an example of a thermosetting waterborne system with co-solvents	132
8.1.6	Surface tension gradients	134
8.1.7	Summary	135
8.2	Chemistry of active ingredients	135
8.2.1	Polyether siloxanes	135
8.2.2	Polyacrylates.....	137
8.2.3	Side effects of polyether siloxanes	138
8.2.4	Slip	138
8.3	Film formation.....	139
8.4	Main applications by market segment	140
8.4.1	Industrial metal coating	140
8.4.1.1	Electrophoretic coating	140
8.4.1.2	Waterborne coatings	141
8.4.2	Industrial coatings	141
8.4.3	Architectural coatings.....	142
8.4.3.1	Flat and semi-gloss emulsion paints	142
8.4.3.2	High gloss emulsion paints.....	142
8.5	Conclusion	142
8.6	Test methods	143
8.6.1	Measurement of flow	143
8.6.2	Measuring flow and sagging by DMA.....	144
8.6.3	Measuring the surface slip properties	144
8.7	Literature	145

9	Wax additives	146
9.1	Raw material wax	146
9.1.1	Natural waxes	146
9.1.1.1	Waxes from renewable raw materials	147
9.1.1.2	Waxes from fossilised sources	147
9.1.2	Semi-synthetic and synthetic waxes	148
9.1.2.1	Semi-synthetic waxes	148
9.1.2.2	Synthetic waxes	149
9.2	From wax to wax additives	151
9.2.1	Wax and water	151
9.2.1.1	Wax emulsions	151
9.2.1.2	Wax dispersions	152
9.2.3	Micronized wax additives	152
9.3	Wax additives for the coating industry	153
9.3.1	Acting mechanism	153
9.3.2	Coating properties	155
9.3.2.1	Surface protection	155
9.3.2.2	Gloss reduction	159
9.3.2.3	Texture and structure	160
9.3.2.4	Rheology control	160
9.4	Summary	161
10	Light stabilizers for waterborne coatings	162
10.1	Introduction	162
10.2	Light and photo-oxidative degradation	162
10.3	Stabilization options for polymers	165
10.3.1	UV absorbers	166
10.3.2	Radical scavengers	170
10.3.2.1	Antioxidants	170
10.3.2.2	Sterically hindered amines	171
10.4	Light stabilizers for waterborne coatings	173
10.4.1	Market overview	174
10.4.2	Application fields and market segments	174
10.4.2.1	Application specific product selection	178

10.5	Conclusions	179
10.6	Test methods and analytical determination	180
10.6.1	UV absorbers	180
10.6.2	HALS.....	180
10.6.3	Weathering methods and evaluation criteria	180
10.6.3.1	Accelerated exposure tests	180
10.6.3.2	Further evaluation criteria	180
10.7	Literature	181
11	In-can and dry film preservation	183
11.1	Sustainable and effective in-can and dry film preservation	183
11.2	In-can preservation	185
11.2.1	Types of active ingredients	185
11.2.2	Selection of active ingredients for the preservation system	188
11.2.3	Plant hygiene	188
11.3	Dry film preservation.....	188
11.3.1	Conventional dry film preservatives.....	189
11.3.2	New, “old” actives	192
11.3.3	Improvements in the ecotoxicological properties.....	193
11.4	External determining factors	195
11.5	Prospect	195
11.6	Literature	196
12	Hydrophobing agents	197
12.1	Mode of action.....	197
12.1.1	Capillary water-absorption	197
12.1.2	Hydrophobicity	198
12.1.3	How hydrophobing agents work	199
12.2	Chemical structures	201
12.2.1	Linear polysiloxanes and organofunctional polysiloxanes ..	202
12.2.2	Silicone resins/silicone resin emulsions	203
12.2.3	Other hydrophobing agents	204
12.2.4	Production of linear polysiloxanes	204
12.2.5	Production of silicone resin emulsions	205

12.2.5.1	Secondary emulsification process.....	205
12.2.5.2	Primary emulsification process.....	205
12.3	Waterborne architectural paints	206
12.3.1	Synthetic emulsion paints.....	206
12.3.2	Silicate emulsion paints	206
12.3.3	Emulsion paints with silicate character (SIL-paints).....	207
12.3.4	Siloxane architectural paints with strong water-beading effect	207
12.3.5	Silicone resin emulsion paints	207
12.4	Conclusions	209
12.5	Appendix	210
12.5.1	Facade protection theory according to Künzelt	210
12.5.2	Measurement of capillary water-absorption (w-value)	210
12.5.3	Water vapour diffusion (s_d -value).....	211
12.5.4	Simulated dirt pick-up	212
12.5.5	Pigment-volume concentration (PVC):	213
12.6	Literature	214
	Authors	215
	Index	218