

Contents of Volume 3

Number 1/2

<i>J. Sūdžius.</i> Astronomy at the Vilnius University.	7
<i>S. Bartašiūtė.</i> The transition between stellar populations in the Galaxy.	16
<i>A. Bartkevičius.</i> HIPPARCOS programme for field metal-deficient F-M stars.	30
<i>A. Bartkevičius.</i> Catalogues of field Population II stars.	34
<i>A. Bartkevičius and J. Sperauskas.</i> Progress report on the radial velocity measurement programme of Population II stars.	49
<i>A. Bartkevičius and R. Lazauskaitė.</i> A set of standards for stellar classification of metal- deficient stars in the Vilnius system.	58
<i>V. Bobinas and J. Sūdžius.</i> Ultraviolet intrinsic colour indices of O- and B-type stars.	67
<i>R. Drazdys, A. Skrebutėnas, G. Vilkaitis and O. Shornikov.</i> The microchannel plate intensifier for intensified CCD photon-counting systems.	74
<i>J.L. Frantsman.</i> Stellar evolution on the asymptotic giant branch: some actualities.	76
<i>G.F. Gahm.</i> Interstellar cloud morphologies and their origins.	85
<i>V. Malyuto.</i> The accuracy of stellar metal abundances from intercomparison of catalogues.	104
<i>A.A. Nikitin, A.F. Kholtygin, A. Sapar and T. Feklistova.</i> Element abundances in planetary nebulae from recombination line spectra.	112
<i>S. Raudeliūnas.</i> On the validity of the exponential size distribution function of interstellar dust.	124
<i>Z. Rudzikas and P. Bogdanovich.</i> Theoretical atomic data for astrophysics.	131
<i>M. Samland and G. Hensler.</i> The epochs of bulge and disk formation.	142
<i>I. Shmeld.</i> Dust formation in supernova ejecta.	144
<i>V. Straižys and A.G.D. Philip.</i> A project for investigation of stellar population of the galactic disk.	146
<i>J. Sūdžius and V. Bobinas.</i> Intrinsic colour indices of O- and B-type stars in the Vilnius photometric system.	158

<i>G. Tautvaišienė.</i> Red horizontal branch stars in the galactic field.	168
<i>P. Tenjes.</i> The mass-to-light ratio of the visible matter.	180
<i>Ch. Theis and G. Hensler.</i> Dissipative evolution of protogalactic cloud systems.	191
<i>V. Vansevičius and A. Bridžius.</i> A computer program for two-dimensional quantification of normal stars in the Vilnius photometric system.	193

Number 3

<i>V. Straižys, J.J. Clariá, A.E. Piatti and A. Kazlauskas.</i> Photometric two-dimensional classification of stars and interstellar extinction in the Coalsack area. I.	199
<i>K. Zdanavičius, J.J. Clariá, A.E. Piatti and V. Straižys.</i> Photoelectric photometry of stars in the Kapteyn Areas in the Vilnius system.	217
<i>M.C. Forbes, R.J. Dodd and D.J. Sullivan.</i> The southern Vilnius photometric system. II. The bright southern standard stars.	227
<i>V. Jasevičius.</i> The Galaxy gravitational potential in a Stäckel approximation.	232
<i>E.K. Grasberg.</i> On the luminosity of a supernova exploded inside a dense circumstellar envelope.	252
<i>L.M. Oskinova, A.F. Kholtygin and T. Feklistova.</i> Thermal structure of atmospheres of Wolf-Rayet stars.	260
<i>L. Sapar and A. Sapar.</i> Stellar wind of χ^2 Ori from its resonance lines.	266
<i>V. Straižys and G. Valiauga.</i> Color indices of the Sun in the Vilnius and the <i>UBV</i> systems.	282
<i>T. Feklistova, V.V. Golovatyy, A.F. Kholtygin and A. Sapar.</i> Atomic line catalogue for gaseous nebulae.	292

Number 4

<i>S. Bartasiūtė.</i> Photoelectric Vilnius photometry of stars in the MEGA proper motion fields 159, 161 and 205. I. Catalog of observations	321
<i>U. Dzervitis and O. Paupers.</i> Seven-color photoelectric photometry of stars in the Hyades cluster	335
<i>U. Dzervitis, O. Paupers and V. Vansevičius.</i> Seven-color photoelectric photometry of stars in the Alpha Persei open cluster	348
<i>G.A. Alekseeva, V.D. Galkin, I.N. Nikanorova and V.V. Novikov.</i> A spectrophotometric catalogue of 60 selected southern stars.	361
<i>A. Alksnis.</i> DY Per, a carbon star of the RCB type?	410
<i>V. Vansevičius and V. Straižys.</i> Intrinsic color indices in the <i>WBVR</i> system.	426
Contents of Volume 3	448

INSTRUCTIONS TO AUTHORS OF "BALTIC ASTRONOMY"

Manuscripts should be sent to: BALTIC ASTRONOMY, INSTITUTE OF THEORETICAL PHYSICS AND ASTRONOMY, GOŠTAUTO 12, VILNIUS 2600, LITHUANIA.

Papers should be submitted on DOS floppy discs for IBM PC, 5.25 or 3.5 inch (in ASCII text files), together with a printout of the text. The formulas in the printout must be given in legible form.

The paper at the beginning should contain: (a) the title in capital letters, (b) the initial(s) and name(s) of the authors; the names should be footnoted with numbers for the addresses, (c) the full addresses of institutions, marked by footnote numbers, (d) the address to which the proofs should be sent, (e) the abstract with the main results which must be 3 – 4% of the length of the text, (f) the key words prepared according to the Thesaurus of key words published in *Astron. Astrophys.* vol. 280, No.3, p.A16–A18, 1993.

Sections of the text should be numbered by arabic numerals. Subsections should be numbered 1.1, 1.2, etc. Footnotes should be marked by one, two, or more asterisks. Footnotes to tables should be marked by lower-case letters.

Tables should be numbered with arabic numerals in order of their appearance in the text. As a rule, every table must contain a short heading describing its content. The units of the quantities listed should be given at the heads of the columns. Numerical values less than unity should always be written with a zero preceding the decimal point. If necessary, a double space may be used after every fifth or tenth line. Tables in camera-ready form would be appreciated.

Figures should be numbered using arabic numerals and refereed to in the text as e.g. Fig. 1 or Figs. 2–4. Diagrams containing quantitative information should have four borders each and fiducial marks along all four. The sizes of the figures must be adjusted to page width 125 mm. The thickness of the border lines must not exceed 0.2 mm and sizes of numerals must be not less than 1.5 mm. All figures should be provided with a short descriptive caption explaining all the symbols used.

In the citation of references within the text use the name and the year system: Johnson (1950), Johnson and Morgan (1953), Johnson et al. (1968a,b) or (Johnson 1950), (Johnson and Morgan 1953), (Johnson et al. 1968a,b). In the reference list all references must be arranged alphabetically and chronologically at the end of the paper in the following form:

Johnson H.L. 1950, *ApJ*, 112, 240

Johnson H.L., Morgan W.W. 1953, *ApJ*, 117, 313

Johnson H.L., MacArthur J.W., Mitchell R.I. 1968a, *ApJ*, 152, 465

Crawford D.L. 1984, in *The MK Process and Stellar Classification*, ed. R.F. Garrison, Toronto, p. 191

McClure R.D. 1973, in *Spectral Classification and Multicolor Photometry*, eds.

C. Ferenbach and B.E. Westerlund (IAU Symp. No. 50), Reidel, p. 162

Use the following acronyms for the well-known astronomical journals: A&A, A&AS, AJ, ApJ, ApJS, Ap&SS, AZh, BAAS, MNRAS, PASJ, PASP. For observational publications, bulletins, circulars use the following system: Publ. Tartu Obs., Bull. Vilnius Obs., Circ. Harvard Obs., etc. For publications which contain numbers of issues instead of volumes, use the following form of references: Bull. Vilnius Obs., No. 67, 18; Astron. Circular, No. 1510, 6, etc. Authors are required to be certain that all references cited in the text are on the reference list and vice versa.

© Teorinės fizikos ir astronomijos institutas, 1994. ISSN 1392-0049.

Pasirašyta spausdinti 1994.XII.30. SL 637. Popieriaus formatas 70×100 1/16. 8.1 sp.l. Tiražas 200 vnt. Spausdino Matematikos ir informatikos instituto įmonė "Mokslo aidai", Vilnius, užsakymo Nr. 321