

CLINICAL CHEMISTRY AND LABORATORY MEDICINE

Published in Association with the European Federation of Clinical Chemistry and Laboratory Medicine



CCLM is the official journal of the Association of Clinical Biochemists in Ireland (ACBI), the Austrian Society of Laboratory Medicine and Clinical Chemistry (ÖGLMKC), the Belgian Society of Clinical Chemistry (BVKC/SBCC), the German United Society for Clinical Chemistry and Laboratory Medicine (DGKL), the Hungarian Society of Laboratory Medicine (MLDT), the Italian Society of Clinical Biochemistry and Clinical Molecular Biology (SIBioC), the Slovenian Association for Clinical Chemistry (SZKK), and the Turkish Biochemical Society (TBD).

EDITOR-IN-CHIEF

Mario Plebani
Padova, Italy

ASSOCIATE EDITORS

Giuseppe Lippi
Reviews Editor
Parma, Italy
Philippe Gillery
Reims, France
Karl J. Lackner
Mainz, Germany
Bohuslav Melichar
Olomouc, Czech Republic
Peter Schlattmann
Jena, Germany
Jill R. Tate
Brisbane, Australia
Gregory J. Tsongalis
Lebanon, USA

EFLM LIAISON

Ana-Maria Simundic
Zagreb, Croatia

EDITORIAL BOARD

Francisco V. Alvarez
Oviedo, Spain
Hassan M.E. Azzazy
Cairo, Egypt
Rossa Wai Kwun Chiu
Hong Kong, China
Eleftherios P. Diamandis
Toronto, Canada
Arnold von Eckardstein
Zurich, Switzerland
Rajiv T. Erasmus
Stellenbosch, South Africa
Emmanuel Favaloro
Westmead, Australia
Andrea Griesmacher
Innsbruck, Austria
Markus Herrmann
Bolzano, Italy
Johannes J.M.L. Hoffmann
Nuenen, Netherlands
Kiyoshi Ichihara
Ube, Japan
Berend Isermann
Magdeburg, Germany

Petr Jarolim
Boston, USA
János Kappelmayer
Debrecen, Hungary
Jeong-Ho Kim
Seoul, Korea
Wolfgang Korte
St. Gallen, Switzerland
Christos Kroupis
Athens, Greece
Leslie Charles Lai
Kuala Lumpur, Malaysia
Sylvain Lehmann
Montpellier, France
Janja Marc
Ljubljana, Slovenia
David Meyre
Hamilton, Canada
Tomris Özben
Antalya, Turkey
Vladimir Palicka
Hradec Králové,
Czech Republic
Mauro Panteghini
Milan, Italy

Maria Pasic
Toronto, Canada
Geraldo Picheth
Curitiba, Brazil
Gérard Siest
Nancy, France
Grazyna Sypniewska
Bydgoszcz, Poland
Kannan Vaidynathan
Tiruvalla, India
Oswald Wagner
Vienna, Austria
Pierre Wallemacq
Brussels, Belgium
Shengkai Yan
Beijing, China
Ian S. Young
Belfast, UK

MANAGING EDITOR

Heike Jahnke
Berlin, Germany

DE GRUYTER

ABSTRACTED/INDEXED IN Academic One (Gale Cengage); Academic Search; Advanced Placement Source; BIOBASE/CABS (Current Awareness in Biological Sciences); Biological Abstracts; BIOSIS Previews; Current Contents/Life Sciences; EMBASE; File Analytical Abstracts; CAB Abstracts; Celdes, CNKI Scholar (China National Knowledge Infrastructure); CNPIEC; Deep Indexing; Science Journals; Discovery Service (EBSCO); Global Health; Google Scholar; Illustrata: Natural Sciences; Illustrata: Technology; J-Gate; Journal Citation Reports/Science Edition; Materials Research Database; Medline; Microsoft Academic Search; Naviga (Softweco); Neurosciences Abstracts; Primo Central (ExLibris); Prou Science Integrity; PubMed; PubsHub; Science Citation Index; Science Citation Index Expanded; SCOPUS; Summon (Serials Solutions/ProQuest); TDOne (TDNet); Technology Research Database; TOC Premier; WorldCat (OCLC).

CCLM is the official journal of the Association of Clinical Biochemists in Ireland (ACBI), the Austrian Society of Laboratory Medicine and Clinical Chemistry (ÖGLMKC), the Belgian Society of Clinical Chemistry (BVKC/SBCC), the German United Society for Clinical Chemistry and Laboratory Medicine (DGKL), the Hungarian Society of Laboratory Medicine (MLDT), the Italian Society of Clinical Biochemistry and Clinical Molecular Biology (SIBioC), the Slovenian Association for Clinical Chemistry (SZKK), and the Turkish Biochemical Society (TBD).

The publisher, together with the authors and editors, has taken great pains to ensure that all information presented in this work (programs, applications, amounts, dosages, etc.) reflects the standard of knowledge at the time of publication. Despite careful manuscript preparation and proof correction, errors can nevertheless occur. Authors, editors and publisher disclaim all responsibility for any errors or omissions or liability for the results obtained from use of the information, or parts thereof, contained in this work.

The citation of registered names, trade names, trademarks, etc. in this work does not imply, even in the absence of a specific statement, that such names are exempt from laws and regulations protecting trademarks etc. and therefore free for general use.

ISSN 1434-6621 · e-ISSN 1437-4331 · CODEN CCLMFW

All information regarding notes for contributors, subscriptions, Open access, back volumes and orders is available online at www.degruyter.com/cclm.

RESPONSIBLE EDITOR(S) Prof. Dr. Mario Plebani, Università di Padova, Dipartimento di Medicina di Laboratorio, Azienda Ospedaliera di Padova, Via Nicolò Giustiniani 2, 35131 Padova, Italy. Tel.: +390 (0)49 821 2792, Fax: +390 (0)49 663 240, Email: mario.plebani@unipd.it

JOURNAL MANAGER Heike Jahnke, De Gruyter, Genthiner Straße 13, 10785 Berlin, Germany, Tel.: +49 (0)30 260 05 – 220, Fax: +49 (0)30 260 05 – 325, Email: heike.jahnke@degruyter.com

RESPONSIBLE FOR ADVERTISEMENTS Heiko Schulze, De Gruyter, Genthiner Straße 13, 10785 Berlin, Germany. Tel.: +49 (0)30 260 05-358, Fax: +49 (0) 30 260 05-264, Email: anzeigen@degruyter.com

© 2015 Walter de Gruyter GmbH, Berlin/Boston

TYPESETTING Compuscript Ltd., Shannon, Ireland

PRINTING Franz X. Stücker Druck und Verlag e.K., Ettenheim

Printed in Germany

COVER ILLUSTRATION Research lab © Eisenhans. Permission to use the image on the cover granted by Fotolia LLC.



Contents

Highlight: High-Sensitivity Assays for Cardiac Troponins

Editorial

Karl J. Lackner

High-sensitivity assays for cardiac troponins — 631

Refers to articles on pp 635, 653, 665, 677, 691, 699, 707, 715, 723, e121

Reviews

Petr Jarolim

High sensitivity cardiac troponin assays in the clinical laboratories — 635

Simona Ferraro and Mauro Panteghini

Laboratory medicine as the science that underpins medicine: the “high-sensitivity” troponin paradigm — 653

Beret E. Amundson and Fred S. Apple

Cardiac troponin assays: a review of quantitative point-of-care devices and their efficacy in the diagnosis of myocardial infarction — 665

Cardiovascular Diseases

Jillian R. Tate, David M. Bunk, Robert H. Christenson, Julian H. Barth, Alexey Katrukha, James E. Noble, Heinz Schimmel, Lili Wang and Mauro Panteghini, for the IFCC Working Group on Standardization of Cardiac Troponin I
Evaluation of standardization capability of current cardiac troponin I assays by a correlation study: results of an IFCC pilot project — 677

Nils Kuster, Karine Monnier, Gregory Baptista, Anne-Marie Dupuy, Stéphanie Badiou, Anne-Sophie Bargnoux, Claude Jeandel and Jean-Paul Cristol

Estimation of age- and comorbidities-adjusted percentiles of high-sensitivity cardiac troponin T levels in the elderly — 691

Tanja Zeller, Francisco Ojeda, Fabian J. Brunner, Philipp Peitsmeyer, Thomas Münzel, Harald Binder, Norbert Pfeiffer, Matthias Michal, Philipp S. Wild, Stefan Blankenberg and Karl J. Lackner

High-sensitivity cardiac troponin I in the general population – defining reference populations for the determination of the 99th percentile in the Gutenberg Health Study — 699

Kamila Solecki, Anne Marie Dupuy, Nils Kuster, Florence Leclercq, Richard Gervasoni, Jean-Christophe Macia, Thien-Tri Cung, Benoit Lattuca, Frédéric Cransac, Stéphane Cade, Jean-Luc Pasquié, Jean-Paul Cristol and François Roubille

Kinetics of high-sensitivity cardiac troponin T or troponin I compared to creatine kinase in patients with revascularized acute myocardial infarction — 707

Magid A. Fahim, Andrew D. Hayen, Andrea R. Horvath, Goce Dimeski, Amanda Coburn, Ken-Soon Tan, David W. Johnson, Jonathan C. Craig, Scott B. Campbell and Carmel M. Hawley

Biological variation of high sensitivity cardiac troponin-T in stable dialysis patients: implications for clinical practice — 715

Hualan Huang, Shuai Zhu, Weiqing Wang, Hong Yi, Xiangyang Du, Xin Nie, Yong He, Haolan Song, Qiang Miao, Lanlan Wang and Guixing Li

Diagnosis of acute myocardial infarction in patients with renal insufficiency using high-sensitivity troponin T — 723

General Clinical Chemistry and Laboratory Medicine

Pim M.W. Janssens, Wilma Staring, Kirsten Winkelman and Gert Krist

Active intervention in hospital test request panels pays — 731

Laura Rami and Francesca Canalias

An approach to establish the uncertainty budget of catalytic activity concentration measurements in a reference laboratory — 743

Marcello Moccia, Roberta Lanzillo, Raffaele Palladino, Cinzia Russo, Antonio Carotenuto, Marco Massarelli, Giovanni Vacca, Veria Vacchiano, Antonio Nardone, Maria Triassi and Vincenzo Brescia Morra

Uric acid: a potential biomarker of multiple sclerosis and of its disability — 753

Josef van Helden and Ralf Weiskirchen

Experience with the first fully automated chemiluminescence immunoassay for the quantification of 1 α , 25-dihydroxy-vitamin D — 761

Maika Voth, Sebastian Holzberger, Birgit Auner, Dirk Henrich, Ingo Marzi and Borna Relja

I-FABP and L-FABP are early markers for abdominal injury with limited prognostic value for secondary organ failures in the post-traumatic course — 771

Johannes Zander, Barbara Maier, Anna Suhr, Michael Zoller, Lorenz Frey, Daniel Teupser and Michael Vogeser
Quantification of piperacillin, tazobactam, cefepime, meropenem, ciprofloxacin and linezolid in serum using an isotope dilution UHPLC-MS/MS method with semi-automated sample preparation — 781

Piotr Kocelak, Magdalena Olszanecka-Glinianowicz, Aleksander Owczarek, Maria Bozentowicz-Wikarek, Aniceta Brzozowska, Malgorzata Mossakowska, Anna Skalska, Andrzej Wiecek and Jerzy Chudek

Plasma visfatin/nicotinamide phosphoribosyl-transferase (visfatin/NAMPT) concentration is not related to kidney function in elderly subjects — 793

Aline R. Schindler, Oliver Bleher, Markus A. Thaler, Carmen J. Kocot, Udo Steigerwald, Günther Proll, Günter Gauglitz and Peter B. Lupp

Diagnostic performance study of an antigen microarray for the detection of antiphospholipid antibodies in human serum — 801

Ingrid Hov Odsæter, Ingrid Alsos Lian, Kari Bratberg and Gustav Mikkelsen

Dry ice exposure of plasma samples influences pH and lupus anticoagulant analysis — 809

Reference Values and Biological Variations

Federica Braga, Simona Ferraro, Francesca Ieva, Anna Paganoni and Mauro Panteghini

A new robust statistical model for interpretation of differences in serial test results from an individual — 815

Cancer Diagnostics

Yasemin Kemal, Guzin Demirag, Berk Baş, Soner Önem, Fatih Teker and İdris Yücel

The value of red blood cell distribution width in endometrial cancer — 823

Online Only: Letters to the Editors

<http://www.degruyter.com/view/j/cclm.5.53.issue-5/issue-files/cclm.5.53.issue-5.xml>

Boon Wee Teo, Titus Lau, Qi Chun Toh, Horng Ruey Chua, Weng Kin Wong, Sabrina Haroon, Srinivas Subramanian, Sharon Saw and Sunil Sethi, on behalf of the NUHS Nephrology Clinical Research Group

Serum high-sensitivity troponin concentrations in a multi-ethnic Asian population of stable chronic kidney disease patients — e121

Concetta Prontera, Silvia Masotti, Maria Franzini, Michele Emdin, Claudio Passino, Gian Carlo Zucchelli and Aldo Clerico

Comparison between BNP values measured in capillary blood samples with a POCT method and those measured in plasma venous samples with an automated platform — e125

James Donnelly, James Freeman, Kimberly Wilson, Victoria Shalhoub and Paul Sibley

Reply to the article entitled “Impact of assay design on test performance: lessons learned from 25-hydroxyvitamin D” by Farrell et al., Clin Chem Lab Med 2014;52:1579–87 — e129

Christopher-John L. Farrell, Joshua Soldo, Brett McWhinney, Sushil Bandodkar and Markus Herrmann
Reply. Impact of assay design on test performance: lessons learned from 25-hydroxyvitamin D. Authors’ response to the Letter to the Editor by Donnelly et al. — e131

Lien Cattoir, Grégoire Fauvarque, Simon Degandt, Timothy Ghys, Alain G. Verstraete and Veronique Stove
Therapeutic drug monitoring of voriconazole: validation of a novel ARK™ immunoassay and comparison with ultra-high performance liquid chromatography — e135

Katrien M.J. Devreese, Charlotte J. Verfaillie, Frank De Bisschop and Joris R. Delanghe
Interference of C-reactive protein with clotting times — e141