

CLINICAL CHEMISTRY AND LABORATORY MEDICINE

Published in Association with the European Federation of Clinical Chemistry and Laboratory Medicine (EFLM)



CCLM is the official journal of the Association of Clinical Biochemists in Ireland (ACBI), the Austrian Society of Laboratory Medicine and Clinical Chemistry (ÖGLMKC), the German United Society for Clinical Chemistry and Laboratory Medicine (DGKL), the Hungarian Society of Laboratory Medicine (MLDT), the Italian Society of Clinical Biochemistry and Clinical Molecular Biology (SIBioC), the Portuguese Society of Clinical Chemistry, Genetics and Laboratory Medicine (SPML), the Slovenian Association for Clinical Chemistry and Laboratory Medicine (SZKMLM), and the Turkish Biochemical Society (TBD). *CCLM* is affiliated with the Australasian Association of Clinical Biochemists (AACB) and the Royal Belgian Society of Laboratory Medicine (RBSLM).

EDITOR-IN-CHIEF

Mario Plebani
Padova, Italy

ASSOCIATE EDITORS

Giuseppe Lippi
Reviews Editor
Verona, Italy
Philippe Gillery
Reims, France
Karl J. Lackner
Mainz, Germany
Bohuslav Melichar
Olomouc, Czech Republic
Peter Schlattmann
Jena, Germany
Jill R. Tate
Brisbane, Australia
Gregory J. Tsongalis
Lebanon, USA

EFLM LIAISON

Ana-Maria Simundic
Zagreb, Croatia

EDITORIAL BOARD

Rossa Wai Kwun Chiu
Hong Kong, China
Sail Chun
Seoul, Korea
Eleftherios P. Diamandis
Toronto, Canada
Arnold von Eckardstein
Zurich, Switzerland
Rajiv T. Erasmus
Stellenbosch, South Africa
Emmanuel Favaloro
Westmead, Australia
Juan M. Guerrero
Seville, Spain
João Tiago Guimarães
Porto, Portugal
Markus Herrmann
Bolzano, Italy
Johannes J.M.L. Hoffmann
Nuenen, Netherlands
Kiyoshi Ichihara
Ube, Japan
Berend Isermann
Magdeburg, Germany

Petr Jarolim
Boston, USA
János Kappelmayer
Debrecen, Hungary
Steven Kazmierczak
Portland, USA
Wolfgang Korte
St. Gallen, Switzerland
Christos Kroupis
Athens, Greece
Leslie Charles Lai
Kuala Lumpur, Malaysia
Sylvain Lehmann
Montpellier, France
Janja Marc
Ljubljana, Slovenia
David Meyre
Hamilton, Canada
Tomris Özben
Antalya, Turkey
Vladimir Palicka
Hradec Králové,
Czech Republic
Mauro Panteghini
Milan, Italy

Maria Pasic
Toronto, Canada
Geraldo Picheth
Curitiba, Brazil
Gérard Siest
Nancy, France
Grazyna Synniewska
Bydgoszcz, Poland
Kannan Vaidynathan
Tiruvalla, India
Oswald Wagner
Vienna, Austria
Pierre Wallemacq
Brussels, Belgium
John B. Whitfield
Brisbane, Australia
Shengkai Yan
Beijing, China
Ian S. Young
Belfast, UK

MANAGING EDITOR

Heike Jahnke
Berlin, Germany

DE GRUYTER

ABSTRACTED/INDEXED IN Academic Search; Advanced Placement Source; Analytical Abstracts; Baidu Scholar; BIOBASE/CABS (Current Awareness in Biological Sciences); Biological Abstracts; BIOSIS Previews; CAB Abstracts; Celdes; Chemical Abstracts Service (CAS); Chemical Abstracts Service (CAS) - SciFinder; CNKI Scholar (China National Knowledge Infrastructure); CNPIEC; Current Contents/Life Sciences; Deep Indexing; Science Journals; Discovery Service (EBSCO); EMBASE; Gale/Cengage; Global Health; Google Scholar; ICAP Alcohol Information Databases; Illustrata: Natural Sciences; Illustrata: Technology; J-Gate; Journal Citation Reports/Science Edition; JournalTOCs; Materials Research Database; Medline; MegaFILE; Naviga (Softweco); Neurosciences Abstracts; Primo Central (ExLibris); Prous Science Integrity; PubMed; PubsHub; ReadCube; ResearchGate; Science Citation Index; Science Citation Index Expanded; Sciencescape; SCImago (SJR); SCOPUS; Summon (Serials Solutions/ProQuest); TDOne (TDNet); Technology Research Database; TEMA Technik und Management; TOC Premier; Ulrich's Periodicals Directory/ulrichsweb; WorldCat (OCLC).

CCLM is the official journal of the Association of Clinical Biochemists in Ireland (ACBI), the Austrian Society of Laboratory Medicine and Clinical Chemistry (ÖGLMKC), the German United Society for Clinical Chemistry and Laboratory Medicine (DGKL), the Hungarian Society of Laboratory Medicine (MLDT), the Italian Society of Clinical Biochemistry and Clinical Molecular Biology (SIBioC), the Portuguese Society of Clinical Chemistry, Genetics and Laboratory Medicine (SPML), the Slovenian Association for Clinical Chemistry and Laboratory Medicine (SZKKLM), and the Turkish Biochemical Society (TBD). *CCLM* is affiliated with the Australasian Association of Clinical Biochemists (AACB) and the Royal Belgian Society of Laboratory Medicine (RBSLM).

The publisher, together with the authors and editors, has taken great pains to ensure that all information presented in this work (programs, applications, amounts, dosages, etc.) reflects the standard of knowledge at the time of publication. Despite careful manuscript preparation and proof correction, errors can nevertheless occur. Authors, editors and publisher disclaim all responsibility for any errors or omissions or liability for the results obtained from use of the information, or parts thereof, contained in this work.

The citation of registered names, trade names, trademarks, etc. in this work does not imply, even in the absence of a specific statement, that such names are exempt from laws and regulations protecting trademarks etc. and therefore free for general use.

ISSN 1434-6621 · e-ISSN1437-4331 · CODEN CCLMFV

All information regarding notes for contributors, subscriptions, Open access, back volumes and orders is available online at www.degruyter.com/cclm.

RESPONSIBLE EDITOR(S) Prof. Dr. Mario Plebani, Università di Padova, Dipartimento di Medicina di Laboratorio, Azienda Ospedaliera di Padova, Via Nicolò Giustiniani 2, 35131 Padova, Italy. Tel.: +390 (0)49 821 2792, Fax: +390 (0)49 663 240, Email: mario.plebani@unipd.it

JOURNAL MANAGER Heike Jahnke, De Gruyter, Genthiner Straße 13, 10785 Berlin, Germany, Tel.: +49 (0)30 260 05 – 220, Fax: +49 (0)30 260 05 – 325, Email: heike.jahnke@degruyter.com

RESPONSIBLE FOR ADVERTISEMENTS Claudia Neumann, De Gruyter, Genthiner Straße 13, 10785 Berlin, Germany. Tel.: +49 (0)30 260 05-226, Fax: +49 (0) 30 260 05-264, Email: anzeigen@degruyter.com

© 2016 Walter de Gruyter GmbH, Berlin/Boston

TYPESETTING Compuscript Ltd., Shannon, Ireland

PRINTING Franz X. Stickle Druck und Verlag e.K., Ettenheim

Printed in Germany

COVER ILLUSTRATION Research lab © Eisenhans. Permission to use the image on the cover granted by Fotolia LLC.



Contents

Special issue: Protein electrophoresis and serum free light chains in the diagnosis and monitoring of plasma cell disorders: laboratory testing and current controversies

Guest Editors: Jillian R. Tate, Maria Stella Graziani, Peter Mollee and Giampaolo Merlini

Editorial

Jillian R. Tate, Maria Stella Graziani, Peter Mollee and Giampaolo Merlini

Protein electrophoresis and serum free light chains in the diagnosis and monitoring of plasma cell disorders: laboratory testing and current controversies — 899

Laboratory Testing as Recommended by the Guidelines and the International Myeloma Working Group

Maria A.V. Willrich and Jerry A. Katzmann

Laboratory testing requirements for diagnosis and follow-up of multiple myeloma and related plasma cell dyscrasias — 907

Peter Mollee and Giampaolo Merlini

Free light chain testing for the diagnosis, monitoring and prognostication of AL amyloidosis — 921

Nelson Leung, David R. Barnidge and Colin A. Hutchison
Laboratory testing in monoclonal gammopathy of renal significance (MGRS) — 929

Giovanni Palladini, Paolo Milani, Andrea Foli, Marco Basset, Francesca Russo, Tiziana Bosoni, Laura Pirolini, Veronica Valentini, Giovanni Ferraro, Francesca Lavatelli, Alessandra Barassi, Riccardo Albertini and Giampaolo Merlini

The impact of renal function on the clinical performance of FLC measurement in AL amyloidosis — 939

Serum and Urine Protein Electrophoresis and Immunofixation Testing

David F. Keren and Lee Schroeder

Challenges of measuring monoclonal proteins in serum — 947

Carel J. Pretorius

Screening immunofixation should replace protein electrophoresis as the initial investigation of monoclonal gammopathy: Point — 963

Joel D. Smith, Geoffrey Raines and Hans G. Schneider
Should routine laboratories stop doing screening serum protein electrophoresis and replace it with screening immune-fixation electrophoresis? No quick fixes: Counterpoint — 967

Michael A. Moss

Moving towards harmonized reporting of serum and urine protein electrophoresis — 973

Peter Sečnák, Jr., Eva Honsová, Antonín Jabor, Petra Lavříková and Janka Franeková

Multiple qualitative and quantitative methods for free light chain analysis are necessary as first line tests for AL amyloidosis — 981

Robyn Henry and Debra Glegg

Use of isoelectric focusing to discriminate transient oligoclonal bands from monoclonal protein in treated myeloma — 985

Anna Caldini, Chiara Nozzoli, Alessandro Terreni, Michela Staderini, Margherita Berardi, Tiziana Biagioli, Marco Brogi and Alberto Bosi

New patterns of relapse in multiple myeloma: a case of “light chain escape” in which FLC predicted relapse earlier than urine and serum immunofixation — 991

Serum Free Light Chain Methods and Controversies

Hugh D. Carr-Smith, Ellen L. Jenner, Josie A.R. Evans and Stephen J. Harding

Analytical issues of serum free light chain assays and the relative performance of polyclonal and monoclonal based reagents — 997

Henk te Velthuis, Mark Drayson and John P. Campbell
Measurement of free light chains with assays based on monoclonal antibodies — 1005

Maria Stella Graziani
Measurement of free light chains – pros and cons of current methods — 1015

Joannes F.M. Jacobs, Jillian R. Tate and Giampaolo Merlini
Is accuracy of serum free light chain measurement achievable? — 1021

Charlotte Toftmann Hansen
Performance goals for immunoglobulins and serum free light chain measurements in plasma cell dyscrasias can be based on biological variation — 1031

Paolo Milani, Veronica Valentini, Giovanni Ferraro, Marco Basset, Francesca Russo, Andrea Foli, Giovanni Palladini and Giampaolo Merlini
A patient with AL amyloidosis with negative free light chain results — 1035

Stanley S. Levinson
Strengths and weaknesses of methods for identifying monoclonal free light chains of Ig: examples from two cases with renal disease — 1039

Alice Kennard, Carmel Hawley, Jill Tate, Sandra Klingberg, Carel Pretorius, Colin Hutchison and Peter Mollee
Comparison of Freelite™ and N Latex serum free light chain assays in subjects with end stage kidney disease on haemodialysis — 1045

New Laboratory Assays and Challenges

Josie A.R. Evans, Ellen L. Jenner, Hugh D. Carr Smith, Oscar Berlanga and Stephen J. Harding
Quantification of β -region IgA monoclonal proteins – should we include immunochemical Hevylite® measurements? Point — 1053

Lucia Paolini
Quantification of β region IgA paraproteins – should we include immunochemical “heavy/light chain” measurements? Counterpoint — 1059

Sara Altinier, Kozeta Proko, Martina Zaninotto, Daniela Ciubotaru, Mara Seguso, Mariacristina Varagnolo, Federica Lessi, Chiara Briani, Fausto Adami and Mario Plebani

Free light chains and heavy/light chains in monitoring POEMS patients — 1065

David R. Barnidge, Angela Dispenzieri, Giampaolo Merlini, Jerry A. Katzmann and David L. Murray
Monitoring free light chains in serum using mass spectrometry — 1073

Maria Alice V. Willrich, Paula M. Ladwig, Bruna D. Andreguetto, David R. Barnidge, David L. Murray, Jerry A. Katzmann and Melissa R. Snyder
Monoclonal antibody therapeutics as potential interferences on protein electrophoresis and immunofixation — 1085

Christopher McCudden, Amy E. Axel, Dominique Slaets, Thomas Dejoie, Pamela L. Clemens, Sandy Frans, Jaime Bald, Torben Plesner, Joannes F.M. Jacobs, Niels W.C.J. van de Donk, Philippe Moreau, Jordan M. Schechter, Tahamtan Ahmadi and A. Kate Sasser
Monitoring multiple myeloma patients treated with daratumumab: teasing out monoclonal antibody interference — 1095

Niels W.C.J. van de Donk, Henny G. Otten, Omar El Haddad, Amy Axel, A. Kate Sasser, Sandra Croockewit and Joannes F.M. Jacobs
Interference of daratumumab in monitoring multiple myeloma patients using serum immunofixation electrophoresis can be abrogated using the daratumumab IFE reflex assay (DIRA) — 1105

Letter to the Editor

Laura Caponi, Maria Franzini, Elona Koni, Silvia Masotti, Mario Petrini and Aldo Paolicchi
Discrepancy between FLC assays: only a problem of quantification? — 1111