**DE GRUYTER** Open Chem., 2019; 17: S1

## **Supplementary Information**

Wang Jichao, Guo Jing, Wang Fei, Cao Lei, Liu Qian, Feng Jie, Wang Hongyun, Gao Hua, Zhang Yazhuo\*

## Supplement: miRNA-199a-5p functions as a tumor suppressor in prolactinomas

Supplementary Table 1: Relationship between DDR1 and SAT1 in prolactinomas cases and various clinical parameters.

Category	'	DDR1			SAT1			
Low		High	p-Value	Lo	Low	High	p-Value	
Cases		13	29			15	17	,
Age	Range	14-62	18-58	p>0.05		18-60	14-62	p>0.05
	Mean±SD	33.1±8.3	32.4±11.7			32.6±10.3	34.3±12.7	
Sex	Males	2	13	p=0.066		6	9	p=0.107
	Females	11	16			19	8	
PRL	(ng/ml)	543±281	1041±354	p<0.05		577±243	1182±395	p<0.05
Tumor size	<3.05cm3	9	12	p=0.095		16	5	p=0.116
	≥3.05cm3	4	17			9	12	
Invasive	Yes	3	18	p=0.019		9	12	p=0.028
	No	10	11			16	5	
Recurrence	Yes	2	5	p=0.881		3	4	p=0.256
	No	11	24			22	13	