

Supplementary material

Ras TRANSFORMATION OVERRIDES A PROLIFERATION DEFECT INDUCED BY Tpm3.1 KNOCKOUT

JASON D. COOMBES¹, GALINA SCHEVZOV¹, CHIN-YI KAN²,
 CARLOTTA PETTI², MICHELLE F. MARITZ², SHANE WHITTAKER¹,
 KAREN L. MACKENZIE² and PETER W. GUNNING^{1*}

¹Oncology Research Unit, School of Medical Sciences, UNSW Australia, Sydney, NSW 2052, Australia, ²Cancer Cell Development Group, Children's Cancer Institute Australia, Lowy Cancer Research Centre, UNSW Australia, Sydney, NSW 2052, Australia

Suppl. Table 1. List of cancer cell lines used in this study.

Cell line	Primary tumor
H4	Neuroglioma
T98G	Glioblastoma multiform
U-87	Glioblastoma
Y79	Retinoblastoma
A-673	Rhabdomyosarcoma
AML-193	Monocytic leukemia
Daudi	Burkitt's lymphoma
NAMALWA	Burkitt's lymphoma
Saos-2	Osteogenic sarcoma
Caki-1	Kidney adenocarcinoma
Hep G2	Hepatoblastoma
T24	Urinary bladder carcinoma
AN3CA	Endometrial adenocarcinoma
ES-2	Ovary clear cell carcinoma
A2058	Melanoma
BL	Melanoma
D04	Melanoma
D20	Melanoma
MM329	Melanoma
MM415	Melanoma
MM96L	Melanoma

* Author for correspondence. phone: +61-2-9385 2471, fax: +61-2-9385 0022, Email: p.gunning@unsw.edu.au