




BIOLOGICAL CHEMISTRY



EDITOR-IN-CHIEF
Bernhard Brüne



BIOLOGICAL CHEMISTRY

*Founded in 1877 by Felix Hoppe-Seyler as
Zeitschrift für Physiologische Chemie*

Felix Hoppe-Seyler (1825–1895) was a pioneer of biochemistry, remembered not only for his discovery of hemoglobin and his contributions to the chemical characterization of many other biological compounds and processes but also for having been the mentor of Friedrich Miescher and Albrecht Kossel. In his preface to the first issue of *Zeitschrift für Physiologische Chemie*, Felix Hoppe-Seyler coined the term *Biochemistry* ('Biochemie') for the then newly emerging discipline.



Biological Chemistry is associated
with the Gesellschaft für Biochemie und
Molekularbiologie e.V. (GBM)

EDITOR-IN-CHIEF

B. Brüne, Frankfurt/Main

EXECUTIVE EDITORS

*J. Buchner, Munich
M. Lei, Shanghai
S. Ludwig, Münster
H. Sies, Düsseldorf
D. Thomas, Chicago
B. Turk, Ljubljana
A. Wittinghofer, Dortmund*

EDITORIAL BOARD


*P. Agostinis, Leuven
L. Banks, Trieste
A.G. Beck-Sickinger, Leipzig
L. Bosca, Madrid
E. Cadenas, Los Angeles
I. Dikic, Frankfurt/Main
W.-X. Ding, Kansas City
A. Driessen, Groningen
K. Gevaert, Ghent
C. Hammann, Bremen
F.U. Hartl, Martinsried
D. Häussinger, Düsseldorf
J. Hiscott, Rome
L.-O. Klotz, Jena
M. Lamkanfi, Ghent
V. Magdolen, Munich
G. Mugesh, Bangalore
M. Müschen, San Francisco
C.M. Overall, Vancouver
G. Pejler, Uppsala
N. Pfanner, Freiburg
R. Pike, Melbourne
J. Potempa, Krakow
K. Sandhoff, Bonn
J. Scheller, Düsseldorf
C. Sommerhoff, Munich
G. Tiegs, Hamburg
J.M. Valpuesta, Madrid*

ASSOCIATE EDITORS (GBM STUDY GROUPS)

*C. Blattner, Karlsruhe
K. Giehl, Giessen
R. Hell, Heidelberg
J. Herrmann, Kaiserslautern
S. Hiller, Basel
C. Hunte, Freiburg
S. Knauer, Essen
I. Koch, Frankfurt/Main
C. Seidel, Düsseldorf
C. Villmann, Würzburg*

DE GRUYTER

ABSTRACTED/INDEXED IN Academic OneFile (Gale/Cengage Learning), ASFA1: Biological Sciences & Living Resources, Biochemistry & Biophysics Citation Index, Biological Abstracts, BIOSIS Previews, CAB Abstracts, Calcium and Calcified Tissue Abstracts, Chemical Abstracts and the CAS databases, CSA Illustrata - Natural Sciences, CSA Neurosciences Abstracts, Current Contents/Life Sciences, Elsevier BIOBASE/Current Awareness in Biological Sciences (CABS), EMBASE - the Excerpta Medica database, EMBiology, Index Medicus/MEDLINE, Journal Citation Reports/Science Edition, Reaction Citation Index, Reference Update, Science Citation Index, Science Citation Index Expanded (SciSearch), Scopus, SIIC Data Bases, Zoological Record.

The Journal is associated with the Gesellschaft für Biochemie und Molekularbiologie e.V. 

The publisher, together with the authors and editors, has taken great pains to ensure that all information presented in this work (programs, applications, amounts, dosages, etc.) reflects the standard of knowledge at the time of publication. Despite careful manuscript preparation and proof correction, errors can nevertheless occur. Authors, editors and publisher disclaim all responsibility for any errors or omissions or liability for the results obtained from use of the information, or parts thereof, contained in this work.

The citation of registered names, trade names, trademarks, etc. in this work does not imply, even in the absence of a specific statement, that such names are exempt from laws and regulations protecting trademarks etc. and therefore free for general use.

ISSN 1431-6730 · e-ISSN 1437-4315 · CODEN BICHF3

All information regarding notes for contributors, subscriptions, Open access, back volumes and orders is available online at www.degruyter.com/bc.

RESPONSIBLE EDITOR(S) Professor Dr. Bernhard Brüne, Goethe-University Frankfurt, Faculty of Medicine, Biochemistry I, Theodor-Stern-Kai 7, D-60590 Frankfurt/Main, Germany, Tel.: +49-69-6301 7424, Email: B.Bruene@biochem.uni-frankfurt.de

JOURNAL MANAGER Dr. Torsten Krüger, De Gruyter, Genthiner Straße 13, 10785 Berlin, Germany, Tel.: +49 (0)30 260 05-176, Fax: +49 (0)30 260 05-298, Email: biol.chem.editorial@degruyter.com

RESPONSIBLE FOR ADVERTISEMENTS Claudia Neumann, De Gruyter, Genthiner Straße 13, 10785 Berlin, Germany. Tel.: +49 (0)30 260 05-226, Fax: +49 (0)30 260 05-264, Email: anzeigen@degruyter.com

© 2018 Walter de Gruyter GmbH, Berlin/Boston

TYPESETTING Compuscript Ltd., Shannon, Ireland

PRINTING Franz X. Stücker Druck und Verlag e.K., Ettenheim

COVER ILLUSTRATION

On the front cover, Masson's trichrome staining for collagen in paraffin sections of rat liver demonstrating pathogenesis of hepatic fibrosis is depicted. Liver injury was induced by serial intraperitoneal administrations of *N*-nitrosodimethylamine (NDMA) in doses of 1 mg/100 g body weight on three consecutive days of every week over a period of three weeks. A rapid increase in collagen content was noticed with constant raise occurring from day 7 to 21 (upper image: before NDMA treatment). On day 14, initiation of fibrosis and deposition of collagen fibers could be observed (exemplified by the middle image). By day 21, deposition of thick collagen fibers with marked hepatic fibrosis and early cirrhosis was present (lower image). Joseph George used this rat model of liver injury to examine various biochemical parameters during the development of liver fibrosis and cirrhosis, e.g. serum and liver selenium levels, total glutathione content and glutathione peroxidase activity, as well as serum interleukin-6 and transforming growth factor- β 1 levels, to evaluate oxidative stress (see the article on pp. 499–509 in this issue). The results suggest that decreased selenium and glutathione peroxidase contribute to the impairment of cellular antioxidant defense, which in turn results in oxidative stress and trigger pathogenesis of hepatic fibrosis. The study further demonstrates that Inductively Coupled Plasma-Mass Spectrometry (ICP-MS) with selenium hydride generation is a reliable and sensitive method for determination of selenium in biological samples.



Contents

Reviews

Victoria I. Bunik and Martin D. Brand

Generation of superoxide and hydrogen peroxide by side reactions of mitochondrial 2-oxoacid dehydrogenase complexes in isolation and in cells — 407

Anna Picca, Riccardo Calvani, Maurizio Bossola, Elena Allocca, Amerigo Menghi, Vito Pesce, Angela Maria Serena Lezza, Roberto Bernabei, Francesco Landi and Emanuele Marzetti

Update on mitochondria and muscle aging: all wrong roads lead to sarcopenia — 421

Research Articles/Short Communications

Protein Structure and Function

Pyotr A. Tyurin-Kuzmin, Maxim N. Karagyaour, Yury P. Rubtsov, Daniyar T. Dyikanov, Pyotr A. Vasiliev and Alexander V. Vorotnikov

CRISPR/Cas9-mediated modification of the extreme C-terminus impairs PDGF-stimulated activity of Duox2 — 437

Membranes, Lipids, Glycobiology

Aleksandra Pavićević, Milan Lakočević, Milan Popović, Ana Popović-Bijelić, Marko Daković and Miloš Mojović
Changes of the peripheral blood mononuclear cells membrane fluidity from type 1 Gaucher disease patients: an electron paramagnetic resonance study — 447

Molecular Medicine

Benedikt Beckert, Amparo Acker-Palmer and Walter Volkandt

A β_{42} oligomers impair the bioenergetic activity in hippocampal synaptosomes derived from APP-KO mice — 453

Cell Biology and Signaling

Marek Orłowski, Katarzyna Popławska, Joanna Pieprzyk, Aleksandra Szczygiał-Sommer, Anna Więch, Mirosław Zarębski, Aneta Tarczewska, Jurek Dobrucki and Andrzej Ożyhar

Molecular determinants of *Drosophila* immunophilin FKBP39 nuclear localization — 467

Siwei Liu, Huajiang Lei, Fangyuan Luo, Yilin Li and Lan Xie
The effect of lncRNA HOTAIR on chemoresistance of ovarian cancer through regulation of *HOXA7* — 485

Novel Techniques

Joseph George

Determination of selenium during pathogenesis of hepatic fibrosis employing hydride generation and inductively coupled plasma mass spectrometry — 499