

# MATERIALS TESTING

## MATERIALPRÜFUNG

MATERIALS – COMPONENTS – TECHNOLOGY – APPLICATION

### EDITOR-IN-CHIEF

*Thomas Böllinghaus*

### EDITORIAL BOARD

*Suresh Babu, Knoxville, Tennessee, USA*

*Manfred Bacher-Höchst, Stuttgart, Germany*

*Y. Frank Chen, Middleton, Pennsylvania, USA*

*Carl E. Cross, Estes Park, Colorado, USA*

*Dan Eliezer, Be'er Scheva, Israel*

*Cagatay Elibol, Istanbul, Turkey*

*Norbert Enzinger, Graz, Austria*

*Petrina Johannes, Ongwediva, Namibia*

*Gobboon Lonthongkum, Bangkok, Thailand*

*Peter Mayr, Munich, Germany*

*Andreas Neidel, Berlin, Germany*

*Peter Starke, Kaiserslautern, Germany*

*Tanju Teker, Sivas, Türkiye*

*Frank Walther, Dortmund, Germany*

*Ali Riza Yildiz, Bursa, Turkey*

### ASSOCIATE INSTITUTIONS

*German Association for Materials Research and Testing (DVM)*

*Martin Brune, Munich, Germany*

*German Society for Nondestructive Testing (DGZfP)*

*Matthias Purschke, Berlin, Germany*

*VDI-Society Materials Engineering (VDI-GME)*

*Hans-Jürgen Schäfer, Düsseldorf, Germany*

**DE GRUYTER**

**ABSTRACTED/INDEXED IN** Astrophysics Data System (ADS) · Baidu Scholar · Chemical Abstracts Service (CAS): CAplus; SciFinder · CNKI Scholar (China National Knowledge Infrastructure) · CNPIEC: cnpLINKer · Dimensions · EBSCO Discovery Service · Google Scholar · J-Gate · Journal Citation Reports/Science Edition · KESLI-NDSL (Korean National Discovery for Science Leaders) · MyScienceWork · Naver Academic · Naviga (Softweco) · Primo Central (ExLibris) · ReadCube · Scilit · SCImago (SJR) · SCOPUS · Semantic Scholar · Sherpa/RoMEO · Summon (ProQuest) · TDNet · WanFang Data · Web of Science: Science Citation Index Expanded · WorldCat (OCLC) · X-MOL · Yewno Discover

The publisher, together with the authors and editors, has taken great pains to ensure that all information presented in this work (programs, applications, amounts, dosages, etc.) reflects the standard of knowledge at the time of publication. Despite careful manuscript preparation and proof correction, errors can nevertheless occur. Authors, editors and publisher disclaim all responsibility for any errors or omissions or liability for the results obtained from use of the information, or parts thereof, contained in this work. The citation of registered names, trade names, trademarks, etc. in this work does not imply, even in the absence of a specific statement, that such names are exempt from laws and regulations protecting trademarks etc. and therefore free for general use.

ISSN 0025-5300 · e-ISSN 2195-8572

All information regarding notes for contributors, subscriptions, Open access, back volumes and orders is available online at [www.degruyter.com/mt](http://www.degruyter.com/mt).

**EDITOR-IN-CHIEF** Prof. Dr.-Ing. Thomas Boellinghaus, Helmut Schmidt University/University of the Federal Armed Forces Hamburg, [mt@degruyter.com](mailto:mt@degruyter.com)

**PUBLISHER** Walter de Gruyter GmbH, Berlin/Boston, Genthiner Straße 13, 10785 Berlin, Germany

**JOURNAL COORDINATOR** Dagmara Magryta, De Gruyter, Genthiner Straße 13, 10785 Berlin, Germany,  
Tel.: +49 (0)30 260 05-421, Fax: +49 (0)30 260 05-250, e-mail: [dagmara.magryta@degruyter.com](mailto:dagmara.magryta@degruyter.com)

**RESPONSIBLE FOR ADVERTISEMENTS** Markus Kügel, De Gruyter, Neumarkter Straße 28, 81673 Munich, Germany.  
Tel.: +49 (0) 89 76 902-424, e-mail: [anzeigen@degruyter.com](mailto:anzeigen@degruyter.com)

© 2024 Walter de Gruyter GmbH, Berlin/Boston, Germany

**TYPESETTING** TNQ Tech Private Limited, Chennai, India

**PRINTING** Franz X. Stücker Druck und Verlag e.K., Ettenheim



## Contents

Nima Babaei, Jing Wang, Elisabeth Kisseler, Marc Ackermann, Sebastian Wipp, Alexander Gramlich and Ulrich Krupp

**User independent tool for the analysis of data from tensile testing for database systems — 145**

Erman Zurnacı and Hasan Gökkaya

**Evaluation of corrugated core configuration effects on low-velocity impact response in metallic sandwich panels — 154**

Shirui Guo, Junhao Yu, Lujun Cui, Yinghao Cui, Xiaolei Li, Yongqian Chen and Bo Zheng

**Effect of total heat input on coaxiality of rotor shaft in laser cladding — 166**

Meltem Karaismailoglu Elibol

**Determination of characteristic properties of  $\text{Co}_3\text{O}_4$  loaded  $\text{LaFe}_x\text{Al}_{12-x}\text{O}_{19}$  hexaaluminates — 179**

Muhammet Muaz Yalçın

**Investigation on quasi-static axial crushing of Al/PVC foam-filled Al6063-T5 tubes — 186**

Mehmet Umut Erdaş, Betül Sultan Yıldız and Ali Rıza Yıldız

**Experimental analysis of the effects of different production directions on the mechanical characteristics of ABS, PLA, and PETG materials produced by FDM — 198**

Tong Zhao, Defeng Mo, Xue Li and Haimei Gong

**Interfacial microstructure and mechanical properties of  $\text{Si}_3\text{N}_4$ /Invar joints using Ag–Cu–In–Ti with Cu foil as an interlayer — 207**

Sedef Çakır Ayçiçek, Neslihan Özsoy, Muhammet Ayçiçek, Murat Özsoy, Mert Usta and Akın Akıncı

**Properties of chemically foamed polypropylene materials for application to automobile interior door panels — 215**

Banu Sugözü, Ergül Erol and İlker Sugözü

**Tribological and thermal characteristics of copper-free brake friction composites — 226**

Emre Özer and Mehmet Ayvaz

**Dry tribological behaviour of microwave-assisted sintered AA2024 matrix hybrid composites reinforced by  $\text{TiC}/\text{B}_4\text{C}/$  nano-graphite particles — 233**

Serhat Yılmaz, Aygen Ahsen Yıldırım and Erol Feyzullahoğlu

**Erosion rate of AA6082-T6 aluminum alloy subjected to erosive wear determined by the meta-heuristic (SCA) based ANFIS method — 248**

Hüseyin Sekmen and Yusuf Aytaç Onur

**Mechanical properties of elevator ropes and belts exposed to corrosion and elevated temperatures — 262**

Manish Maurya, Ambrish Maurya and Sudhir Kumar

**Variants of friction stir based processes: review on process fundamentals, material attributes and mechanical properties — 271**

Hüseyin Alp Çetindağ, Adem Çiçek, Necati Uçak and Kubilay Aslantas

**Performance of conventional and wiper CBN inserts under various cooling conditions in hard turning of AISI 52100 steel — 288**