

MATERIALS TESTING

MATERIALPRÜFUNG

MATERIALS – COMPONENTS – TECHNOLOGY – APPLICATION

EDITOR-IN-CHIEF

Thomas Böllinghaus

EDITORIAL BOARD

Suresh Babu, Knoxville, Tennessee, USA

Manfred Bacher-Höchst, Stuttgart, Germany

Y. Frank Chen, Middleton, Pennsylvania, USA

Carl E. Cross, Estes Park, Colorado, USA

Dan Eliezer, Be'er Scheva, Israel

Cagatay Elibol, Istanbul, Turkey

Norbert Enzinger, Graz, Austria

Petrina Johannes, Ongwediva, Namibia

Gobboon Lonthongkum, Bangkok, Thailand

Peter Mayr, Munich, Germany

Andreas Neidel, Berlin, Germany

Peter Starke, Kaiserslautern, Germany

Tanju Teker, Sivas, Türkiye

Frank Walther, Dortmund, Germany

Ali Riza Yildiz, Bursa, Turkey

ASSOCIATE INSTITUTIONS

German Association for Materials Research and Testing (DVM)

Martin Brune, Munich, Germany

German Society for Nondestructive Testing (DGZfP)

Matthias Purschke, Berlin, Germany

VDI-Society Materials Engineering (VDI-GME)

Hans-Jürgen Schäfer, Düsseldorf, Germany

DE GRUYTER

ABSTRACTED/INDEXED IN Astrophysics Data System (ADS) · Baidu Scholar · Chemical Abstracts Service (CAS): CAlus; SciFinder · CNKI Scholar (China National Knowledge Infrastructure) · CNPIEC: cnpLINKer · Dimensions · EBSCO Discovery Service · Google Scholar · J-Gate · Journal Citation Reports/Science Edition · MyScienceWork · Naver Academic · Naviga (Softweco) · Primo Central (ExLibris) · ReadCube · ScienceON (Korea Institute of Science and Technology Information) · Scilit · SCImago (SJR) · SCOPUS · Semantic Scholar · Sherpa/RoMEO · Summon (ProQuest) · TDNet · WanFang Data · Web of Science: Science Citation Index Expanded · WorldCat (OCLC) · X-MOL · Yewno Discover

The publisher, together with the authors and editors, has taken great pains to ensure that all information presented in this work (programs, applications, amounts, dosages, etc.) reflects the standard of knowledge at the time of publication. Despite careful manuscript preparation and proof correction, errors can nevertheless occur. Authors, editors and publisher disclaim all responsibility for any errors or omissions or liability for the results obtained from use of the information, or parts thereof, contained in this work. The citation of registered names, trade names, trademarks, etc. in this work does not imply, even in the absence of a specific statement, that such names are exempt from laws and regulations protecting trademarks etc. and therefore free for general use.

ISSN 0025-5300 · e-ISSN 2195-8572

All information regarding notes for contributors, subscriptions, Open access, back volumes and orders is available online at www.degruyter.com/mt.

EDITOR-IN-CHIEF Prof. Dr.-Ing. Thomas Boellinghaus, Helmut Schmidt University/University of the Federal Armed Forces Hamburg, mt@degruyter.com

PUBLISHER Walter de Gruyter GmbH, Berlin/Boston, Genthiner Straße 13, 10785 Berlin, Germany

JOURNAL COORDINATOR Birgit Zoglmeier, De Gruyter, Neumarkter 28, 81673 München, Germany,
Tel.: +49 (0) 89 76902-426, Fax: +49 (0) 89 76902-497, e-mail: birgit.zoglmeier@degruyter.com

RESPONSIBLE FOR ADVERTISEMENTS Markus Kügel, De Gruyter, Neumarkter Straße 28, 81673 Munich, Germany.
Tel.: +49 (0) 89 76 902-424, e-mail: anzeigen@degruyter.com

© 2024 Walter de Gruyter GmbH, Berlin/Boston, Germany

TYPESETTING TNQ Tech Private Limited, Chennai, India

PRINTING Franz X. Stickle Druck und Verlag e.K., Ettenheim



Contents

Yanan Feng, Xiaodong Yu, Weicheng Gao, Junfeng Wang, Wentao Jia and Jianhua Jiao

An improved white shark optimizer algorithm used to optimize the structural parameters of the oil pad in the hydrostatic bearing — 1105

Tuba Yener, Alperen Refik Bilal Özsarı, Kadir Mert Döleker, Azmi Erdoğan and Suayb Çağrı Yener

Microstructure and oxidation of a Ni–Al based intermetallic coating formation on a Monel-400 alloy — 1138

Hicri Yavuz

Friction, wear, and hardness properties of hybrid vehicle brake pads and effects on brake disc roughness — 1145

Sunay Bebekoğlu, Ahmet Topuz, Esin Çakır, Abdülhamit Adsoy and Turgay Yıldiran

Development of sinter linings for high-speed trains — 1153

Mingxin Wang, Yutao Li, Tounan Jin and Hanguang Fu
Wear resistance optimized by heat treatment of an *in-situ* TiC strengthened AlCoCrFeNi laser cladding coating — 1168

Tümay Battal Akdoğan and İsmail Yasin Sülü
Mechanical analysis of hybrid structured aircraft wing ribs with different geometric gaps — 1183

Cenk Yanen

Thermo-mechanical characteristics of spent coffee grounds reinforced bio-composites — 1198

Xing Yingying and Qi Lijian

Compositional zoning and evolution of symplectite coronas in jadeitite — 1207

Bekir Yavuzer, Mustafa Türkmen, Ünal Bıçakçı and Dursun Özyürek

Effect of niobium addition on the microstructure and wear properties of mechanical alloyed Cu–Al–Ni shape memory alloy — 1219

Pranav Mehta, Betül Sultan Yıldız, Sadiq M. Sait and Ali Riza Yıldız

Optimization of electric vehicle design problems using improved electric eel foraging optimization algorithm — 1230

Muhammed S. Kamer and Oguz Dogan

Effects of infill pattern and compression axis on the compressive strength of the 3D-printed cubic samples — 1241

Cevher Kürşat Macit, Muhammet Gokhan Albayrak, Burak Tanyeri, Turan Gurgenc and Cihan Ozel

Microstructure and tribological properties of aluminum matrix composites reinforced with ZnO–hBN nanocomposite particles — 1251

Ali Mortazavi

Marathon runner algorithm: theory and application in mathematical, mechanical and structural optimization problems — 1267

Bora Şener

Parameter identification of Yoshida–Uemori combined hardening model by using a variable step size firefly algorithm — 1292

Hakan Gökdağ and Hilal Doğanay Katı

Identification of the tip mass parameters in a beam-tip mass system using response surface methodology — 1301

Bekir Çevik and Yücel Avcı

Production and characterization of waste walnut shell powder that can be used as a sustainable eco-friendly reinforcement in biocomposites — 1314

Soroush Karbasian, Iman Danaee, Ehsan Saebnoori, Davood Zarei, Niloufar Bahrami Panah and Majid Akbari

Anticorrosion performance of a zinc-rich cycloaliphatic epoxy resin coating containing CeO₂ nanoparticle — 1327