


ZEITSCHRIFT FÜR KRISTALLOGRAPHIE NEW CRYSTAL STRUCTURES



EDITOR-IN-CHIEF

Hubert Huppertz

EDITOR

Guido Reiß

A comparatively stable phosphine
coordinated rhenium(I) tricarbonyl
complex

ZEITSCHRIFT FÜR KRISTALLOGRAPHIE NEW CRYSTAL STRUCTURES

EDITOR-IN-CHIEF

Hubert Huppertz

CO-EDITOR

Guido Reiß

DE GRUYTER

Zeitschrift für Kristallographie – New Crystal Structures was founded in 1997 as spin off of Zeitschrift für Kristallographie to meet the high demand to publish results of structure determination. All publications and their submitted CIF-data are online freely available (Open Access). Zeitschrift für Kristallographie — New Crystal Structures offers a place for researchers to present

- results of determinations of hitherto unknown crystal structures which do not justify detailed discussion of determination procedure, crystal structure, and/or structure-property relations (routine determinations and structures),
- refinement of previously published crystal structures which do not require a new description or discussion.

Further details of the structure determination can be accessed at the relevant database. Data with CSD numbers can be obtained from the Fachinformationszentrum Karlsruhe, Gesellschaft für wissenschaftlich-technische Information mbH, 76344 Eggenstein-Leopoldshafen, Germany (e-mail: crysdata@fiz-karlsruhe.de). Data with CCDC numbers can be obtained from the Cambridge Crystallographic Data Centre (CCDC), 12 Union Road, Cambridge CB2 1EZ, UK, (fax: +44-(0)1223-33 60 33 or e-mail: deposit@chemcrs.cam.ac.uk).

ONLINE-SUBMISSION New Crystal Structures (NCS) have to be submitted online as CIF-file to: <https://mc.manuscriptcentral.com/zkrist-ncs>

ABSTRACTED/INDEXED IN Baidu Scholar · Cabell's Directory · Celdes · Chemical Abstracts Service (CAS): CAPLUS; SciFinder · CNKI Scholar (China National Knowledge Infrastructure) · CNPIEC · EBSCO (relevant databases) · EBSCO Discovery Service · Elsevier: Reaxys; SCOPUS · Genamics JournalSeek · GeoRef · Google Scholar · Inspec · J-Gate · JournalTOCs · KESLI-NDSL (Korean National Discovery for Science Leaders) · Naviga (Softweco) · Paperbase · Pirabase · Polymer Library · Primo Central (ExLibris) · ReadCube · ResearchGate · SCImago (SJR) · Summon (Serials Solutions/ProQuest) · TDNet · TEMA Technik und Management · Thomson Reuters: Current Contents/Physical, Chemical and Earth Sciences; Journal Citation Reports/Science Edition; Science Citation Index Expanded · WanFang Data · WorldCat (OCLC).

ISSN 1433-7266 · e-ISSN 2197-4578

All information regarding notes for contributors, subscriptions, Open access, back volumes and orders is available online at www.degruyter.com/ncrs

RESPONSIBLE EDITOR Univ.-Prof. Dr. Hubert Huppertz, University of Innsbruck, Institute of General, Inorganic and Theoretical Chemistry, Innrain 80-82, 6020 Innsbruck, Austria, Email: Hubert.Huppertz@uibk.ac.at

JOURNAL MANAGER Holger Kleessen, De Gruyter, Genthiner Straße 13, 10785 Berlin, Germany, Tel.: +49 (0)30 260 05 – 348, Fax: +49 (0)30 260 05 – 184, Email: ZKristallogr-NCS@degruyter.com

RESPONSIBLE FOR ADVERTISEMENTS Claudia Neumann, De Gruyter, Genthiner Straße 13, 10785 Berlin, Germany. Tel.: +49 (0)30.260 05-226, Fax: +49 (0) 30.260 05-264 , Email: anzeigen@degruyter.com

© 2017 Walter de Gruyter GmbH, Berlin/Boston

TYPESETTING Compuscript Ltd., Shannon, Ireland

PRINTING Franz X. Stickle Druck und Verlag e.K., Ettenheim
Printed in Germany

COVER ILLUSTRATION Amanda-Lee Manicum, Orbett Alexander, Marietjie Schutte-Smith, Hendrik G. Visser and Andreas Roodt (University of the Free State, South Africa): Crystal structure of *fac*-(acetylacetonato- κ^2O,O')tricarbonyl(benzylidiphenylphosphine- κP)rhenium(I), $C_{27}H_{24}O_5PRe$ in this issue pp. 957–959. DOI: 10.1515/ncrs-2017-0097



Contents

Xiuhang Wang

Crystal structure of potassium 1-methyl-1*H*-1,2,3,4-tetrazole-5-thiolate, $C_2H_3N_4SK$ — 845

Xiaokang Hu, Bo Huang, Zicheng Xiao and Pingfan Wu

Crystal structure of bis(3-(3-ethylureido)-*N,N*-dimethylpropan-1-aminium) bis (μ_3 -2-(hydroxymethyl)-2-(oxidomethyl)propane-1,3-bis(olato))-(μ_6 -oxo)-hexakis(μ_2 -oxo)-hexaoxo-hexavanadium(V) – dichloromethane (1/1), $C_{27}H_{60}Cl_2N_6O_{23}V_6$ — 849

Ji-Xing Zhao, Li Zhao, Fei Wang, Qin-Qin An and Peng-Peng Li

Crystal structure of bis(μ_3 -methanolato- $\kappa^3O:O:O$)-bis(μ_2 -methanolato- $\kappa^2O:O$)-dimethanol-bis{6,6'-(1,3-dihydroxyl-2-acetylpropane-1,3-diyl)bis(2-chloro-4-bromophenolato)} tetramanganese(III), $C_{40}H_{40}Br_4Cl_4Mn_4O_{16}$ — 851

Ji-Xing Zhao, Li Zhao, Peng-Peng Li, Zhao-Bin Zhu, Qin-Qin An and Fei Wang

Synthesis and crystal structure of tetrakis(μ_2 -methanolato)-dimethanol-bis(μ_2 -2-acetyl-1,3-bis(3,5-dibromo-2-oxidophenyl)propane-1,3-bis(olato)- $\kappa^5O^1,O^2,O^3:O^3,O^4,O^5$) tetramanganese(III), $C_{40}H_{40}Br_8Mn_4O_{16}$ — 855

Ji-Xing Zhao, Li Zhao, Peng-Peng Li, Zhao-Bin Zhu, Fei Wang and Qin-Qin An

Synthesis and crystal structure tetrakis(μ_2 -methanolato)-dimethanol-bis(μ_2 -2-acetyl-1,3-bis(3,5-dichloro-2-oxidophenyl)propane-1,3-bis(olato)- $\kappa^5O^1,O^2,O^3:O^3,O^4,O^5$) tetramanganese(III), $C_{40}H_{40}Cl_8Mn_4O_{16}$ — 859

Ji-Xing Zhao, Li Zhao, Peng-Peng Li and Zhao-Bin Zhu

Crystal structure of bis{5-methoxy-2-((*E*)-((4-((*E*)-1-(methoxyimino)ethyl)phenyl)imino)methyl)phenolato- κ^2N,O }}copper(II), $C_{34}H_{34}CuN_4O_6$ — 863

Yu-Hua Yang, Sunday Folaranmi Akogun and Wen-Kui Dong

Crystal structure of (*E*)-1-(2-hydroxy-3-{[2-hydroxybenzylidene]amino}phenyl)ethan-1-one, $C_{15}H_{13}NO_3$ — 867

Yu-Hua Yang, Bao-Jun Wang, Peng-Fei Lan and Wen-Kui Dong

Crystal structure of bis(μ_2 -acetato- $\kappa^2O:O'$)-bis(μ_2 -4-chloro-2-(8-(4-(diethylamino)-2-oxidophenyl)-3,6-dioxa-2,7-diazaocta-1,7-dien-1-yl)phenolato- $\kappa^6O:O,N,N',O':O''$ })tricobalt(II), $C_{44}H_{49}Cl_2Co_3N_6O_{12}$ — 869

Shan-Shan Zheng, Jing Hao, Peng-Fei Lan, Xiu-Yan Dong and Wen-Kui Dong

Crystal structure of bis(μ_2 -2,4-dichloro-6-(8-(4-(diethylamino)-2-oxidophenyl)-3,6-dioxa-2,7-diazaocta-1,7-dien-1-yl)phenolato- $\kappa^5O:O,N,N',O'$ })dicobalt(II) acetone solvate, $C_{43}H_{48}Br_4Co_2N_6O_9$ — 873

Li Li, Jing Hao, Peng-Fei Lan and Wen-Kui Dong

Synthesis and crystal structure of bis(μ_2 -acetato- $\kappa^2O:O'$)-bis(μ_2 -4-chloro-2-(8-(4-(diethylamino)-2-oxidophenyl)-3,6-dioxa-2,7-diazaocta-1,7-dien-1-yl)phenolato- $\kappa^6O:O,N,N',O':O'$ })trizinc(II), $C_{44}H_{49}Cl_2Zn_3O_{12}$ — 877

Xiu-Yan Dong, Han Zhang, Bai-Jun Wang, Peng-Fei Lan and Wen-Kui Dong

Crystal structure of bis{5-(*N,N'*-diethylamine)-5'-methoxy-2,2'-[ethylenediyl]dioxibis(nitrilomethylidene)}diphenolato}-bis(μ_2 -acetato- $\kappa^2O:O'$) trizinc(II), $C_{46}H_{56}Zn_3N_6O_{14}$ — 881

Zhong-Hai Ni and Hao Sun

Crystal structure of tris(cyano-(hydrogen tris(3,5-dimethylpyrazolyl)borate))-iron(III) 4-methoxypyridinium monohydrate, $C_{24}H_{32}BN_{10}O_2Fe$ — 885

Peng-Peng Li, Li Zhao, Ji-Xing Zhao, Zhao-Bin Zhu, Fei Wang and Qin-Qin An

Synthesis and crystal structure of bis{1-(((4-(1-(hydroxyimino)ethyl)phenyl)imino)methyl)naphthalen-2-olato- κ^2O,N }}copper(II), $C_{38}H_{30}CuN_4O_4$ — 889

Peng-Peng Li, Li Zhao, Ji-Xing Zhao and Zhao-Bin Zhu

Crystal structure of (*E*)-1-(4-{[(*E*)-2-Hydroxy-1-naphthalenylmethylene] amino}phenyl)ethanone oxime, $C_{19}H_{16}N_2O_2$ — 891

Zhi Hong, Yan-Li Zhan, Dang-Ran Yu, Ying Li, Wen-Jia Yuan and Hong-Yu Zhang

The pseudosymmetric crystal structure of 2-(2-naphthalenyl)-3-nitro-2*H*-1-benzopyran, $C_{38}H_{26}N_2O_6$ — 893

Changming You and Changqing Wang

Crystal structure of 2-benzoyl-3-(4-methoxyphenyl)cyclopropane-1,1-dicarbonitrile, $C_{19}H_{14}N_2O_2$ — 897

Pan-Dong Mao, Ling-Ling Yan, Wei-Na Wu and Hong-Xin Cai

***N'*-(5-ethoxycarbonyl-3,4-dimethyl-pyrrol-2-yl-methylidene)-4-hydroxybenzohydrazide monohydrate, $C_{17}H_{21}N_3O_5$ — 899**

Gertruida J.S. Venter

The crystal structure of carbonyl-[4-(2,4-dichlorophenylamino)pent-3-en-2-onato- κ^2N,O]- (triphenylphosphine- κP)rhodium(I), $RhC_{30}H_{25}Cl_2NO_2P$ — 901

Lin Yuan, Zhong-Yan Li, Xian-You Yuan and Min Zhang

Crystal structure of (*E*)-5-(diethylamino)-2-(((1,1,2-trihydroxyethyl)iminio)methyl)phenolate, $C_{15}H_{24}N_2O_4$ — 905

Chunying Xu, Wenjuan Chu, Lu Cui and Minghui Li

Crystal structure of poly[(μ_2 -1,4-bis((2-ethyl-1*H*-benzo[*d*]imidazol-1-yl)methyl)benzene- $\kappa^2N:N'$)(μ_2 -isophthalato- $\kappa^4O,O':O'',O'''$)cadmium(II)], $C_{34}H_{30}N_4O_4Cd$ — 909

Benyong Lou, Yali Huang, Guocai Zheng and Qi Lin

Crystal structure of 5,6-Dihydro-9,10-dimethoxybenzo[*g*]-1,3-benzodioxolo[5,6-*a*]chinolizinium 3-(4-hydroxyphenyl)-4-oxo-4*H*-chromen-7-olate - methanol - water (1/1/1), $C_{36}H_{33}NO_{10}$ — 913

Pengfei Wei, Xiao-Li Yang and Kun-Yan Wang

A single crystal study on 2-(methylcarbamoyl)benzoic acid, $C_9H_9NO_3$ — 917

Gao-Ju Wen and Lian-Shuai Gu

Crystal structure of the salt 1,1'-(ethane-1,2-diyl)bis(1,4-diazabicyclo[2.2.2]octan-1-ium) diperchlorate, $C_{14}H_{28}N_4(ClO_4)_2$ — 919

Wenxin Zhang, Chenyu Qiu, Shanshan Li, Lina Zhou,

Mengwei Hu, Xiaojing Chen, Bin Yu, Yan Hong, Zhiguo Liu and Qinqin Xia

Crystal structure of 2,5-bis((*E*)-2-(trifluoromethyl)benzylidene)cyclopentan-1-one, $C_{21}H_{14}F_6O$ — 921

Yong-Jun Hu, Lie Jin, Ling Zhu and Tian Zhou

Crystal structure of *catena*-poly[(μ_2 -benzene-1,4-dicarboxylato- $\kappa^2O:O'$)-(1-ethyl-6-fluoro-7-(4-methylpiperazin-1-ium-1-yl)-4-oxo-1,4-dihydroquinoline-3-carboxylato- κ^2O,O')zinc(II)] 1.25 hydrate, $C_{25}H_{26.5}N_3O_{8.25}FZn$ — 923

Mei-Ying Liu

Crystal structure of 1-methyl-1,4-diazabicyclo[2.2.2]octan-1-ium poly[aqua-bis(μ_2 -perchlorato- $\kappa^3O,O':O''$)sodium], $C_7H_{17}Cl_2N_2NaO_9$ — 927

Huahui Zeng and Qianjin Shen

Crystal structure of trimethylammonium 2,6-dicarboxy-isonicotinate monohydrate, $C_{11}H_{16}N_2O_7$ — 929

Xin Zhu and Xianghua Liu

Crystal structure of dodecaguanidinium bis(tetra-propylammonium) heptacarbonate, $C_{43}H_{128}N_{38}O_{21}$ — 931

Chong-Yang Zhao, Dan Zhao and Cong-Kui Nie

Crystal structure of poly[tetraaqua-bis(μ_6 -benzene-1,2,4,5-tetracarboxylato)nickel(II)diyttrium(III)] dihydrate, $C_{20}H_{16}NiO_{22}Y_2$ — 935

Limin Dang, Jiangnan Yang, Hui Liu and Weizhou Wang

Halogen bonds and π - π interactions in the crystal structure of 1,3,5-trifluoro-2,4,6-triiodobenzene-*N,N*-dimethylformamide (1/1), $C_9H_7F_3I_3NO$ — 937

Xiaokun Li and Linlin Zhu

Crystal structure of guanidinium tetraethylammonium carbonate dihydrate, $C_{10}H_{30}N_4O_5$ — 939

Zhihai Fu, Bo Chen, Aidang He, Xia Lv, Xin Wei, Xiaojie

Feng, Chao Huang, ChuanQin Xia and Yongdong Jin

The crystal structure of oxonium chlorido-ethylenediaminetetraacetototin(IV) hydrate, $C_{10}H_{17}ClN_2O_{10}Sn$ — 941

Jing Li, Hao-Ran Jia and Yin-Xia Sun

Crystal structure of 8-((*E*)-((4-((*E*)-1-((benzyloxy)imino)ethyl)phenyl)imino)methyl)-7-hydroxy-4-methyl-2*H*-chromen-2-one, $C_{26}H_{22}N_2O_4$ — 943

Jing Li, Hao-Ran Jia and Yin-Xia Sun

Crystal structure of bis{5-(diethylamino)-2-(((2-oxo-2*H*-chromen-6-yl)imino)methyl)phenolato- κ^2O,N }copper(II), $C_{40}H_{38}CuN_4O_6$ — 947

Amanda-Lee Manicum, Marietjie Schutte-Smith and Hendrik G. Visser

Crystal structure of *fac*-(acetylacetonato- κ^2O,O')tricarbonyl(tri(*p*-tolyl)phosphine- κP)rhenium(I), $C_{29}H_{28}O_5Pre$ — 951

Amanda-Lee Manicum, Orbett Alexander, Marietjie Schutte-Smith, Hendrik G. Visser and Andreas Roodt

Crystal structure of *fac*-(acetylacetonato- κ^2O,O')tricarbonyl(benzylidiphenylphosphine- κP)rhenium(I), $C_{27}H_{24}O_5Pre$ — 957

Jing Li, Hao-Ran Jia and Yin-Xia Sun

Crystal structure of triethylammonium bis{3-(((3-oxidonaphthalen-1-yl)methylene)amino)-2-oxo-2H-chromen-4-olato- $\kappa^3 O, N, O'$ }manganese(III), $C_{46}H_{38}MnN_3O_8$ — 961

Kang-Woo Kim and Di Wang

Crystal structure of bis(*N,N,N*-ethyltrimethyl-ethanaminium) bis(heptaselenido- $\kappa^2 Se^1, Se^7$) palladate(II), $C_{12}H_{32}N_2PdSe_{14}$ — 965

Jin-Bo Guo and Shi-Hui Li

Crystal structure of bis(4-(1*H*-pyrazol-5-yl)pyridine- $\kappa^2 N: N'$)-bis(2-(2-((2,6-difluorophenyl)amino)phenyl)acetate- κO)cadmium(II), $C_{44}H_{34}N_8CdCl_4O_4$ — 969

Dong-Mi Li and Shi-Hui Li

Crystal structure of 4,4'-(1,4-phenylene) bis(pyridin-1-ium) catena-poly[diaqua-bis(μ_2 -3',5'-dicarboxy-[1,1'-biphenyl]-2,5-dicarboxylato- $\kappa^2 O: O'$) dihydrate, $C_{48}H_{42}O_{22}N_2Ca$ — 971

Yun-Peng Zhang and Bing Li

The crystal structure of (*S*)-2-benzylsuccinic acid, $C_{11}H_{12}O_4$ — 975

Ying Duan and Jia Zang

Crystal structure of poly[aqua-(μ_3 -4-(pyridin-4-yl)isophthalato- $\kappa^4 O, O': O'': O'''$)-(μ_2 -5-carboxy-2-(pyridin-4-yl)benzoato- $\kappa^2 O: O'$)yttrium(III)], $C_{26}H_{17}N_2O_9Y$ — 977

Iván Brito, Victor Kesternich, Marcia Pérez-Ferhmann, Pilar Narea and Alejandro Cárdenas

Crystal structure of ethyl 1-(3,4-dimethylphenyl)-5-methyl-1*H*-1,2,3-triazole-4-carboxylate, $C_{14}H_{17}N_3O_2$ — 979

Jing Li, Hao-Ran Jia and Yin-Xia Sun

Crystal structure of tetrakis(methanol- κO)-bis(μ_2 -3-((4-methoxy-2-oxidoethylidene)amino)-2-oxo-2H-chromen-4-olate- $\kappa^4 O, N; O': O'$)dizinc(II), $C_{38}H_{38}Zn_2N_2O_{14}$ — 981

Mohammed Fettouhi

Crystal structure of bromido(4,4'-dimethoxy-2,2'-bipyridine- $\kappa^2 N, N'$)(isopropyl(diphenyl)phosphane- κP) copper(I), $C_{27}H_{29}BrCuN_2O_2P$ — 985

Yingfan Liu, Kaiming Mao, Xiaochuan Li and Young-A Son

Crystal structure of bis(4,4,5,5-tetramethyl-1,3,2-dioxaborolane)-9,9-dioctylfluorene, $C_{41}H_{64}B_2O_4$ — 987

Yingfan Liu, Kaiming Mao, Xiaochuan Li and Young-A Son
Crystal structure of 11-oxo-2,3,6,7-tetrahydro-1*H*,5*H*,11*H*-pyrano[2,3-*f*]pyrido[3,2,1-*ij*]quinoline-10-carbaldehyde - a julolidine derivative, $C_{16}H_{15}NO_3$ — 991

Ya-Nan Wei, Chuan-Bi Li, Xue Li and Han-Yang Sun

Crystal structure of 1,3-dimethyl-5,5-dibenzylbarbituric acid, $C_{20}H_{20}N_2O_3$ — 993

Di Wang, Hoseop Yun and Kang-Woo Kim

Crystal structure of bis(*N,N,N*-trimethylethanaminium) poly[bis(μ_2 -heptaselenido- $\kappa^2 Se^1, Se^7$)palladate(II)], $C_{10}H_{28}N_2PdSe_{14}$ — 995

Ji-Xing Zhao, Li Zhao, Guo-Hua Liu, Peng-Peng Li and Zhao-Bin Zhu

Crystal structure of 1-{4-[(5-Chloro-2-hydroxy-benzylidene)amino]phenyl} ethanone O-ethyl-oxime, $C_{17}H_{17}ClN_2O_2$ — 999

Zbigniew Karczmarszyk, Monika Pitucha, Waldemar Wysocki, Maja Morawiak, Karolina Sobótka-Polska and Zofia Urbańczyk-Lipkowska

The crystal structure of methyl *N*-(4-bromophenyl) carbamate, $C_8H_8BrNO_2$ — 1003

Peng-Peng Li, Li Zhao, Guo-Hua Liu, Ji-Xing Zhao and Zhao-Bin Zhu

Synthesis and crystal structure of 1-{4-[(2-hydroxy-benzylidene)amino]phenyl}ethanone oxime, $C_{15}H_{14}N_2O_2$ — 1005

Xiong Wan-Ming, Chen Jing, Peng Da-Yong, Nie Xu-Liang and Chang-gan Huang

Crystal structure of 1,1'-butanebis(3-methyl-1*H*-imidazol-3-ium)bis(hexafluorophosphate), $C_{12}H_{20}F_{12}N_4P_2$ — 1007

Qichun Ding, Shudong Dai, Hongxu Guo and Li-Xue Zhang
(*E*)-*N*-benzylidene-3-(benzylthio)-5-*p*-tolyl-4*H*-1,2,4-triazol-4-amine, $C_{23}H_{20}N_4S$ — 1009

Iván Brito, Victor Kesternich, Marcia Pérez-Ferhmann, Catherine Araneda and Alejandro Cárdenas

Crystal structure of ethyl 5-methyl-1-(pyridin-3-yl)-1*H*-1,2,3-triazole-4-carboxylate, $C_{11}H_{12}N_4O_2$ — 1011

Yingfan Liu, Ming Yan, Xiaochuan Li, Yajuan Li and Young-A Son

Crystal structure of 5,5-difluoro-10-(4-fluorophenyl)-1,3,7,9-tetramethyl-5*H*-4*l*4,5*l*4-dipyrrolo[1,2-*c*:2',1'-*f*][1,3,2] diazaborinine - a $Z' = 3$ structure, $C_{19}H_{18}B_2F_3N_2$ — 1013

Cheng Xing-An, Liu Zhan-Mei, Liang Wei-Xin, Wu Bo and Jiang Xu-Hong

The crystal structure of the Matrine derivative: 12-(1*H*-indol-1-yl)dodecahydro-1*H*,5*H*,10*H*-dipyrido[2,1-*f*:3',2',1'-*ij*][1,6]naphthyridin-10-one hydrate, C₂₃H₂₉N₃O — 1017

WeiCan Zhao, Jing Shi and YanJun Hou

The crystal structure of tris(μ₂-1,3-bis(4,4,4-trifluoro-3-oxido-1-(oxo)but-2-en-1-yl)phenyl-κ⁴O,O':O'',O''')-bis(1,2-dimethoxyethane-κ²O,O')dilutetium(III), C₅₀H₃₈F₁₈Lu₂O₁₆ — 1021

Su Wang, Han-Yu Liu and Juan Sun

The crystal structure of (Z)-2-(3-(2-(4-chlorobenzoyl)hydrazono)-2-oxoindolin-1-yl) acetic acid, C₁₇H₁₂ClN₃O₄ — 1023

Hai-Lin Chen, Hong-Fang Lai, Lian-Qiang Wei, Li-Rong Jiang and Yan-Xiang Su

Synthesis and crystal structure of *trans*-tetraqua-bis(2-(((7-hydroxy-3-(4-hydroxy-3-sulfonatophenyl)-4-oxo-4*H*-chromen-8-yl)methyl)ammonio)acetato-κO)cobalt(II) hexahydrate, C₃₆H₄₈CoN₂O₂₈S₂ — 1025

Zhi-Mao Zhang and Lian-Hui Chen

The crystal structure of *N,N*-dimethyl-2,6-di-*p*-tolylpyrimidin-4-amine, C₂₀H₂₁N₃ — 1029

Tai Xi-Shi and Li Peng-Fei

The crystal structure (*E*)-4-methyl-*N'*-(2-nitrobenzylidene)benzenesulfonhydrazide, C₁₄H₁₃N₃O₄S — 1031

Zhan Zhou, Zhe Zhou and Peng-Jing Jing

Crystal structure of *catena*-poly[(μ₂-1,3-bis(benzimidazol-1-yl)propane κ²*N:N'*)-(μ₂-5-methoxyisophthalato-κ²O:O') zinc(II)] hydrate, C₂₆H₂₄ZnN₄O₆ — 1033

Wang Li-Hua and Tai Xi-Shi

The crystal structure of (*E*)-*N'*-(quinolin-2-ylmethylene) furan-2-carbohydrazide monohydrate, C₁₅H₁₃N₃O₃ — 1037

Min Zhang, Zhong-Yan Li, Xian-You Yuan and Lin Yuan

Crystal structure of 2,8-diphenyl-3,7,9-trioxa-1-azaspiro[4.5]dec-1-ene, C₁₈H₁₇N₁O₃ — 1039

Xian-You Yuan, Min Zhang, Lin Yuan and Zhong-Yan Li

Crystal structure of diethyl 2-(4-chlorophenyl)-1,3-dioxane-5,5-dicarboxylate, C₁₆H₁₉ClO₆ — 1041

Minxia Yu

Crystal structure of 1-(carboxymethyl)-1*H*-benzo[*d*][1,2,3] triazole 3-oxide, C₈H₇N₃O₃ — 1043

Ning Yin, Qiong Wu, Heng-Qiang Zhang and Qi-Ying Zhang

Crystal structure of (acetylacetonato-κ²O,O')-(2-amino-6-chlorobenzoato-κO)-oxido(1,10-phenanthroline-κ²*N,N'*) vanadium(IV) – trichloromethane (1/1) — 1045

Marole M. Maluleka and Malose J. Mphahlele

Crystal structure of (1*E*,4*E*)-1,5-bis(4-chlorophenyl)penta-1,4-dien-3-one, C₁₇H₁₂Cl₂O — 1049

Kwang Ha

The crystal structure of *trans*-dibromido-bis(pyridine-κ*N*) platinum(II), C₁₀H₁₀Br₂N₂Pt — 1051