


ZEITSCHRIFT FÜR KRISTALLOGRAPHIE NEW CRYSTAL STRUCTURES



EDITOR-IN-CHIEF

Hubert Huppertz

EDITOR

Guido Reiß

The di-amide-di-pyridyl molecule links $\text{Zn}(\text{S}_2\text{CNET}_2)_2$ molecules; no hydrogen bonding is observed in the packing

ZEITSCHRIFT FÜR KRISTALLOGRAPHIE NEW CRYSTAL STRUCTURES

EDITOR-IN-CHIEF

Hubert Huppertz

CO-EDITOR

Guido Reiß

DE GRUYTER

Zeitschrift für Kristallographie – New Crystal Structures was founded in 1997 as spin off of Zeitschrift für Kristallographie to meet the high demand to publish results of structure determination. All publications and their submitted CIF-data are online freely available (Open Access). Zeitschrift für Kristallographie — New Crystal Structures offers a place for researchers to present

- results of determinations of hitherto unknown crystal structures which do not justify detailed discussion of determination procedure, crystal structure, and/or structure-property relations (routine determinations and structures),
- refinement of previously published crystal structures which do not require a new description or discussion.

Further details of the structure determination can be accessed at the relevant database. Data with CSD numbers can be obtained from the Fachinformationszentrum Karlsruhe, Gesellschaft für wissenschaftlich-technische Information mbH, 76344 Eggenstein-Leopoldshafen, Germany (e-mail: crysdata@fiz-karlsruhe.de). Data with CCDC numbers can be obtained from the Cambridge Crystallographic Data Centre (CCDC), 12 Union Road, Cambridge CB2 1EZ, UK, (fax: +44-(0)1223-33 60 33 or e-mail: deposit@chemcrs.cam.ac.uk).

ONLINE-SUBMISSION New Crystal Structures (NCS) have to be submitted online as CIF-file to: <https://mc.manuscriptcentral.com/zkrist-ncs>

ABSTRACTED/INDEXED IN Baidu Scholar · Cabell's Directory · Celdes · Chemical Abstracts Service (CAS): CAPlus; SciFinder · CNKI Scholar (China National Knowledge Infrastructure) · CNPIEC · EBSCO (relevant databases) · EBSCO Discovery Service · Elsevier: Reaxys; SCOPUS · Genamics JournalSeek · GeoRef · Google Scholar · Inspec · J-Gate · JournalTOCs · KESLI-NDSL (Korean National Discovery for Science Leaders) · Naviga (Softweco) · Paperbase · Pirabase · Polymer Library · Primo Central (ExLibris) · ReadCube · ResearchGate · SCImago (SJR) · Summon (Serials Solutions/ProQuest) · TDNet · TEMA Technik und Management · Thomson Reuters: Current Contents/Physical, Chemical and Earth Sciences; Journal Citation Reports/Science Edition; Science Citation Index Expanded · WanFang Data · WorldCat (OCLC).

ISSN 1433-7266 · e-ISSN 2197-4578

All information regarding notes for contributors, subscriptions, Open access, back volumes and orders is available online at www.degruyter.com/ncrs

RESPONSIBLE EDITOR Univ.-Prof. Dr. Hubert Huppertz, University of Innsbruck, Institute of General, Inorganic and Theoretical Chemistry, Innrain 80-82, 6020 Innsbruck, Austria, Email: Hubert.Huppertz@uibk.ac.at

JOURNAL MANAGER Holger Kleessen, De Gruyter, Genthiner Straße 13, 10785 Berlin, Germany, Tel.: +49 (0)30 260 05 – 348, Fax: +49 (0)30 260 05 – 184, Email: ZKristologr-NCS@degruyter.com

RESPONSIBLE FOR ADVERTISEMENTS Claudia Neumann, De Gruyter, Genthiner Straße 13, 10785 Berlin, Germany. Tel.: +49 (0)30.260 05-226, Fax: +49 (0) 30.260 05-264 , Email: anzeigen@degruyter.com

© 2018 Walter de Gruyter GmbH, Berlin/Boston

TYPESETTING Compuscript Ltd., Shannon, Ireland

PRINTING Franz X. Stickle Druck und Verlag e.K., Ettenheim
Printed in Germany

COVER ILLUSTRATION Hadi D. Arman, Pavel Poplakhin and Edward R.T. Tiekink: Crystal structure of (μ_2 -*N,N'*-bis((pyridin-4-yl)methyl)ethanediamide- $\kappa^2N:N'$)-tetrakis(diethylcarbamodithioato- κ^2S,S')dizinc(II), $C_{34}H_{54}N_8O_2S_8Zn_2$; in this issue pp. 159–161. DOI: 10.1515/ncrs-2017-0297



Offenlegung der Inhaber und Beteiligungsverhältnisse gem. § 7a Abs. 1 Ziff. 1, Abs. 2 Ziff. 3 des Berliner Pressegesetzes: Die Gesellschafter der Walter de Gruyter GmbH sind: Cram, Gisela, Rentnerin, Berlin; Cram, Elsbeth, Pensionärin, Rosengarten-Alvesen; Cram, Dr. Georg-Martin, Unternehmens-Systemberater, Stadtbergen; Cram, Maike, Wien (Österreich); Cram, Jens, Mannheim; Cram, Ingrid, Betriebsleiterin, Tuxpan/Michoacan (Mexiko); Cram, Sabina, Mexico, DF (Mexiko); Cram, Silke, Wissenschaftlerin, Mexico DF (Mexiko); Cram, Björn, Aachen; Cram, Berit, Hamm; Cram-Gomez, Susana, Mexico DF (Mexiko); Cram-Heydrich, Walter, Mexico DF (Mexiko); Cram-Heydrich, Kurt, Angestellter, Mexico DF (Mexiko); Duvenbeck, Birgitta, Oberstudienrätin i.R., Bad Homburg; Gädeke, Gudula, M.A., Atemtherapeutin/Lehrerin, Tübingen; Gädeke, Martin, Einzelunternehmer, Ingolstadt; Lubasch, Dr. Annette, Ärztin, Berlin; Schütz, Dr. Christa, Ärztin, Mannheim; Schütz, Sonja, Berlin; Schütz, Juliane, Berlin; Schütz, Antje, Berlin; Schütz, Valentin, Mannheim; Seils, Dorothee, Apothekerin, Stuttgart; Seils, Dr. Ernst-Albert, Pensionär, Reppenstedt; Seils, Gabriele, Dozentin, Berlin; Seils, Christoph, Journalist, Berlin; Siebert, John-Walter, Pfarrer, Oberstenfeld; Tran, Renate, Mediatorin, Zürich (Schweiz).

Contents

Hubert Huppertz and Guido J. Reiss
Editorial 2018 — 1

Qiong Su and Yan-Bin Wang
Crystal structure of dimethanol-bis{3-(((2-oxidonaphthalen-1-yl)methylene)amino)-2-oxo-2H-chromen-4-olato- $\kappa^3 O, N:O'$ }dizinc(II), $C_{42}H_{30}N_2O_{10}$ — 3

Eric M. Njogu, Bernard Omondi and Vincent O. Nyamori
Crystal structure of aqua-bis{[2,6-dimethyl-N-(pyridin-2-ylmethylene)aniline- $\kappa^2 N, N'$]}zinc(II) triflate monohydrate $[ZnC_{29}H_{31}N_4O]CF_3SO_3 \cdot H_2O$ — 7

Peng-Peng Li, Li Zhao, Ji-Xing Zhao and Zhao-Bin Zhu
Crystal structure of (E)-1-(4-(((E)-4-Diethylamino-2-hydroxybenzene methylene)amino)phenyl)ethanone methoxy oxime, $C_{20}H_{27}ClN_3O_3$ — 9

Peng-Peng Li, Li Zhao, Ji-Xing Zhao and Zhao-Bin Zhu
Crystal structure of (E)-1-(4-(((E)-4-(diethylamino)-2-hydroxybenzylidene)amino)phenyl)ethan-1-one oxime, $C_{19}H_{23}N_3O_2$ — 13

Chunying Xu, Jili Li, Minghui Li and Lu Cui
Crystal structure of poly[(μ_2 -1,4-bis((2-ethyl-1H-benzo[d]imidazol-1-yl)methyl)benzene- $\kappa^2 N: N'$)-(μ_2 -4,4'-sulfonyldibenzoato- $\kappa^2 O: O'$)zinc(II)], $C_{40}H_{34}N_4O_6SZn$ — 17

Deng Linxin, Li Song and Li Xingyu
Crystal structure of *catena*-poly[diaqua(μ_3 -pyrazine-2,3-dicarboxylato- $\kappa^4 O, N: O': O''$)zinc(II)] 1.25 hydrate, $C_6H_{8.5}N_2O_{7.25}Zn$ — 21

Amanda-Lee Manicum, Orbett Alexander, Marietjie Schutte-Smith and Hendrik G. Visser
Crystal structure of *fac*-(acetylacetonato- $\kappa^2 O, O'$)tricarbonyl(tri-*m*-tolyl phosphane- κP)rhenium(I), $C_{29}H_{28}O_5PRe$ — 23

Hao-Ran Jia, Jing Li and Yin-Xia Sun
Crystal structure of bis(μ_2 -methanolato- $\kappa^2 O: O'$)-bis(methanol- $\kappa^1 O$)-bis{3-(((4-methoxy-2-oxidobenzylidene)amino)-2-oxo-2H-chromen-4-olato- $\kappa^3 O, O', N$)dichromium(III)}, $C_{38}H_{36}Cr_2N_2O_{14}$ — 27

Dong-Mi Li, Xue-Li Xu and Shi-Hui Li
Crystal structure of poly[aqua-(μ_3 -pyridine-3,5-dicarboxylato- $\kappa^5 O, O': O'', O''', N$)zinc(II)], $C_7H_7NO_6Zn$ — 31

Jing Li, Bin Yu, Hao-Ran Jia and Yin-Xia Sun
Crystal structure of bis((1-(((4-(((benzyloxy)imino)methyl)phenyl)imino)methyl)naphthalen-2-yl)oxy- $\kappa^2 O, N$)copper(II), $C_{52}H_{42}CuN_4O_4$ — 33

Hao-Ran Jia, Jing Li and Yin-Xia Sun
Crystal structure of bis{5-(diethylamino)-2-(((2-oxo-2H-chromen-6-yl)imino)methyl)phenolato- $\kappa^2 O, N$ }cobalt(II), $C_{40}H_{38}CoN_4O_6$ — 37

Jing Li, Hao-Ran Jia, Jian-Qiang Guo and Yin-Xia Sun
Crystal structure of diaqua-bis(N,N-dimethylformamide- $\kappa^1 O$)-bis{3-(((5-chloro-2-oxidobenzylidene)amino)-2-oxo-2H-chromen-4-olato- $\kappa^4 N, O, O': O'$)dinickel(II)}, $C_{38}H_{34}Ni_2Cl_2N_4O_{12}$ — 41

Hao-Ran Jia, Jing Li and Yin-Xia Sun
Crystal structure of tetrakis(methanol- κO)bis{3-(((4-methoxy-2-oxidobenzylidene)amino)-2-oxo-2H-chromen-4-olato- $\kappa^3 O, N, O'$)bicobalt(II)}, $C_{38}H_{38}Co_2N_2O_{14}$ — 45

Saba Alapour, Sizwe J. Zamisa, Neil A. Koorbanally and Deresh Ramjugernath
Crystal structure of (S)-*tert*-butyl-(1-hydroxypropan-2-yl)carbamate, $C_8H_{17}NO_3$ — 49

Wei Song, Shi-Hui Li and Xue-Li Xu
Crystal structure of 4-(4'-(pyridin-4-yl)-[1,1'-biphenyl]-4-yl)pyridin-1-ium *catena*-poly{[5-carboxy-4'-methyl-[1,1'-biphenyl]-3-carboxylato- $\kappa^2 O, O'$)-(μ_2 -4'-methyl-[1,1'-biphenyl]-3,5-dicarboxylato- $\kappa^4 O, O': O'', O'''$)lead(II)}, $C_{52}H_{40}N_2O_9Pb$ — 51

Guo Hui, Chang Xin-Hong and Qin Hao-Yue
Crystal structure of *catena*-poly[diaqua-(μ_2 -5-methylisophthalato- $\kappa^2 O: O'$)-(μ_2 -1,4-bis((1H-1,2,4-triazol-1-yl)methyl)benzene- $\kappa^2 N: N'$)] Ni, $C_{21}H_{22}O_6N_6$ — 55

Yanbing Zai, Linlin Zhu and Xiangxiang Wu
Crystal structure of the salt tris(guanidinium)tris(tetrapropylammonium) bis(pyridine-2,4,6-tricarboxylate) – water (1/10), $C_{55}H_{126}N_{14}O_{22}$ — 57

Iván Brito, Jorge Bórquez, Mario Simirgiotis and Alejandro Cárdenas
Crystal structure of 5-hydroxy-2-(4-hydroxy-3-methoxyphenyl)-3,7,8-trimethoxy-4H-chromen-4-one, $C_{19}H_{18}O_8$ — 61

Wei Li, Xuan Sun, Jian Suo, Yanpeng Xing and Daguang Wang

Crystal structure of poly{[μ_2 -1,1'-(sulfonylbis(4,1-phenylene))bis(2-methyl-1*H*-imidazole)- $\kappa^2 N:N'$][μ_2 -4,4'-oxydibenzoato- $\kappa^2 O:O'$]cobalt(II)} hemihydrate, $C_{34}H_{27}N_4O_{7.5}SCo$ — 65

Lian-Wei Liu, Ji-Yan Zhong and Bang-Tun Zhao

The crystal structure of 25,27-(2,2'-[(2-thioxo-1,3-dithiole-4,5-diyl)disulfanediy]diethanolate)-26,28-dihydroxycalix[4]arene — dichloromethane (1/1), $C_{36}H_{32}Cl_2O_4S_5$ — 67

Fei Liu, Huang Fang, Fang Zhang and Qifan Chen

The crystal structure of 1,2-bis(3-(pyridin-3-yl)-1,2,4-oxadiazol-5-yl)ethane, $C_{16}H_{12}N_6O_2$ — 69

Meng Lan Lv

Crystal structure of 1-benzyl-3-((4-bromophenyl)amino)-4-(4-methoxyphenyl)-1*H*-pyrrole-2,5-dione, $C_{24}H_{19}BrN_2O_3$ — 71

Suhair M.S. Jambi

Crystal structure of bis(2-((allylcarbamoithiyl)imino)-4-methylthiazol-3-ido- $\kappa^2 N,S$)palladium(II), $C_{16}H_{20}N_6PdS_4$ — 73

Chun-Mei Guo, Xiu-Ying Song, Wan-Ming Xiong, Nian-Qian Kang and Xu-Liang Nie

Crystal structure of pyrimidine-2,5-dicarboxylic acid 1.5 hydrate, $C_{12}H_{14}N_4O_{11}$ — 75

Hui Wang, Yang Gao and Lei Lü

Crystal structure of *trans*-diaqua-bis(1*H*-pyrazole-3-carboxylato- $\kappa^2 N,O$)manganese(II), $C_8H_{10}N_4O_6Mn$ — 77

Min-Le Han, San-Tai Wang and Zhong-Qi Li

Crystal structure of catena-(μ_3 -5-bromoisophthato- $\kappa O,O':O'',O'''$)-(1,2-bis(imidazol-1-yl)ethane- $\kappa N:N'$)cobalt(II), $C_{16}H_{13}CoN_4O_4Br$ — 79

Igor Oshchapovsky, Volodymyr Pavlyuk and Grygoriy Dmytriv

Investigation of the compound $La_5Zn_{2-x}Pb_{1+x}$ ($x = 0.20-0.32$) — 83

Xue-Yuan Wang, Xia Zhu, Xin Lu and Jian-Qiao Wang

Crystal structure of (OC-6-13)-diaqua-bis(3,5-di(pyridin-3-yl)-4*H*-1,2,4-triazol-4-amine- $\kappa^1 N$)-bis(dicyanamido- $\kappa^1 N$)zinc(II) tetrahydrate, $ZnC_{28}H_{32}N_{18}O_6$ — 85

Oksana Matselko, Ulrich Burkhardt, Roman Gladyshevskii and Yuri Grin

Crystal structure of $Ga_{0.62(3)}Sb_{0.38(3)}Pd_3$ — 87

Oksana Matselko, Ulrich Burkhardt, Yuri Grin and Roman Gladyshevskii

Crystal structure of $Ga_{0.47(1)}Sb_{0.53(1)}Pd_2$ — 89

Kun-Yan Wang, Pengfei Wei and Xiao-Li Yang

A derivative of the Corey lactone – crystal structure of (3*aR*,4*S*,5*R*,6*aS*)-4-(((*tert*-butyldimethylsilyl)oxy)methyl)-2-oxohexahydro-2*H*-cyclopenta[*b*]furan-5-yl benzoate, $C_{21}H_{30}O_5Si$ — 91

Kun-Yan Wang, Pengfei Wei and Xiao-Li Yang

A Corey lactone: crystal structure of (3*aR*,4*R*,5*R*,6*aS*)-5-benzoyloxy-4(hydroxymethyl)hexahydro-2*H*-cyclopenta[*b*]furan-2-one, $C_{15}H_{16}O_5$ — 93

Li Gui-Lian, Shen Jia and He Yu-Ying

Hydrothermal synthesis and crystal structure of poly[aqua-(μ_2 -1,3-bis(4-pyridyl)propane- $\kappa^2 N:N'$)-(1,4,5,6,7,7-hexachlorobicyclo[2.2.1]hept-5-ene-2,3-dicarboxylato- $\kappa^2 O:O'$)manganese(II) hydrate, $C_{22}H_{20}Cl_6N_2O_6Mn$ — 95

Hao Wu, Kai Kou, Shu-Yang Liu and Yuan Wang

Crystal structure of 2-acetylpyrrole *S*-methylthiosemicarbazonium hydroiodide, $C_8H_{13}IN_4S$ — 99

Pan-Dong Mao, Xiao-Lei Zhao, Qing-Wen Yang, Miao Yang and Yuan Wang

Crystal structure of [*N,N*-bis((pyrrol-2-yl)ethylidene)butane-1,4-diamine- $\kappa^4 N,N',N'',N'''$]-nickel(II), $C_{16}H_{20}N_4Ni$ — 101

Cong-Kui Nie, Dan Zhao and Ye Tian

Crystal structure of poly[aqua-(μ_5 -2,5-dicarboxybenzoato- $\kappa^5 O:O:O':O':O':O''$)sodium(I)], $C_9H_7NaO_7$ — 103

Long Lin, Ling-Hao Zhu and Yuan Wang

Crystal structure of bis(*N'*-((1*H*-pyrrol-2-yl)methylene)-1-methylthio-methanethiohydrazido- $\kappa^2 S,N$)nickel(II), $C_{14}H_{16}N_6NiS_4$ — 105

Hong Chen, Hui-Xia Jia and Qi-Tai Xu

Crystal structure of 1-(4-((benzo[*d*][1,3]dioxol-5-yloxy)methyl)phenethyl)-4-(3-chlorophenyl) piperazin-1-ium chloride, $C_{26}H_{28}Cl_2N_2O_3$ — 107

Hong Chen and Hui-Xia Jia

Crystal structure of 2-(4-(2-(4-(2-fluorophenyl)piperazin-1-yl)ethyl)benzyl)benzo[d]isothiazol-3(2H)-one 1,1-dioxide, $C_{26}H_{26}FN_3O_3S$ – a saccharin dervative — 111

Xian-Jie Mao, Ling-Ling Yan, Hong-Xin Cai and Yuan Wang

Crystal structure of 3-(2-dimethylaminoethyl)-2,3-dihydro-2-thioxoquinazolin-4(1H)-one, $C_{12}H_{15}N_3OS$ — 115

Peng Yang, Ling-Ling Yan and Hong-Xin Cai

Crystal structure of 3-(3-dimethylaminopropyl)-2,3-dihydro-2-thioxoquinazolin-4(1H)-one, $C_{13}H_{17}N_3OS$ — 117

Tai Xi-Shi and Li Peng-Fei

The crystal structure of *trans*-tetraaqua-bis(*p*-tolylsulfinato- κO)calcium(II), $C_{14}H_{22}O_8S_2Ca$ — 119

Tai Xi-Shi and Li Peng-Fei

The crystal structure of (*E*)-*N'*-(pyridin-2-ylmethylene)pyrazine-2-carbohydrazide, $C_{11}H_9N_5O$ — 121

Qiu-Ying Huang, Hong-Ying Wang, Su-Juan Ren and Xiang-Ru Meng

Crystal structure of (*E*)-3-(pyren-1-yl)-1-(pyridin-4-yl)prop-2-en-1-one, $C_{24}H_{15}NO$ — 123

Sisi Feng, Haixia Ma and Miaoli Zhu

Crystal structure of *catena*-poly[diaqua-(μ_2 -tartrato- $\kappa^4 O, O': O'', O'''$)cobalt(II)], $C_4H_8CoO_8$ — 125

Jean-Luc Bertrand, Cristian O. Salas and Iván Brito

Crystal structure of 4-chloro-2-methyl-6-(4-(trifluoromethoxy)phenyl)pyrimidine, $C_{12}H_8ClF_3N_2O$ — 127

Fankun Meng, Junying Jia and Hongsheng Liu

Crystal structure of 1-(4-fluorophenyl)-*N*-(5-((triphenylstanny)thio)thiophen-2-yl)methanimine, $C_{27}H_{20}FN_3S_2Sn$ — 129

Xin-Hong Li, Zhao-Xian Qin and Sheng-Li Cao

Crystal structure of methyl (*Z*)-2-(5-fluoro-2-oxoindolin-3-ylidene)hydrazine-1-carbodithioate, $C_{10}H_8FN_3OS_2$ — 131

Xin-Hong Li, Zhao-Xian Qin and Sheng-Li Cao

Crystal structure of *tert*-butyl (*Z*)-4-(2-(5-methoxy-3-(2-((methylthio)carbonothioyl)hydrazono)-2-oxoindolin-1-yl)ethyl)piperazine-1-carboxylate, $C_{22}H_{31}N_5O_4S_2$ — 133

Tai Xi-Shi, Li Peng-Fei and Liu Qing-Yun

The crystal structure of (*E*)-2-((2-(*o*-tolylcarbamothioyl)hydrazono)methyl)benzoic acid, $C_{16}H_{15}N_3O_2S$ — 137

Dennis Mo, Marcel Serio and Walter Frank

Crystal structure of 2-chloro-1,3-di-*tert*-pentyl-4,4-diphenyl-1,3,2 λ^3 ,4-diazaphosphasiletidine, $C_{22}H_{32}ClN_2PSi$ — 139

Xinhua Lu, Jin Hu and Caixia Zhu

Crystal structure of tetramethyl 5,5'-(buta-1,3-diyne-1,4-diyl)diisophthalate, $C_{24}H_{18}O_8$ — 143

Yuanyuan Yu

Crystal structural of 2-amino-4-(4-methoxyphenyl)-3-cyano-7,7-dimethyl-5-oxo-4*H*-5,6,7,8-tetrahydrobenzo[*b*]pyran, $C_{19}H_{20}N_2O_3$ — 145

Ya-Yan Tong, Bo Xu, Guang-Da Yin, Rong-Fei Song, Li-Bing Guo and Pei-Zheng Zhao

Crystal structure of 1,3,5-tris((trimethylsilyl)methyl)-1,3,5-triazinane-2,4,6-trione, $C_{15}H_{33}N_3O_3Si_3$ — 147

Hui Wang and Zi-Jing Xiao

The crystal structure of bis(2-benzoyl-5-hydroxyphenolato- $\kappa^2 O, O'$)copper(II), $C_{26}H_{18}CuO_6$ — 149

Zhiqiang Zhen

Crystal structure of 2,6-bis(3-(pyrazin-2-yl)-1*H*-1,2,4-triazol-5-yl)pyridine – 1-ethyl-3-methyl-1*H*-imidazol-3-ium bromide (1/1), $C_{23}H_{22}N_{13}Br$ — 151

Xiao-Yu Guan, Liang-Dong Zhang, Zhang-Qin Liu, Xin Guo and Xuebing Ma

The crystal structure of (*E*)-*N*-benzyl-*N'*-benzylidene-4-methylbenzenesulfonohydrazide, $C_{21}H_{20}N_2O_2S$ — 153

Liangjun Lv, Zhengli Hao, Long Lin and Yuan Wang

Crystal structure of ethyl (*E*)-5-((2-(3-hydroxybenzoyl)hydrazono)methyl)-3,4-dimethyl-1*H*-pyrrole-2-carboxylate – water – ethanol (1/1/1), $C_{19}H_{27}N_3O_6$ — 155

Başak Koşar Kirca

The crystal structure of (*E*)-4-(3-ethoxy-2-hydroxybenzylideneamino)benzoic acid, $C_{16}H_{15}NO_4$ — 157

Hadi D. Arman, Pavel Poplaukhin and Edward R.T. Tiekink

Crystal structure of (μ_2 -*N,N'*-bis((pyridin-4-yl)methyl)ethanediamide- $\kappa^2 N:N'$)-tetrakis(diethylcarbamodithioato- $\kappa^2 S, S'$)dizinc(II), $C_{34}H_{54}N_8O_2S_8Zn_2$ — 159