


ZEITSCHRIFT FÜR KRISTALLOGRAPHIE

NEW CRYSTAL STRUCTURES



EDITOR-IN-CHIEF
Hubert Huppertz

EDITORIAL BOARD
Christian Hübschle
Oliver Janka
Andreas Lemmerer
Guido J. Reiss
Edward R. T. Tiekkink

(2*R*,4*S*)-Hydroxyketamine: a metabolite
of the antidepressant (*R*)-ketamine
synthesized by a bacterial enzyme

ZEITSCHRIFT FÜR KRISTALLOGRAPHIE NEW CRYSTAL STRUCTURES

EDITOR-IN-CHIEF

Hubert Huppertz

EDITORIAL BOARD

Christian Hübschle

Oliver Janka

Andreas Lemmerer

Guido J. Reiss

Edward R. T. Tiekkink

DE GRUYTER

Zeitschrift für Kristallographie – New Crystal Structures was founded in 1997 as spin off of Zeitschrift für Kristallographie to meet the high demand to publish results of structure determination. All publications and their submitted CIF-data are online freely available (Open Access). Zeitschrift für Kristallographie — New Crystal Structures offers a place for researchers to present

- results of determinations of hitherto unknown crystal structures which do not justify detailed discussion of determination procedure, crystal structure, and/or structure-property relations (routine determinations and structures),
- refinement of previously published crystal structures which do not require a new description or discussion.

Further details of the structure determination can be accessed at the relevant database. Data with CSD numbers can be obtained from the Fachinformationszentrum Karlsruhe, Gesellschaft für wissenschaftlichtechnische Information mbH, 76344 Eggenstein-Leopoldshafen, Germany (e-mail: crysdata@fiz-karlsruhe.de). Data with CCDC numbers can be obtained from the Cambridge Crystallographic Data Centre (CCDC), 12 Union Road, Cambridge CB2 1EZ, UK, (fax: +44-(0)1223-33 60 33 or e-mail: deposit@chemcrys.cam.ac.uk).

ONLINE-SUBMISSION New Crystal Structures (NCS) have to be submitted online as CIF-file to: <https://mc.manuscriptcentral.com/zkrist-ncs>

ABSTRACTED/INDEXED IN Baidu Scholar · Cabell's Directory · Celdes · Chemical Abstracts Service (CAS): CAplus; SciFinder · CNKI Scholar (China National Knowledge Infrastructure) · CNPIEC · EBSCO (relevant databases) · EBSCO Discovery Service · Elsevier: Reaxys; SCOPUS · Genamics JournalSeek · GeoRef · Google Scholar · Inspec · J-Gate · JournalTOCs · KESLI-NDSL (Korean National Discovery for Science Leaders) · Naviga (Softweco) · Paperbase · Pirabase · Polymer Library · Primo Central (ExLibris) · ReadCube · ResearchGate · SCImago (SJR) · Summon (Serials Solutions/ProQuest) · TDNet · TEMA Technik und Management · Thomson Reuters: Current Contents/Physical, Chemical and Earth Sciences; Journal Citation Reports/Science Edition; Science Citation Index Expanded · WanFang Data · WorldCat (OCLC).

ISSN 1433-7266 · e-ISSN 2197-4578

All information regarding notes for contributors, subscriptions, Open access, back volumes and orders is available online at www.degruyter.com/ncrs

RESPONSIBLE EDITOR Univ.-Prof. Dr. Hubert Huppertz, University of Innsbruck, Institute of General, Inorganic and Theoretical Chemistry, Innrain 80-82, 6020 Innsbruck, Austria, Email: Hubert.Huppertz@uibk.ac.at

JOURNAL MANAGER Holger Kleessen, De Gruyter, Gentiner Straße 13, 10785 Berlin, Germany,
Tel.: +49 (0)30 260 05 – 348, Fax: +49 (0)30 260 05 – 184, Email: ZKristallogr-NCS@degruyter.com

RESPONSIBLE FOR ADVERTISEMENTS Laura Düsterhöft, De Gruyter, Gentiner Straße 13, 10785 Berlin, Germany.
Tel.: +49 (0)30 260 05-170, Email: anzeigen@degruyter.com

© 2020 Walter de Gruyter GmbH, Berlin/Boston

TYPESETTING Compuscript Ltd., Shannon, Ireland

PRINTING Franz X. Stückle Druck und Verlag e.K., Ettenheim

COVER ILLUSTRATION Guido J. Reiss, Vlada B. Urlacher and U. Joost Luelf: Enzyme-mediated synthesis and crystal structure of (2*R*,4*S*)-hydroxyketamine, C₁₃H₁₆ClNO₂; in this issue pp. 1037–1039. DOI: 10.1515/ncrs-2020-0157



Contents

Ming-Hong Dong, Jiang-Hai Ye, Chen-Liang Zhao,
Lang Zhou, Juan Zou and Jing-Jie Zhang

Crystal structure of isopimara-7,15-dien-3-one,
 $C_{20}H_{30}O$ — 1003

Xigang Du and Chunwei Wang

Crystal structure of bis(6-aminopyridine-2-carboxylato- κ^2O,N)-copper(II), $C_{12}H_{10}O_6N_4Cu$ — 1007

Zhang Bin, Chen Xin and Chen Songhua

Crystal structure of 5,6-diphenyldibenzo[c,g]chrysene,
 $C_{38}H_{24}$ — 1009

Guoqiang Li, Guo Chen, Yanping Liu, Gao Wang
and Liyu Liu

Poly[bis(dimethylformamide- κO)-(μ_8 -5,5''-dicarboxy-[1,1':4',1''-terphenyl]-2',3,3',5'-tetracarboxylato- $\kappa^8O:O^1:O^2:O^3:O^4:O^5:O^6:O^7$)dizinc(II)] — dimethylformamide (1/2), $C_{18}H_{19}N_2O_8Zn$ — 1011

Guoqiang Li, Guo Chen, Yanping Liu, Gao Wang
and Liyu Liu

The crystal structure of poly[bis(N,N -dimethylformamide- κ^1O)(μ_4 -2',5,5',5''-tetracarboxy-[1,1':4',1''-terphenyl]-3,3''-dicarboxylato- $\kappa^4O:O':O'':O'''')manganese(II)] — N,N -dimethylformamide (1/2),$ $C_{36}H_{40}N_4O_{16}Mn$ — 1015

Chen Songhua, Zhang Bin, Chen Xin and Liu Yongqi

Crystal structure of N,N -dimethyl-4-((7-nitrobenzo[c][1,2,5]thiadiazol-4-yl)ethynyl)aniline,
 $C_{16}H_{12}N_4O_2S$ — 1019

Siyi Ding, Qiang Ma, Min Zhu and Zongcheng Miao

The crystal structure of 8a-methoxy 8a-methoxy-1,5,8a,9a-tetrahydro-4H-8,9-dioxa-3a¹λ⁴-aza-8aλ⁴,
 $C_{18}H_{14}BNO_3$ — 1021

Ying Zhao

Crystal structure of poly[diaqua-(μ_2 -5-isopropoxyisophthalato- $\kappa^2O:O'$)-(μ_2 -(1,3-bis(3,5-di(1H-imidazol-1-yl)pyridine))- $\kappa^2N:N'$)cobalt(II)] monohydrate,
 $C_{22}H_{25}N_5O_8Co$ — 1023

Cao Rubian, Chen Lizhen, Wang Jianlong and

Wang Luting

The crystal structure of acetoxinium 1'-hydroxy-1H,1H'-5,5'-bitetrazole-1-olate monohydrate, $C_5H_{11}N_9O_4$ — 1027

Wan-Ming Xiong, Ting Huang, Sheng Liao, Jing Chen
and Xu-Liang Nie

Crystal structure of 3-(2-ethoxy-2-oxoethyl)-1-vinyl-1H-imidazol-3-i um hexafluoridophos-phate(V),
 $C_9H_{13}F_6N_2O_2P$ — 1029

Kai-Hui Li and Chong Liu

The crystal structure of catena-poly[(μ_2 -4-(benzo[d]imidazol-2-yl)benzenecarboxylato- κ^2N,O)-(μ_2 -4-(benzo[d]imidazol-2-yl)benzenecarboxylato- $\kappa^3N,O:O'$)cadmium(II)]dihydrate, $C_{28}H_{22}CdN_4O_6$ — 1033

Guido J. Reiss, Vlada B. Urlacher and U. Joost Luelf
Enzyme-mediated synthesis and crystal structure of (2R,4S)-hydroxyketamine, $C_{13}H_{16}ClNO_2$ — 1037

Jin-Feng Chu

The crystal structure of bis(isothiocyanato- κ^1N)-(methanol- κ^1O)-[2-morpholine-4-yl-4,6-di(pyrazol-1-yl)-1,3,5-triazine- κ^3N,N',N''] manganese(II),
 $C_{16}H_{18}MnN_{10}O_2S_2$ — 1041

Yan Xiao and Chenzhong Cao

Crystal structure of bis{5-chloro-2-(((4-trifluoromethyl)imino)methyl)phenolato- κ^2N,O }copper(II),
 $C_{28}H_{16}Cl_2CuF_6N_2O_2$ — 1045

Guido J. Reiss

Crystal structure of bis(1,3-phenylenedimethanaminium)bis(triiodide) tetraiodide – water (1/2),
 $C_8H_{16}I_5N_2O$ — 1047

Jia-Jing Zhang, Dian-Xing Chen, Liang-Yan Lv,

Cong-Hui Qi, Wei-Cheng Xu and Gui-Ge Hou

Crystal structure and anti-inflammatory activity of (3E,5E)-3,5-bis(2-fluorobenzylidene)-1-((4-fluorophenyl)sulfonyl)piperidin-4-one, $C_{25}H_{18}F_3NO_3S$ — 1051

Pamela Moyo, Leah Matsinha and C.E. Makhubela
Banothile

The crystal structure of bis{3-(diphenylphosphophane)propanoato- κ^2O,P }platinum(II) dihydrate,
 $C_{30}H_{28}O_6P_2Pt$ — 1055

Min Zhang, Jin-Yuan Lin, Jing Liu and Ban-Feng Ruan

The crystal structure of (E)-2-((4-fluorobenzyl)oxy)styryl)-4,6-dimethoxybenzaldehyde, $C_{24}H_{21}FO_4$ — 1059

Li Li

Crystal structure of bis[3-methoxy-*N*-(1-(pyrazin-2-yl)ethylidene)benzohydrazonato- κ^3O,N,N']nickel(II), $C_{28}H_{26}N_8O_4Ni$ — 1063

Xiang Yu, Ling Huang, Xing-Ji Zhou and Ya-Fang Chen
Crystal structure of 1-(2-(pyridin-2-yl)-5-(pyridin-3-yl)-1,3,4-oxadiazol-3(2*H*)-yl)ethan-1-one, $C_{14}H_{12}N_4O_2$ — 1065

Xiang Yu, Lu Peng, Xin Wang and Ya-Fang Chen
Synthesis and crystal structure of 3-*N*-acetyl-5-(pyridin-3-yl)-2-(quinolin-2-yl)-1,3,4-oxadiazoline, $C_{18}H_{14}N_4O_2$ — 1067

Xiao-Ming Shi, Li-Na Xiao and Peng Peng
Crystal structure of 2-methyl-1*H*-perimidine, $C_{12}H_{10}N_2$ — 1069

Haiqing Huang and Li Xu
Crystal structure of (*E*)-2-(5,5-dimethyl-3-(4-((7-nitrobenzo[*c*][1,2,5]oxadiazol-4-yl)oxy)styryl)cyclohex-2-en-1-ylidene)malononitrile, $C_{25}H_{19}N_5O_4$ — 1073

Buyiswa G. Hlangothi, Lungelwa Mahanjana, Eric C. Hosten, Fanie R. van Heerden and Maryna van de Venter
Structural elucidation of 1-(3-acetyl-2,6-dihydroxy-4-methoxyphenyl)-4,5-dihydroxy-2-methylantracene-9,10-dione isolated from *Bulbine latifolia* (L.) Wild, $C_{24}H_{18}O_8$ — 1077

Chun-Mei Guo, Xiu-Ying Song, Mi-Na Wang, Jia Gu and Xu-Liang Nie
Crystal structure of 3-cinnamoyl-4-hydroxybenzoic acid, $C_{16}H_{12}O_4$ — 1083

Jingwen Ran, Jun Pei and Zhiwei Du
The crystal structure of poly[bis(μ_4 -2,3-pyridinedicarboxylato)-(μ_2 -oxalyl dihydrazide)-dicadmium(II) dihydrate], $C_{16}H_{16}O_{12}N_6Cd_2$ — 1087

Yi Jin, Tao Fu, Bo-Yang Ma, Ping Wei, Ji-Xing Zhao and Li Zhao
Synthesis and crystal structure of 1-{4-[(3-bromo-2-hydroxy-benzylidene)amino]phenyl}ethanone, $C_{15}H_{12}BrNO_2$ — 1091

Bo-Yang Ma, Tao Fu, Yi Jin, Ping Wei, Ji-Xing Zhao and Li Zhao
Synthesis and crystal structure of 1-{4-[(2-bromo-6-hydroxy-benzylidene)amino]phenyl}ethanone, $C_{15}H_{12}BrNO_2$ — 1093

Guang-Chuan Ou, Qiang Zhou and Qiong Wang

Crystal structure of (4-aminobenzoato- κ^2O,O')-[5,5,7,12,12,14-hexamethyl-1,4,8,11-tetraazacyclotetradecane- κ^4N,N',N'',N''']nickel(II) perchlorate monohydrate, $C_{23}H_{44}ClN_5NiO_7$ — 1095

Yi Jin, Tao Fu, Bo-Yang Ma, Ping Wei, Ji-Xing Zhao and Li Zhao
Crystal structure of 1-{4-[(4-fluoro-2-hydroxy-benzylidene)amino]phenyl}ethanone, $C_{15}H_{12}FNO_2$ — 1099

Peter J. Bonitatibus Jr., William H. Armstrong and Guido J. Reiss

Preparation and crystal structure of a non-symmetrical vanadium(II) dimer: tri- μ_2 -bromido-(hydrogen-tris(3-isopropyl-4-bromopyrazol-1-yl)borato- κ^3N,N',N'')-tris(tetrahydrofuran- κO)divanadium(II) – tetrahydrofuran (1/1), $C_{34}H_{57}BBr_6N_6O_4V_2$ — 1101

Yi Jin, Tao Fu, Bo-Yang Ma, Ping Wei, Ji-Xing Zhao and Li Zhao
Crystal structure of bis{2-(((4-(1-(hydroxyl-imino)ethyl)phenyl)imino)methyl)phenolato- κ^2N,O }cobalt(II), $C_{30}H_{26}CoN_4O_4$ — 1105

Xiao-Miao Chen, Zheng-Jun Liu, Jing-Song Cheng, Rong-Fei Zhao and Lan Qin
Crystal structure of 3-((3-nitrophenyl)sulfonamido)propanoic acid — 4,4'-bipyridine (1/1), $C_{19}H_{18}N_4O_6S$ — 1109

Peng-Jiang Li, Shi-Jun Chen, Zhi-Bin Yu and Shi-Hui Li
Crystal structure of cyclo[diaqua-bis(μ_2 -3',5-dicarboxy-[1,1'-biphenyl]-3,4'-dicarboxylato- $\kappa^4O,O':O'',O'''$)-bis(4,4'-bis(pyrid-4-yl)biphenyl- K^1N)dicadmium(II)], $C_{76}H_{52}Cd_2N_4O_{18}$ — 1113

Aamal A. Al-Mutairi, Monirah A. Al-Alshaikh, Hazem A. Ghabbour, Edward R.T. Tiekkink and Ali A. El-Emam
Crystal structure of 1-(adamantan-1-yl)-3-aminothiourea, $C_{11}H_{19}N_3S$ — 1115

Shi-Jun Chen, Shi-Hui Li and Yan Zhao
Crystal structure of catena-poly[triaqua-(μ_2 -1,4-di(pyridin-4-yl)benzene- $\kappa^2N:N'$)-(3',5-dicarboxy-[1,1'-biphenyl]-3,4'-dicarboxylato- κO)nickel(II)], $C_{32}H_{26}N_2O_{11}Ni$ — 1119

Hui-Long Fang, Li-Zhi Zhu, Biao Li and Jun-Jie Wang
Crystal structure of catena-poly[aqua-(μ_4 -4,4'-(pyridine-3,5-diy) dibenzoato- $\kappa^4O,O':O'':O'''')zinc(II)], $C_{19}H_{13}NO_5Zn$ — 1123$

Xu-Ze Hu and Yan Zhao

Crystal structure of 4-(4'-(pyridin-4-yl)-[1,1'-biphenyl]-4-yl)pyridin-1-i um 2-carboxy-4-(3,5-dicarboxyphenoxy)benzoate hydr ate, $C_{38}H_{28}N_2O_{10}$ — 1125

Lei Zhu, Na Luo, Jinyang Chen, Mingzhong Zhang, Jingzhe Zhao and Shaobin Miao

Crystal structure of 3-[(triisopropylsilanyl)-ethynyl]-6 α ,12 α -dihydro-1*H*-1,4-diaza-benzo[α]anthracene-2,7,12-trione, $C_{27}H_{28}N_2O_3Si$ — 1129

Li-Ping Yao

Crystal structure of [(bis(1,10-phenanthroline- κ^2N,N')-(2-carboxy-4-(3-carboxy-5-carboxylatophenoxy)benzoato- $\kappa^2O:O'$)nickel(II) monohydr ate, (1,10-phenanthroline- κ^2N,N')-(μ_2 -(5-(3',4'-dicarboxylphenoxy)-isophthalate- $\kappa^2O:O'$)nickel(II)], $C_{40}H_{24}N_4O_9Ni \cdot H_2O$ — 1133

Chong Wu, Shou-Ting Wu, Qi-Long Zhang and Juan Zou

Crystal structure of 4-(3-(pyridin-3-yl)ureido)benzoic acid — adipic acid (2/1), $C_{16}H_{16}N_3O_5$ — 1135

Shao-Qiang Hu and Shi-Hui Li

Crystal structure of poly[bis{ μ_2 -5-carboxy-4'-methyl-[1,1'-biphenyl]-3-carboxylato- $\kappa^2O:O'$ }-{ μ_2 -4,4'-bipyridine- κ^2N,N' }]cobalt(II), $C_{40}H_{30}N_2O_8Co$ — 1137

Xiao-Miao Chen, Zheng-Jun Liu, Rong-Fei Zhao, Jing-Song Cheng, Lan Qin and Zhang-Di Long

Crystal structure of aqua-(2,2'-bipyridine- κ^2N,N')((3-nitrophenyl)sulfonyl)glycine- κ^2N,O)copper(II) dihydrate, $C_{18}H_{20}CuN_4O_9S$ — 1141

Xiao-San Song

Crystal structure of bis{2-bromo-6-(((4-(1-methoxyimino)ethyl)phenyl)imino)methyl)phenolato- κ^2N,O }copper(II), $C_{32}H_{28}Br_2CuN_4O_4$ — 1145

Shi-Hui Li and Yan Zhao

Crystal structure of bis(2-(2-((2,6-dichlorophenyl)amino)phenyl)acetato- κ^2O,O')-(1,10-phenanthroline- κ^2N,N')zinc(II), $C_{40}H_{28}Cl_4N_4O_4Zn$ — 1149

Minh-Tu Hoang, Ke-Liang Guo and Fei Ye

Crystal structure of 2-(3,6-dimethyl-2,3-dihydro-4*H*-benzo[*b*][1,4]oxazin-4-yl)-2-oxoethyl acetate, $C_{14}H_{17}NO_4$ — 1151

Jin-Bo Guo and Guan-Feng Li

Crystal structure of poly[dibromido-bis(μ_2 -1,6-di(1*H*-imidazol-1-yl)hexane- $\kappa^2N:N'$)cadmium(II)], $C_{24}H_{36}Br_2N_8Cd$ — 1155

Qichun Ding, Ruya Yang and Peipao Yao

Synthesis and crystal structure of ((6*R*,7*S*)-3-ethyl-6-phenyl-6,7-dihydro-5*H*-[1,2,4]triazolo[3,4-*b*][1,3,4]thiadiazin-7-yl)(phenyl)methanone hemihydr ate, $2(C_{19}H_{18}N_4OS) \cdot H_2O$ — 1157

Hongtao Sun, Hao Wu and Lili Zhang

Crystal structure of 2-(5-(pyridin-3-yl)-4-(pyridin-4-yl)-4*H*-1,2,4-triazol-3-yl)pyridine, $C_{17}H_{12}N_6$ — 1161

Tianqiong Lang, Jianghai Ye, Taishuang Zou,

Xiaolong Tian and Nengwu Zhao

The crystal structure of *N*-((1*E*,2*E*)-1,3-bis(4-fluorophenyl)but-2-en-1-ylidene)-4-methylbenzenesulfonamide, $C_{23}H_{19}F_2NO_2S$ — 1163

Ge Yuan, Wang Dengwu, Huo Xiaoping, Yang Liguo and Zhang Cuihong

Crystal structure of diacetato- κ^1O -diethanol- κ^1O -bis(μ_2 -2-((2-hydroxyethyl)imino)methyl)-5-methoxyphenolato- $\kappa^4O,N,O':O''$)dinickel(II), $C_{28}H_{42}Ni_2N_2O_{12}$ — 1167

Xu-Ze Hu, Guan-Feng Li and Shi-Hui Li

The crystal structure of catena-poly[chlorido-(μ_2 -1,4-bis(pyridin-3-yl-methoxy)benzene- κ^2N,N')copper(II)], $C_{18}H_{16}ClN_2O_2Cu$ — 1169

Hong-Tao Qiao, San-Hu Zhao and Fu-Gui Xi

N',N''' -(((ethane-1,2-diylbis(oxy))bis(2,1-phenylene))bis(methaneylylidene))bis(2-hydroxybenzohydrazide)nickel(II), $C_{30}H_{24}N_4NiO_6$ — 1171

Yi-Xin Chu, Kai-Hao Li, Han-Huan Yang and Juan Yuan

Crystal structure of (*E*)-3',6'-bis(ethylamino)-2',7'-dimethyl-2-(2-((quinolin-2-ylmethylene)amino)ethyl)spiro[isoindoline-1,9'-xanthen]-3-one, $C_{38}H_{37}N_5O_2$ — 1175

Shi-Jun Chen, Wei Tian, Yan-Ni Hui and Mei Zhu

Crystal structure of 4,4'-di(1*H*-imidazol-1-yl)-1,1'-biphenyl-1-i um 5,3',5'-tricarboxy-[1,10-biphenyl]-2-carboxylate, $C_{25}H_{17}N_2O_8$ — 1179

Olimpo García-Beltrán, Carlos Areche, Antonio Galdámez and Silvana Moris

The crystal structure of 1-carboxy-2-(1*H*-indol-3-yl)-*N,N,N*-trimethylethan-1-ammonium chloride, $C_{14}H_{19}N_2O_2Cl$ — 1183

Bin Cai, Yu-Ning Meng, Meng-En Zhu, Xi-Shuang Yao
and Gang Chen

The crystal structure of 5-bromo-2-fluoronicotinic acid monohydrate, $C_6H_5BrFNO_3$ — 1187

Željko K. Jaćimović, Sladjana B. Novaković,
Goran A. Bogdanović, Milica Kosović, Eugen Libowitzky
and Gerald Giester
Crystal structure of ethyl 3-(trifluoromethyl)-1*H*-pyrazole-4-carboxylate, $C_7H_7F_3N_2O_2$ — 1189

Feng-Xia Ma, Jin-Ke Jiang, Yuan Yuan and Dong-Dong Li
Crystal structure of tetrakis(1*H*-benzo[*d*]imidazol-3-ium) bis(μ_5 -phenylphosphonato)-pentakis(μ_2 -oxido)-decaoxo-penta-molybdenum dihydrate, $C_{40}H_{42}Mo_5N_8O_{23}P_2$ — 1191

Jianlan Kou
Structure of 7-(3,3,4,4,5,5-hexafluoro-2-(2-methylbenzo[*b*]thiophen-3-yl)cyclopent-1-en-1-yl)-8-methylquinoline, $C_{24}H_{15}F_6NS$ — 1195

Pennie P. Mokolokolo, Orbett T. Alexander,
Marietjie Schutte-Smith, Alice Brink and Andreas Roodt
Crystal structure of monocarbonyl[2-((cyclopentylmethylene)amino)-5-methylphenolato- κ^2N,O] (tricyclohexylphosphine)rhodium(I), $C_{32}H_{48}NO_2PRh$ — 1199

Lesetja V. Ramoba, Orbett T. Alexander, Hendrik G. Visser
and Amanda-Lee E. Manicum
The crystal structure of fac-tricarbonyl(1,10-phenanthroline- κ^2N,N')-(pyrazole- κN)rhenium(I)nitrate, $C_{18}H_{12}O_3N_4Re$ — 1203

Xue-Li Xu, Shi-Hui Li and Jin-Bo Guo
Crystal structure of poly[diaqua-bis(μ_2 -4-(3-(pyridin-3-yl)-1*H*-1,2,4-triazol-5-yl)benzoato- κ^2N,O)nickel(II)], $C_{28}H_{22}O_6N_8Ni$ — 1207

Qian-Qian Tang, Shi-Hui Li and Zhan-Quan Cheng
Crystal structure of 4,4'-bis(pyridin-1-ium-4-yl)biphenyl poly[bis(μ_2 -4,4'-bis(pyrid-4-yl)biphenyl- κ^2N,N')-tetrakis(μ_4 -4'-methyl-[1,1'-biphenyl]-3,5-dicarboxylato- $\kappa^4O,O':O'';O'''$)-bis[[μ_2 -1,1'-biphenyl]-3-carboxyl-5-carboxylato- κ^2O,O']tetracobalt(II)]— [1,1'-biphenyl]-3,5-dicarboxylic acid (1/2), $C_{93}H_{68}N_3O_{16}Co_2$ — 1209

Nehemiah Latolla, Eric C. Hosten and Buyiswa G. Hlangothi
The crystal structure of 4a-formyl-1,2,3,4,4a,5,6,6a,6b,7,8,8a,9,10,11,12,12a,12b,13,14b-icosahydro-1-2-6a,6b,9,9,12a-heptamethylpicen-10-yl acetate, $C_{32}H_{50}O_3$ — 1213

Zhou Yao-Hong, Huang Ting, Nie Xu-Liang, Chen Jing
and Xiong Wan-Ming

Crystal structure of 3,3'-(1,2-phenylenebis(methylene))bis(1-methyl-1*H*-imidazol-3-ium) bis(hexafluoridophosphate), $C_{16}H_{20}F_{12}N_4P_2$ — 1217

Mao-Chun Li, Ji-Ren Zhang, Shuang-Xing Yuan
and Dong Zhang

Crystal structure of catena-poly[diaqua-(μ_2 -tartrato- $\kappa^4O,O':O'',O'''$)zinc(II)], $C_4H_8O_8Zn$ — 1221

Xiao-Dong Mou, Hui-Yun Wang, Ke-Wei Sun, Ming-Zhu Luan and Qing-Guo Meng

The crystal structure of (6a*R*,6b*S*,8a*S*,8b*R*,9*S*,11a*S*,12a*S*,12b*S*)-10-(4-acetoxy-3-methylbutyl)-6a,8a,9-trimethyl-3,4,5,6,6a,6b,7,8,8a,8b,9,10,11a,12,12a,12b-hexadecahydro-1*H*-naphtho[2',1':4,5]indeno[2,1-b]furan-4-yl acetate, $C_{31}H_{48}O_5$ — 1223

Kong Mun Lo, See Mun Lee and Edward R.T. Tiekink
Crystal structure of 4,4'-(oxybis(methylene))bis(bromobenzene), $C_{14}H_{12}Br_2O$ — 1227

Kong Mun Lo, See Mun Lee and Edward R.T. Tiekink
Crystal structure of (*N,N*-dimethylsulphoxide)-[*N*-(3-ethoxy-2-(oxide)benzylidene)-3-methoxybenzenecarbohydronato- κ^3N,O,O']-dioxo-molybdenum(VI), $C_{19}H_{22}MoN_2O_7S$ — 1231

Kong Mun Lo, See Mun Lee and Edward R.T. Tiekink
Crystal structure of dichlorido-bis(dimethyl sulphoxide- κO)-bis(4-methylbenzyl- κC)tin(IV), $C_{20}H_{30}Cl_2O_2S_2Sn$ — 1235

Li-Lang Li, Chang-Jin Yu, Qing Shi, Qi-Long Zhang and Xian-Jiong Yang
Crystal structure of (*E*)-2-amino-*N'*-(2-hydroxy-4-(2-(piperidin-1-yl)ethoxy)benzylidene)benzohydrazide monohydrate, $C_{21}H_{26}N_4O_3 \cdot H_2O$ — 1239

See Mun Lee, Kong Mun Lo and Edward R.T. Tiekink
Crystal structure of chloridotris(4-chlorophenyl)(dimethyl sulfoxide- κO)tin(IV), $C_{20}H_{18}Cl_4OSSn$ — 1241

Kong Mun Lo, See Mun Lee and Edward R.T. Tiekink
Crystal structure of catena{di-aqua-sodium-[*N*-(hydroxyethyl), *N*-isopropyl-dithiocarbamato]}_n, [$C_6H_{16}NNaO_2S_2$]_n — 1245

Kong Mun Lo, See Mun Lee and Edward R.T. Tiekink
Crystal structure of 2,2,4,4,6,6-hexakis(4-chlorophenyl)-1,3,5,2,4,6-trithiatristanninane, $C_{36}H_{24}Cl_6S_3Sn_3$ — 1249

Soon Young Shin, Miri Yoo and Dongsoo Koh
**Crystal structure of 6-methoxy-3-(5-(3-methoxyphenyl)-1,3,4-oxadiazol-2-yl)-4H-chromen-4-one-methanol (1/1),
C₂₀H₁₈N₂O₆ — 1253**

Kong Mun Lo, See Mun Lee and Edward R.T. Tiekink
**Crystal structure of hexanedihydrazide,
C₆H₁₄N₄O₂ — 1257**

Ignez Caracelli, Julio Zukerman-Schpector, Ariel L. Llanes Garcia, Edson R. Costenaro, Carlos Roque D. Correia and Edward R.T. Tiekink
Crystal structure of *tert*-butyl 2-(hydroxymethyl)-5-{4-[(methoxycarbonyl)amino]phenyl}-2,5-dihydro-1*H*-pyrrole-1-carboxylate, C₁₈H₂₄N₂O₅ — 1259

Chien Ing Yeo and Edward R.T. Tiekink
**Crystal structure of [(Z)-O-isopropyl N-(4-nitrophenyl)thiocarbamato-κS]-[triphenylphosphine-κP]-gold(I),
C₂₈H₂₆AuN₂O₃PS — 1263**

Fong Sheen Kuan and Edward R.T. Tiekink
**Crystal structure of [O-ethyl N-(4-nitrophenyl)thiocarbamato-κS](tri-4-tolylphosphine-κP)gold(I)
tetrahydrofuran solvate, C₃₀H₃₀AuN₂O₃PS, C₄H₈O — 1267**