


ZEITSCHRIFT FÜR KRISTALLOGRAPHIE NEW CRYSTAL STRUCTURES

**EDITOR-IN-CHIEF***Hubert Huppertz***EDITORIAL BOARD***Christian Hübschle**Oliver Janka**Andreas Lemmerer**Guido J. Reiss**Svitlana V. Shishkina**Edward R. T. Tiekink*

2,2'-((pyridine-2,6-diylbis(methylene))
bis(sulfanedyl))-bis(4,5-dihydro-1*H*-imi-
dazol-3-ium) bromide

ZEITSCHRIFT FÜR KRISTALLOGRAPHIE NEW CRYSTAL STRUCTURES

EDITOR-IN-CHIEF

Hubert Huppertz

EDITORIAL BOARD

Christian Hübschle

Oliver Janka

Andreas Lemmerer

Guido J. Reiss

Svitlana V. Shishkina

Edward R. T. Tiekink

DE GRUYTER

Zeitschrift für Kristallographie – New Crystal Structures was founded in 1997 as spin off of Zeitschrift für Kristallographie to meet the high demand to publish results of structure determination. All publications and their submitted CIF-data are online freely available (Open Access). Zeitschrift für Kristallographie — New Crystal Structures offers a place for researchers to present

- results of determinations of hitherto unknown crystal structures which do not justify detailed discussion of determination procedure, crystal structure, and/or structure-property relations (routine determinations and structures),
- refinement of previously published crystal structures which do not require a new description or discussion.

Further details of the structure determination can be accessed at the relevant database. Data with CSD numbers can be obtained from the Fachinformationszentrum Karlsruhe, Gesellschaft für wissenschaftlich-technische Information mbH, 76344 Eggenstein-Leopoldshafen, Germany (e-mail: crysdata@fiz-karlsruhe.de). Data with CCDC numbers can be obtained from the Cambridge Crystallographic Data Centre (CCDC), 12 Union Road, Cambridge CB2 1EZ, UK, (fax: +44-(0)1223-33 60 33 or e-mail: deposit@chemcrs.cam.ac.uk).

ONLINE-SUBMISSION New Crystal Structures (NCS) have to be submitted online as CIF-file to: <https://mc.manuscriptcentral.com/zkrist-ncs>

ABSTRACTED/INDEXED IN Baidu Scholar · Cabells Journalytics · Chemical Abstracts Service (CAS): CAPlus; SciFinder · Chimica · Chronos Hub · CNKI Scholar (China National Knowledge Infrastructure) · CNPIEC: cnpLINKer · Dimensions · DOAJ (Directory of Open Access Journals) · EBSCO (relevant databases) · EBSCO Discovery Service · Engineering Village · Genamics JournalSeek · GeoRef · GoOA · Google Scholar · Inspec · Japan Science and Technology Agency (JST) · J-Gate · Journal Citation Reports/Science Edition · JournalGuide · JournalTOCs · KESLI-NDSL (Korean National Discovery for Science Leaders) · MyScienceWork · Naver Academic · Naviga (Softweco) · Paperbase · Polymer Library · Primo Central (ExLibris) · Publons · QOAM (Quality Open Access Market) · ReadCube · Reaxys · SCImago (SJR) · SCOPUS · Semantic Scholar · Sherpa/RoMEO · Summon (ProQuest) · TDNet · TEMA Technik und Management · Ulrich's Periodicals Directory/ulrichsweb · WanFang Data · Web of Science: Current Contents/Physical, Chemical and Earth Sciences; Science Citation Index Expanded · WorldCat (OCLC) · X-MOL · Yewno Discover

ISSN 1433-7266 · e-ISSN 2197-4578

All information regarding notes for contributors, subscriptions, Open access, back volumes and orders is available online at www.degruyter.com/ncrs

RESPONSIBLE EDITOR Univ.-Prof. Dr. Hubert Huppertz, University of Innsbruck, Institute of General, Inorganic and Theoretical Chemistry, Innrain 80-82, 6020 Innsbruck, Austria, e-mail: Hubert.Huppertz@uibk.ac.at

PUBLISHER Walter de Gruyter GmbH, Berlin/Boston, Genthiner Straße 13, 10785 Berlin, Germany

JOURNAL MANAGER Holger Kleessen, De Gruyter, Genthiner Straße 13, 10785 Berlin, Germany, Tel.: +49 (0)30 260 05 – 348, Fax: +49 (0)30 260 05 – 184, e-mail: ZKristallogr-NCS@degruyter.com

RESPONSIBLE FOR ADVERTISEMENTS Markus Kügel, De Gruyter, Rosenheimer Str. 143, 81671 München, Germany, Tel.: +49 89 76 902-424, e-mail: anzeigen@degruyter.com

© 2022 Walter de Gruyter GmbH, Berlin/Boston, Germany

TYPESETTING TNQ Technologies, Chennai, India

PRINTING Franz X. Stickle Druck und Verlag e.K., Ettenheim

COVER ILLUSTRATION Václav Eigner: The crystal structure of 2,2'-((pyridine-2,6-diylbis(methylene))bis(sulfanediy))bis(4,5-dihydro-1H-imidazol-3-ium) bromide, C₁₃H₉Br₂N₅S₂; in this issue pp. 1061-1063. DOI: 10.1515/ncrs-2022-0397



Contents

Zhen Li, Wanxing Liu, Baolei Wang, Yanbing Yang,
Dong Liu and Yifan Dai

The crystal structure of 1,5-bis(4-chlorophenyl)-3-(3-methylphenyl)pentane-1,5-dione, $C_{48}H_{40}Cl_4O_4$ — 977

Zhiwei Tang, Dewu Wu and Decai Wen

Crystal structure of (bis(1,10-phenanthroline- κ^2 - N,N')-(3,5-dinitrosalicylato- κ^2O,O'))nickel(II), $C_{31}H_{18}N_6NiO_7$ — 981

Ji-Xing Zhao and Xiao-Jun Wang

Crystal structure of { N,N' -bis(4-fluoro-salicylaldehyde)-3,6-dioxo-1,8-diaminooctane- κ^4O,N,N',O' }zinc(II), $C_{20}H_{20}F_2N_2O_4Zn$ — 985

Meifen Huang, Zhizheng Chen, Jiajun Xu and Qiong Wu
[5-Bromo-2-(2-(dimethylamino)ethyliminomethyl)phenolato- κ^3N,N',O]-isothiocyanato-nickel(II), $C_{12}H_{14}BrN_3NiOS$ — 987

Wenxuan Li, Lei Wang, Nan Jiang, Guige Hou
and Yongjun Liu

Crystal structure of 9-bromo-4-(6-methoxypyridin-2-yl)-5,6-dihydrobenzo[*h*]quinazolin-2-amine, $C_{18}H_{15}BrN_4O$ — 991

Li Xiao, Pan Hongxia, Liu Qiang, Gong Lei, Chen Lizhen
and Wang Jianlong

The crystal structure of imidazolium nitrate, $C_3H_5O_3N_3$ — 995

Jin Hu and Xin-Hua Lu

Crystal structure of diiodido-bis(6,6'-dimethoxy-2,2'-(ethane-1,2-diylbis(nitrilomethanylylidene)) diphenolato)tricadmium(II), $C_{36}H_{36}Cd_3I_2N_4O_8$ — 997

Ya-Ping Zhang and Zu-Tian Li

Crystal structure of [diaqua-bis(2-((1*H*-tetrazol-1-yl)methyl)-5-carboxy-1*H*-imidazole-4-carboxylato- κ^2N,O)manganese(II)] dihydrate, $C_{14}H_{18}MnN_{12}O_{12}$ — 1001

Ya-Ping Zhang, Lu-Yu Pu and De-Mei Sun

Crystal structure of Diaqua[5,5'-dicarboxy-2,2'-(propane-1,3-diyl)bis(1*H*-imidazole-4-carboxylato- κ^4O,O',N,N')]iron(II), $C_{13}H_{14}FeN_4O_{10}$ — 1005

Xiao-Yu Guo, Yun-Chao Liu and Peng-Hui Yin

Crystal structure of poly[dimethanol- κ^1O -(μ_2 -(*E*)-2-((2-oxidobenzylidene)amino)acetato)-(μ_3 -(*E*)-2-((2-oxidobenzylidene)amino)acetato)dicadmium(II)], $C_{20}H_{22}Cd_2N_2O_8$ — 1009

Wen-Ze Zhao

Crystal structure of N^2,N^6 -bis(2-(((*E*)-quinolin-8-ylmethylene)amino)phenyl)pyridine-2,6-dicarboxamide, $C_{39}H_{27}N_7O_2$ — 1013

Guido J. Reiss, Maik Wyshusek and Jana C. Rheinländer
An I_6^{2-} anion in the crystal structure of theophyllinium triiodide monohydrate, $C_7H_{11}I_3N_4O_3$ — 1017

Qi-Ming Qiu, Li Yan and Jian-Biao Song

The crystal structure of poly[6,6'-oxybis(4-(pyridin-1-ium-1-yl)-1,3,5,2,4,6-trioxatriborinan-2-olate)], $[B_6O_9](C_5H_5N)_2$ — 1021

Mohammed A. Elmakki, Orbett T. Alexander,
Johan A. Venter and Andreas Roodt

The crystal structure of (carbonato κ^2O,O')(2-oxopyridin-1(2*H*)-olato- κN)tris(trimethylphosphine)rhodium(III) water solvate, $C_{15}H_{33}NO_5P_3Rh$ — 1023

Hui-Jin Liu

The crystal structure of dibromido-bis((*RS*)-2-(4-chlorophenyl)-2-(1,2,4-triazol-1-ylmethyl)hexanenitrile- κ^1N)zinc(II), $C_{30}H_{34}Br_2Cl_2N_8Zn$ — 1027

Hai-Lin Chen, Dong-Mei Yao, Ze-Ping Luo, Yan-Ping Wang
and Li-Sheng Luo

Synthesis and crystal structure of 3-(((7-hydroxy-3-(4-hydroxy-3,5-dinitrophenyl)-4-oxo-4*H*-chromen-8-yl)methyl)(nitroso)amino)propanoic acid, $C_{19}H_{14}N_4O_{11}$ — 1029

Yong Li, Yundeng Wu and Jingjing Wang

The crystal structure of 3-((4-chloro-*N*-(2-methoxyethyl)benzamido)methyl)phenyl methanesulfonate, $C_{18}H_{20}ClNO_5S$ — 1033

Yuga Shibuya, Shinichi Koguchi and Makoto Oba
Crystal structure of di([1,1':3',1''-terphenyl]-2'-yl)tellane, $C_{36}H_{26}Te$ — 1037

Yang Kong and Chang-Zhao Wang
The crystal structure of diaqua-bis(pyrazolo[1,5-*a*]-pyrimidine-3-carboxylato- κ^2N,O)zinc(II), $C_{14}H_{12}N_6O_6Zn$ — 1041

Zhijian Zhang, Wujiu Jiang, Fuxing Zhang and Aodian Li
Crystal structure of N',N''' -(1*E*,2*E*)-1,2-diphenylethane-1,2-diylidene)bis(4-methylbenzohydrazide) – water – methanol (1/1/1), $C_{31}H_{32}N_4O_4$ — 1043

Wen-Jun Lan, Chun-Yi Liu, Yan-Bi Luo, Qiang Fei and Wen-Neng Wu
Crystal structure of 3-((2,4-dichlorobenzyl)thio)-5-methyl-7-(trifluoromethyl)-[1,2,4]triazolo [4,3-*c*]pyrimidine, $C_{14}H_9Cl_2F_3N_4S$ — 1047

Ming Gu, Ji-Xin Li, Jiang-Hai Ye, Juan Zou and Ya-Hua Liu
Crystal structure of 3,5,6,7-tetramethoxy-3',4'-methylenedioxy-flavone, $C_{20}H_{18}O_8$ — 1049

Hua-Xiang Zhang
Crystal structure of *catena*-poly[(5,5'-dimethyl-2,2'-bipyridine- κ^2N,N')-(μ₃-hydrogen-1,1',1''-(1,3,5-triazine-2,4,6-triyl)tris(piperidine-4-carboxylato)- $\kappa^5O:O,O':O'',O'''$)-cadmium(II)], $C_{33}H_{40}CdN_8O_6$ — 1051

Kiyoshi Fujisawa, Keigo Ageishi, Mitsuki Okano and Edward R. T. Tiekink
The crystal structure of 3,5-bis(propan-2-yl)-1*H*-pyrazol-4-amine, $C_9H_{17}N_3$ — 1055

Feng Gao and Zi-Hang Cheng
Crystal structure of [(1,4,7,10-tetraoxacyclododecane- κ^4O,O',O'',O''')-tris(nitrato- κ^2O,O')gadolinium(III)], $C_8H_{16}N_3O_{13}Gd$ — 1059

Václav Eigner
The crystal structure of 2,2'-((pyridine-2,6-diylbis(methylene))bis(sulfanediyl))-bis(4,5-dihydro-1*H*-imidazol-3-ium) bromide, $C_{13}H_{19}Br_2N_5S_2$ — 1061

Nina Zhu, Jimin Zhao and Lihui Zhang
Crystal structure of *E*-2-chloro- N' -(1-(5-chloro-2-hydroxyphenyl)propylidene)benzohydrazide, $C_{16}H_{14}Cl_2N_2O_2$ — 1065

Lamya H. Al-Wahaibi, Mohammed S. M. Abdelbaky, Santiago Garcia-Granda, Edward R. T. Tiekink and Ali A. El-Emam

Crystal structure of 3-(adamantan-1-yl)-4-methyl-5-[[4-(4-nitrophenyl)methyl]sulfanyl]-4*H*-1,2,4-triazole, $C_{20}H_{24}N_4O_2S$ — 1067

Tingting Zhou
The crystal structure of dimethanol- κ^1O -(5,10,15,20-tetrakis(4-nitrophenyl)porphyrin-21,23-diido- κ^4O,O',O'',O''')manganese(III) trans-dicyanido- κ^1C -bis(acetylacetonato- κ^2O,O')ruthenium(III), $C_{58}H_{46}N_{10}O_{14}RuMn$ — 1071

Kiyoshi Fujisawa, Taisei Kataoka, Kohei Terashima and Edward R. T. Tiekink
The crystal structure of nitroxyl- κN -[hydridotris(3-trifluoromethyl-5-methylpyrazolyl-1-yl- κN^3)borato]nickel(II), $C_{15}H_{13}BF_9N_7NiO$ — 1075

Zhou Tingting and Cao Zhen
The crystal structure of [(2,2'-bipyridine- κ^2N,N)-bis(6-phenylpyridine-2-carboxylato- κ^2N,O)nickel(II)]monohydrate, $C_{34}H_{26}N_4O_5Ni$ — 1079

Yundeng Wu, Jun Xie, Hui Wan, Xiangyang Xu and Jian Li
The crystal structure of 5-(2-fluoro-3-methoxyphenyl)-1-(2-fluoro-6-(trifluoromethyl)benzyl)-6-methylpyrimidine-2,4(1*H*,3*H*)-dione, $C_{20}H_{15}F_5N_2O_3$ — 1083

Jingjing Wang, Yundeng Wu and Yong Li
The crystal structure of ethyl 2,3,5-trifluoro-4-(4-oxo-3,4-dihydropyridin-1(2*H*)-yl)benzoate, $C_{14}H_{12}F_3NO_3$ — 1087

Jiao Yang, Jiajun Xu, Nichan Liao and Qiong Wu
[2,2'-{Ethane-1,2-diylbis[(azanylylidene)methanylylidene]}bis(3-bromo-2-hydroxyphenyl)]iron(III) nitrate, $C_{20}H_{12}Br_2CuN_2O_2$ — 1091

Ignéz Caracelli, Wytan K. O. Teixeira, Danilo Yano de Albuquerque, Ricardo S. Schwab and Edward R. T. Tiekink
The crystal structure of 1-(2-iodophenyl)-4-phenyl-1*H*-1,2,3-triazole, $C_{14}H_{10}IN_3$ — 1093

Yang Chen, Tao Xiao, Feng Liu and Xiaolong Yan
Synthesis and crystal structure of 2-(2-oxo-2-(thiophen-2-yl)ethyl)-4*H*-chromen-4-one, $C_{15}H_{10}O_3S$ — 1097

Qiong Wu, Guojun Yu, Jiao Yang and Qiuling Yang
{6,6'-((1*E*,1'*E*)-((2,2-dimethylpropane-1,3-diyl)-bis(azaneylylidene))bis(methaneylylidene))-bis(2-bromo-4-chlorophenolato)- κ^4 N,N',O,O'}-copper(II), $C_{19}H_{16}Br_2Cl_2CuN_2O_2$ — 1101

Itumeleng B. Setschedi, Andreas Lemmerer and Mark G. Smith
The crystal structure of *N'*-[bis(2-hydroxyphenyl)methylidene]pyridine-4-carbohydrazide, $C_{19}H_{15}N_3O_3$ — 1105

Qiaoling Lan, Meifen Huang, Jiajun Xu and Qiong Wu
Crystal structure of 2-chloro-6-formylphenolato- κ^2 O,O'-(6,6'-(((2,2-dimethylpropane-1,3-diyl)bis(azaneylylidene))bis(methaneylylidene)))bis(2-chlorophenolato) κ^4 N,N,O,O'cobalt(III), $C_{26}H_{22}Cl_3CoN_2O_4$ — 1109

Wang Li-Hua, Tai Hao-Wen, Li Qiu-Shi, Xia Yu-Pei and Tai Xi-Shi
The crystal structure of tetrakis(6-phenylpyridine-2-carboxylate- κ^2 N,O)-bis(μ_2 -6-phenylpyridine-2-carboxylate- κ^2 O:O')-bis(μ_2 -6-phenylpyridine-2-carboxylate- κ^3 N,O:O)tetralead(II), $C_{48}H_{32}N_4O_8Pb_2$ — 1113

Juan Liu, Sai Chen, Meng Wang, Wei-Hua Yuan and Honglei Li
The crystal structure of 3,7-dihydroxy-9-methoxy-4*a*-methyl-4*aH*-benzo[*c*] chromene-2,6-dione — dichloromethane (1/1), $C_{16}H_{14}Cl_2O_6$ — 1117

Zhijian Zhang, Xiyuan Xiao, Wujiu Jiang and Hao Feng
The crystal structure of (Z)-6-(((5-chloro-2-hydroxyphenyl)amino)methylene)- 4-nitrocyclohexa, $C_{13}H_9ClN_2O_4$ — 1119

Jie Li, Biao Yan and Hongya Li
Crystal structure of dichlorido-tetra((*E*)-(RS)-1-(2,4-dichlorophenyl)-4,4-dimethyl-2-(1,2,4-triazol-1-yl)pent-1-en-3-ol- κ^1 N)zinc(II), $C_{60}H_{68}O_4N_{12}Cl_{10}Zn$ — 1121

Dongmei Gao and Zhenyu Zuo
The crystal structure of 4-(2-bromoethoxy)-2-hydroxybenzaldehyde, $C_9H_9BrO_3$ — 1125

Zhao Huipeng, Lian Pengbao, Cao Cai, Chen LiZhen and Wang Jianlong
The crystal structure of 5-azido-1-methyl-4-nitroimidazole, $C_4H_4O_2N_6$ — 1127

Jie Li, Biao Yan and Hongya Li
Crystal structure of dibromido-tetra((*E*)-(RS)-1-(2,4-dichlorophenyl)-4,4-dimethyl-2-(1,2,4-triazol-1-yl)pent-1-en-3-ol- κ^1 N)zinc(II), $C_{60}H_{68}O_4N_{12}Br_2Cl_8Zn$ — 1129

Chen Wu-Hua, Zhang Zhu-Sen, Qiu Ze-Hai, Wen Li-Ting and Xu Hong
Crystal structure of tetrasodium-bis(μ_2 -oxido)-hexafluoro-didioxo-molybdenum(V), $Na_2(Mo_2O_4F_6)$ — 1133

Kun Liu, Qiang Han, Kai-Hui Zhao, Qi-Di Zhong and Zhi-Fei Zhang
Crystal structure of (*E*)-*N'*-(2-chloro-6-hydroxybenzylidene)-4-hydroxybenzohydrazide-water (1/1), $C_{14}H_{13}ClN_2O_4$ — 1135

Kun-Sheng Jin and Wei-Na Wu
Crystal structure of (*E*)-*N*-(4-morpholinophenyl)-1-(quinolin-2-yl)methanimine, $C_{20}H_{19}N_3O$ — 1137

Qiang Zhao, Xinyu Chen and Guang Huang
The crystal structure of *catena*-poly[(1,10-phenanthroline- κ^2 N,N')-(μ_3 -2-hydroxybenzene-1,3-dicarboxylate- κ^5 O,O':O'',O''':O''')cadmium(II)], $C_{20}H_{12}CdN_2O_5$ — 1139

Xiaofan Bai, Ziwen Zhang, Wei Guo, Yongkang Zhang, Liqiang Zhang, Huihui Liu, Haixia Wu and Yong Li
The crystal structure of 2,6-di-*tert*-butyl-4-(4-(methylthio)benzylidene)cyclohexa-2,5-dien-1-one, $C_{22}H_{28}OS$ — 1143

Vitalii Nytko, Vasyl Kordan and Volodymyr Pavlyuk
 $La_{3.65}Mg_{30}Sb_{1.07}$ as a disordered derivative of Th_2Ni_{17} -type structure — 1147

Pan Jing, Yue-Hong Yin and Hai-Tao Zong
Crystal structure of (*E*)-*N*-(4-morpholinophenyl)-1-(quinoxalin-2-yl)methanimine, $C_{19}H_{18}N_4O$ — 1151

Václav Eigner
The crystal structure of 2,2'-(1,2-phenylenebis(methylene))bis(1,3-dimethylisothiuronium) bromide, $C_{14}H_{24}Br_2N_4S_2$ — 1155

Yu-Chang Du, Yan Li, Chen Xiong, Bin Li and Hao Wei
Crystal structure of tetraaqua-bis[4-(1*H*-1,2,4-triazol-1-yl)benzoato- κ^1 N]zinc(II), $C_{18}H_{20}ZnN_6O_8$ — 1159

Yu-Pei Xia

Crystal structure of bis(tricarbonyl)-{(S)-(tert-butoxycarbonyl)(1-methoxy-1-oxo-3-sulfido- κ^2 S:S'-propan-2-yl)amido- κ^2 N:N'}diiron(I) (Fe—Fe), $C_{15}H_{15}Fe_2NO_{10}S$ — 1161

Fei Yuan, Ya-Fei Guo, Jun-Ying Ma, Ke-Wen Guo and Zhi-Cong Xu

Crystal structure of (E)-3-((4-chlorophenyl)thio)-4-hydroxypent-3-en-2-one, $C_{11}H_{11}ClO_2S$ — 1163

Ji Zhou, Shuhao Yuan, Shiyu Yan, Qingyuan Tang, Han Mao, Qian He and Ying Cui

The crystal structure of (E)-3',6'-bis(diethylamino)-2-((5-(diethylamino)-2-hydroxybenzylidene)amino)spiro[isoindoline-1,9'-xanthen]-3-one, $C_{39}H_{45}N_5O_3$ — 1167

Soon Young Shin, Ha-Jin Lee, Jiha Sung and Dongsoo Koh
The crystal structure of 2-(4-methoxynaphthalen-1-yl)-4H-chromen-4-one, $C_{20}H_{14}O_3$ — 1171

Nqobile G. Ndlangamandla and Hadley S. Clayton

The crystal structure of trans-dichlorido-(ethylenediamine- κ^2 N,N')-bis(triphenylphosphine- κ^1 P)ruthenium(II), $C_{38}H_{38}Cl_2N_2P_2Ru$ — 1175

Vesna Sokol, Lara Brajica, Ozana Mišura, Marijana Đaković, Andrea Paut, Ante Prkić and Boris-Marko Kukovec

The double polymeric chain of catena-poly[(μ_2 -6-bromopyridine-3-carboxylato- κ^2O,O')(6-bromopyridine-3-carboxylato- κ^2O,O')(μ_2 -1,2-bis(4-pyridyl)ethylene- $\kappa^2N:N'$)cobalt(II)], $C_{24}H_{16}CoBr_2N_4O_4$ — 1181

Chen Zhen, Sun Yanwen and Meng Yingying

The crystal structure of tert-butyl 2-(4-(12-bromo [2.2]paracyclophanyl)carbamoyle)pyrrolidine-1-carboxylate, $C_{26}H_{31}BrN_2O_3$ — 1185

Soon Young Shin, Seunghyun Ahn and Dongsoo Koh

The crystal structure of (Z)-2-(2,3-dimethoxybenzylidene)naphtho[1,2-b]furan-3(2H)-one, $C_{21}H_{16}O_4$ — 1189

Zhenguo Zhang, Changchun Yuan, Miao-Miao Xun and Kai Fu

Crystal structure of 2-hydroxy-1-tosylindolin-3-yl-2-naphthoate, $C_{26}H_{21}N_1S_1O_5$ — 1193

Jing Nie, Mou Jiahui and Wang Wenxiang

The crystal structure of 1-methyl-N-(1-methyl-1H-imidazole-2-carbonyl)-1H-imidazole-2-carboxamide, $C_{10}H_{11}N_5O_2$ — 1195

Zhenxiu Xiao, Li Wu, Yizi Su and Wujiu Jiang

The crystal structure of (E)-2-((5-bromo-2-hydroxybenzylidene)amino)-3',6'-bis(ethylamino)-2',7'-dimethylspiro[isoindoline-1,9'-xanthen]-3-one, $C_{33}H_{31}BrN_4O_3$ — 1197

Jianguo Wei, Qing Yu and Fulin Sun

The crystal structure of dimethanol-5,15-diphenylporphyrin-21,23-diido- κ^4N,N',N'',N''' -manganese(III) trans-dicyanido-bis(acetylacetonato- κ^2O,O')ruthenium(III), $C_{46}H_{42}N_6O_6RuMn$ — 1201

Qiang Zhou and Guang-Chuan Ou

Crystal structure of 1,4,8,11-tetraazacyclotetradecane-1,8-diium bis(3,5-dicarboxybenzoate), $C_{28}H_{36}N_4O_{12}$ — 1205

Yan Wang and Shun Xu

Bifurcated halogen bonds in the crystal structure of 2,2'-bi(1,8-naphthyridine)—1,4-diiodotetrafluorobenzene (1/1), $C_{22}H_{10}F_4I_2N_4$ — 1207