


ZEITSCHRIFT FÜR KRISTALLOGRAPHIE NEW CRYSTAL STRUCTURES



EDITOR-IN-CHIEF
Hubert Huppertz

EDITORIAL BOARD
Christian Hübschle
Oliver Janka
Andreas Lemmerer
Guido J. Reiss
Marko Rodić
Svitlana V. Shishkina
Edward R. T. Tiekink

$\text{EuCr}_2\text{Al}_{20}$: condensation pattern of the Eu@Al_{16} and Cr@Al_{12} polyhedra.

ZEITSCHRIFT FÜR KRISTALLOGRAPHIE NEW CRYSTAL STRUCTURES

EDITOR-IN-CHIEF

Hubert Huppertz

EDITORIAL BOARD

Christian Hübschle

Oliver Janka

Andreas Lemmerer

Guido J. Reiss

Marko Rodić

Svitlana V. Shishkina

Edward R. T. Tiekink

DE GRUYTER

Zeitschrift für Kristallographie – New Crystal Structures was founded in 1997 as spin off of Zeitschrift für Kristallographie to meet the high demand to publish results of structure determination. All publications and their submitted CIF-data are online freely available (Open Access). Zeitschrift für Kristallographie — New Crystal Structures offers a place for researchers to present

- results of determinations of hitherto unknown crystal structures which do not justify detailed discussion of determination procedure, crystal structure, and/or structure-property relations (routine determinations and structures),
- refinement of previously published crystal structures which do not require a new description or discussion.

Further details of the structure determination can be accessed at the relevant database. Data with CSD numbers can be obtained from the Fachinformationszentrum Karlsruhe, Gesellschaft für wissenschaftlich-technische Information mbH, 76344 Eggenstein-Leopoldshafen, Germany (e-mail: crysdata@fiz-karlsruhe.de). Data with CCDC numbers can be obtained from the Cambridge Crystallographic Data Centre (CCDC), 12 Union Road, Cambridge CB2 1EZ, UK, (fax: +44-(0)1223-33 60 33 or e-mail: deposit@chemcrs.cam.ac.uk).

ONLINE-SUBMISSION New Crystal Structures (NCS) have to be submitted online as CIF-file to: <https://mc.manuscriptcentral.com/zkrist-ncs>

ABSTRACTED/INDEXED IN Baidu Scholar · Cabells Journalytics · Chemical Abstracts Service (CAS): CAPlus; SciFinder · Chimica · Chronos Hub · CNKI Scholar (China National Knowledge Infrastructure) · CNPIEC: cnpLINKer · Dimensions · DOAJ (Directory of Open Access Journals) · EBSCO (relevant databases) · EBSCO Discovery Service · Engineering Village · Genamics JournalSeek · GeoRef · GoOA · Google Scholar · Inspec · Japan Science and Technology Agency (JST) · J-Gate · Journal Citation Reports/Science Edition · JournalGuide · JournalTOCs · KESLI-NDSL (Korean National Discovery for Science Leaders) · MyScienceWork · Naver Academic · Naviga (Softweco) · Paperbase · Polymer Library · Primo Central (ExLibris) · Publons · QOAM (Quality Open Access Market) · ReadCube · Reaxys · SCImago (SJR) · SCOPUS · Semantic Scholar · Sherpa/ RoMEO · Summon (ProQuest) · TDNet · TEMA Technik und Management · Ulrich's Periodicals Directory/ulrichsweb · WanFang Data · Web of Science: Current Contents/Physical, Chemical and Earth Sciences; Science Citation Index Expanded · WorldCat (OCLC) · X-MOL · Yewno Discover

ISSN 1433-7266 · e-ISSN 2197-4578

All information regarding notes for contributors, subscriptions, Open access, back volumes and orders is available online at www.degruyter.com/ncrs

RESPONSIBLE EDITOR Univ.-Prof. Dr. Hubert Huppertz, University of Innsbruck, Institute of General, Inorganic and Theoretical Chemistry, Innrain 80-82, 6020 Innsbruck, Austria, e-mail: Hubert.Huppertz@uibk.ac.at

PUBLISHER Walter de Gruyter GmbH, Berlin/Boston, Genthiner Straße 13, 10785 Berlin, Germany

JOURNAL MANAGER Holger Kleessen, De Gruyter, Genthiner Straße 13, 10785 Berlin, Germany, Tel.: +49 (0)30 260 05 – 348, Fax: +49 (0)30 260 05 – 184, e-mail: ZKristallogr-NCS@degruyter.com

ADVERTISEMENTS e-mail: anzeigen@degruyter.com

© 2023 Walter de Gruyter GmbH, Berlin/Boston, Germany

TYPESETTING TNQ Technologies, Chennai, India

PRINTING Franz X. Stücker Druck und Verlag e.K., Ettenheim

COVER ILLUSTRATION Aylin Koldemir, Steffen Klenner and Rainer Pöttgen: Crystal structure of europium dichromium icosaluminum, $\text{EuCr}_2\text{Al}_{20}$; in this issue pp. 507–509. DOI: 10.1515/ncrs-2023-0054.



Contents

Su-Fen Bai, Shan-Shan Li, Jia-Xuan Liu, Chun-Yu Tian, Xiao-Long Li and Xiao-Jin La

Crystal structure of phenyl(3,3-dichloro-1,3-dihydro-2H-pyrrolo[2,3-*b*]pyridin-2-one)methanone, $C_7H_4Cl_2N_2O$ — 411

Shin Jiehye, Kang Jaeun and Junghwan Do
Crystal structure of poly[diaqua-bis(μ_2 -1,4-diaminobutane-*N:N'*)cobalt(II)] dichloride, $C_8H_{28}Cl_2CoN_4O_2$ — 413

Ren-Song Chen, Jing-Jie Zhang, Yi Zhang, Chuan-Yan Xu and Jiang-Hai Ye

Synthesis and crystal structure of (4*aR*,7*S*)-7-hydroxy-7-isopropyl-1,1-dimethyldecahydro-2*H*,6*H*-8*a*,4*a*-(epoxymethano)phenanthren-12-one, $C_{20}H_{32}O_3$ — 417

Yingju Li and Zhimao Yang

The crystal structure of 1-(2-chlorobenzyl)-3-(3,5-dichlorophenyl)urea, $C_{14}H_{11}Cl_3N_2O$ — 421

Huawei Tang, Qianqian Han and Lijuan Liu

Crystal structure of tetrapropylammonium-1,3,5-thiadiazole-5-amido-2-carbamate – 1,2,4-thiadiazole-3,5-diamine – water (1/1/1), $C_{17}H_{37}N_9O_3S_2$ — 425

Huawei Tang, Qianqian Han and Lijuan Liu

Tetrabutylammonium 1,3,5-thiadiazole-5-amido-2-carbamate—1,2,4-thiadiazole-3,5-diamine—water (1/1/1), $C_{21}H_{45}N_9O_3S_2$ — 429

Ting Li, Xiyuan Xiao, Yuxing Tan and Weiwei Fu

The crystal structure of ((*E*)-2,4-dichloro-6-(((2-hydroxy-5-nitrophenyl)imino)methyl)phenolato- κ^3N,O,O') tris(pyridine- κN)manganese(II), $C_{28}H_{21}Cl_2MnN_5O_4$ — 433

Li-Hua Wang, Hao-Wen Tai, Gui-Quan Song and Xi-Shi Tai

The crystal structure of aqua-bis{2-bromo-6-((2-phenylacetyl)hydrazineylidene)methyl}phenolato- κ^3N,O,O' -dimethylformamide- κ^1O -erbium(III) chloride – dimethylformamide – water (1/2/1), $C_{39}H_{49}N_7O_9Br_2ClEr$ — 437

Jun-Ya Song, Xiao-Yu Zhang, Chun-Li Zhang, Bei-Bei Zhao, Shi-Jie Huang and Xinfang Liu

Crystal structure of (diaqua-bis(phenanthroline- κ^2N,N')-tetrakis(m_2 -3,4,5,6-tetrafluorophthalato- $\kappa^4O,O':O''; \kappa^2O:O'$) dierbium (III) phenanthroline (1/2), $C_{80}H_{38}Er_2F_{16}N_8O_{18}$ — 441

Shuai Lai, Yun Hou, Feng-Lan Zhao and Qing-Guo Meng
Crystal structure of (*E*)-7-methoxy-2-(4-methoxy-2-(trifluoromethyl)benzylidene)-3,4-dihydronaphthalen-1(2*H*)-one, $C_{20}H_{17}F_3O_3$ — 445

Marcus Herbig and Uwe Böhme

The crystal structure of 4-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)morpholine, $C_{10}H_{20}BNO_3$ — 449

Jiahong Li, Zheyu Deng, Biao Li, Jiaqi Ou and Xiaoming Zhu

The crystal structure of catena-poly[aqua(1-naphthoato- κ^2O,O')-(μ-1-naphthoato- $\kappa^4O:O,O':O'$)lead(II)], $C_{22}H_{16}O_5Pb$ — 451

Qianqian Tang, Hanqi Dai, Guangfu Zhou, Yuanjiang Wu, Wei Wang and Yang Zhao

The crystal structure of 1-(4-chlorophenyl)-3-cycloheptylurea, $C_{14}H_{19}ClN_2O$ — 455

Claudio Barrientos, Juan Arturo Squella and Silvana Moris

The crystal structure of 4-(pyren-1-yl)butyl-4-nitrobenzoate, $C_{27}H_{21}NO_4$ — 459

Yuning Meng and Bin Cai

Crystal structure of cyclo-(bis(μ_2 -3,3'-(1*H*-imidazole-3-ium-1,3-diyl)dipropionato- $\kappa^4O,O':O'',O'''$)-dinitrato- κ^2O,O' -tetraoxido-diuranium(VI) $C_{18}H_{22}N_6O_{18}U_2$ — 463

Bin Cai and Yuning Meng

The crystal structure of catena-[nitrato- κ^2O,O' -(μ₃-3-iodobenzene-1,2-dicarboxylato- $\kappa^4O:O':O'',O'''$)-(2,2':6',2''-terpyridine- κ^3N,N',N'')lanthanum(III)], $C_{23}H_{14}IN_4O_7La$ — 465

Kwang Ha

Redetermination of crystal structure of [bis(pyridin-2-ylmethyl)amine- κ^3N,N',N'']chloridopalladium(II) chloride monohydrate — 467

Li Liu, Huan-Mei Guo, Li-Li Liu and Xin-Ru Qian

Crystal structure of catena-poly[triaqua-[bis(m_2 -4-(1*H*-1,2,4-triazol-1-yl)benzoato- $\kappa^2O:O'$)-(4-(1*H*-1,2,4-triazol-1-yl)benzoato- κ^1O)-praseodymium (III) monohydrate], $C_{27}H_{26}N_9O_{10}Pr$ — 471

Svetlana Belošević, Vukadin M. Leovac, Mirjana M. Radanović, Milica G. Bogdanović, Nikola D. Radnović and Marko V. Rodić

Crystal structure of *trans*-diaqua-bis(methyl methylcarbamohydrazonothioato- κ^2N,N') nickel(II) iodide semihydrate, $C_6H_{22}N_6O_2NiS_2I_2 \cdot 0.5H_2O$ — 475

Jing Zhang and Lixin Zhang

The crystal structure of 2-(2-fluoro-4-methyl-5-((2,2,2-trifluoroethyl)thio)phenyl)isoindolin-1-one, $C_{17}H_{13}F_4NOS$ — 479

Zheyu Deng, Jiahong Li, Xinbo Hou, Na Luo and Xiaoming Zhu

The crystal structure of di- μ -1-naphthylacetato- κ^3O, O' ; $\kappa^3O:O, O'$ -bis[(1-naphthylacetato- κ^2O, O')(2,2'-bipyridine- κ^2N, N')lead(II)] monohydrate, $C_{68}H_{54}N_4O_9Pb_2$ — 483

Na Lin, Ruiqin Sun and Xiaofang Li

Crystal structure of tetrapropylammonium guanidinium 4,4'-sulfonyldibenzoate monohydrate, $C_{27}H_{44}N_4O_7S$ — 487

Mengfei Li, Fangfang Geng and Honglei Zhu

Crystal structure of bis(tetrapropylammonium) terephthalate – 1-(diaminomethylene)thiourea – water (1/2/4) $C_{18}H_{40}N_5O_4S$ — 491

Han-Lin Luo, Wen-Xuan Li, Xian-Yong Bai, Qing-Guo Meng and Yun Hou

Crystal structure of (E)-7-fluoro-2-(4-morpholinobenzylidene)-3,4-dihydronaphthalen-1(2H)-one, $C_{21}H_{20}FNO_2$ — 495

Xiao-Ming Shi and Yu-Jia Fu

The crystal structure of poly[diaqua-bis(μ_3 -5-bromobenzene-1,3-dicarboxylato- κ^3O, O, O')-(μ_2 -1,3-bis-(4-pyridyl)-propane- κ^2N, N')-dizinc(II)]] – 5-bromobenzene-1,3-dicarboxylic acid [2/1], $C_{37}H_{29}Br_3N_2O_{14}Zn_2$ — 499

Jue-Yuan Chen, Long-Sheng Zou, Ni Lai, Zi-Yi Yin, Lin Yuan and Zhong-Yan Li

The crystal structure of 2-bromo-1,3-phenylene bis(4-methylbenzenesulfonate), $C_{20}H_{17}BrO_6S_2$ — 503

Aylin Koldemir, Steffen Klenner and Rainer Pöttgen

Crystal structure of europium dichromium icosaaluminum, $EuCr_2Al_{20}$ — 507

Ni Lai, Sheng-Ting Zhang, Fei Zou, Lin Yuan and Zhong-Yan Li

The crystal structure of N^1, N'^3 -di((E)-benzylidene) isophthalohydrazide dihydrate, $C_{22}H_{22}N_4O_4$ — 511

Lu Zhang, Hang Yuan, Jiang-Hai Ye, Kang He, Chun-Hua Lai and Juan Zou

Crystal structure of 7 α ,11 α -dihydroxy-15-oxo-ent-kauran-16-en-19,6 β -olide, $C_{20}H_{26}O_5$ — 513

Lamya H. Al-Wahaibi, Olivier Blacque, Edward R. T. Tiekink and Ali A. El-Emam

Crystal structure of 4-chloro- N' -[(1E)-pyridin-3-ylmethylidene]benzohydrazide, $C_{13}H_{10}ClN_3O$ — 517

Vidoslav S. Dekić, Biljana R. Dekić, Dragana M. Sejmanović, Suzana Janićević, Biljana Krüger, Volker Kahlenberg and Marko V. Rodić

The crystal structure of (Z)-3-(1-(2-((E)-4-isopropylbenzylidene)hydrazinyl)ethylidene) chroman-2,4-dione, $C_{21}H_{20}N_2O_3$ — 521

Juan Zhang, Yun Hou, Feng-Lan Zhao and Qing-Guo Meng

Crystal structure of E-7-fluoro-2-(2-(trifluoromethyl)benzylidene)-3,4-dihydronaphthalen-1(2H)-one, $C_{18}H_{12}F_4O$ — 525

Dong-feng Hong, Jia-Qi Ye and Wen-Bo Guo

Crystal structure of bis(6-aminopyridine-2-carboxylato- κ^2O, N)-bis(N,N-dimethylformamide- κ^1O)zinc(II), $C_{18}H_{24}N_6O_6Zn$ — 529

Lamya H. Al-Wahaibi, Mohammed S. M. Abdelbaky, Santiago Garcia-Granda, Edward R. T. Tiekink and Ali A. El-Emam

Crystal structure of 5-(adamantan-1-yl)-3-[(4-{[2-(trifluoromethyl)phenyl]-methyl}piperazin-1-yl)methyl]-1,3,4-oxadiazole-2(3H)-thione, $C_{25}H_{31}F_3N_4OS$ — 533

Lulu Zhang, Qianqian Han and Xin Zhu

Crystal structure of tetrapropylammonium bicarbonate-1-(diaminomethylene)thiourea – water (2/2/1), $C_{30}H_{72}N_{10}O_7S_2$ — 537

Chuanguo Cui, Jinxiao Zhang and Zhiyin Xiao

Crystal structure of tris(2,2'-bipyridine- κ^2N, N')iron(II) triiodide – dichloromethane (2/1), $C_{61}H_{50}Cl_2Fe_2I_{12}N_{12}$ — 541

Ze-Yi Lian and Wei-Na Wu

Crystal structure of 2-amino-3-[2-(1,3,3-trimethyl-1,3-dihydro-indol-2-ylidene)-ethylideneamino]-but-2-enedinitrile, $C_{17}H_{17}N_5$ — 545

Yuanci Li, Zhiqiang Feng and Hongjuan Tong

The crystal structure of 1-(2-chlorophenyl)-3-cycloheptylurea, $C_{14}H_{19}ClN_2O$ — 547

Kang-Woo Kim

Crystal structure of potassium bis(pentaseleido- $\kappa^2\text{Se}^1, \text{Se}^5$)palladate(II), $\text{K}_2[\text{Pd}(\text{Se}_5)_2]$ — 551

Ming Ni and Penghui Ni

The crystal structure of 5,10-bis(2-methoxyethyl)-5,10-dihydro-[1,2,3,4]tetrathiocino[5,6-*b*:8, 7-*b'*]diindole, $\text{C}_{22}\text{H}_{22}\text{N}_2\text{O}_2\text{S}_4$ — 555

Huiyang Liao and Penghui Ni

The crystal structure of 4-(4-iodophenyl)-5*H*-1,2,3-dithiazole-5-thione, $\text{C}_8\text{H}_4\text{INS}_3$ — 559

Li-Hua Wang, Hao-Wen Tai, Mei-Li Zhao and Xi-Shi Tai

Crystal structure of bis{ μ_2 -(4-acetyl-phenoxy)acetato- $\kappa^2\text{O}: \text{O}'$ }-bis{ μ_2 -(4-acetyl-phenoxy)acetato- $\kappa^3\text{O}, \text{O}' : \text{O}$ }-bis{(4-acetyl-phenoxy)acetato- $\kappa^2\text{O}, \text{O}'$ }-bis(phenanthroline- $\kappa^2\text{N}, \text{N}'$)didysprosium(III) tetrahydrate, $\text{C}_{84}\text{H}_{78}\text{N}_4\text{O}_{28}\text{Dy}_2$ — 563

Steffen Klenner, Theresa Block and Rainer Pöttgen

Crystal structure of $\text{Eu}_2\text{Pd}_{3.37(1)}\text{Zn}_{13.63(1)}$ — 567

Xin-Ting Xiong, Pan-Lei Xiao, Xiao-Hui Ou-Yang, Xu-Liang Nie and Xiu-Ying Song

Crystal structure of 2-methoxy-4-(methoxy-carbonyl)phenyl 2-chloro-4-fluorobenzoate, $\text{C}_{16}\text{H}_{12}\text{ClFO}_5$ — 571

Chong Tan, Tong Zhang and Xiaodong Yi

Crystal structure of *catena*-poly[bis(μ_2 -dicyanamide- $\kappa^2\text{N}:\text{N}'$)-bis(4-vinylpyridine- κN)-copper(II)], $\text{C}_{18}\text{H}_{14}\text{CuN}_8$ — 575

Wen-Jing Ma, Hao Wang, Zhen-Yu Wang, Yu-Xuan Long, Xin-Qi Wang, Qian Ma, Cui-Ran Xu and Yu-Heng Ma

The crystal structure of iguratimod-dimethylformamide (1/1), $\text{C}_{17}\text{H}_{14}\text{N}_2\text{O}_6\text{S} \cdot \text{C}_3\text{H}_7\text{NO}$ — 577

Jin-Feng Zhao, Wen-Wen Zhang, Jiang-Hai Ye, Kang He and Juan Zou

Synthesis and crystal structure of 1-((3*R*,10*S*,13*S*,17*S*)-10,13-dimethyl-3-(*m*-tolylamino)hexadecahydro-1*H*-cyclopenta[α]phenanthren-17-yl)ethan-1-one, $\text{C}_{28}\text{H}_{41}\text{NO}$ — 579

Fei Zou, Sheng-Ting Zhang, Jue-Yuan Chen and Lin Yuan

The crystal structure of diaqua-bis(4-bromo-2-formylphenoxy)zinc(II), $\text{C}_{14}\text{H}_{12}\text{Br}_2\text{O}_6\text{Zn}$ — 583

Na Li, Xiao-Jie Wang, Yu-Cai Qin and Jing-Yun Wang

The crystal structure of tetra(1-ethylimidazole- $\kappa^1\text{N}$)-[μ_4 -imidazole-4,5-dicarboxylato- $\kappa^4\text{O}, \text{N}, \text{O}', \text{N}'$]-trioxido-divanadium, $\text{C}_{25}\text{H}_{33}\text{N}_{10}\text{O}_7\text{V}_2$ — 585

Sha Yang, Jing Men and Wenqiang Tang

The crystal structure of (*E*)-*N'*-(1-(4-fluorophenyl)propylidene)-2-hydroxybenzohydrazide, $\text{C}_{16}\text{H}_{15}\text{FN}_2\text{O}_2$ — 589