


ZEITSCHRIFT FÜR KRISTALLOGRAPHIE NEW CRYSTAL STRUCTURES

**EDITOR-IN-CHIEF**

Hubert Huppertz

EDITORIAL BOARD

Christian Hübschle

Oliver Janka

Andreas Lemmerer

Guido J. Reiss

Marko Rodić

Svitlana V. Shishkina

Edward R. T. Tiekink

ZEITSCHRIFT FÜR KRISTALLOGRAPHIE NEW CRYSTAL STRUCTURES

EDITOR-IN-CHIEF

Hubert Huppertz

EDITORIAL BOARD

Christian Hübschle

Oliver Janka

Andreas Lemmerer

Guido J. Reiss

Marko Rodić

Svitlana V. Shishkina

Edward R. T. Tiekink

DE GRUYTER

Zeitschrift für Kristallographie – New Crystal Structures was founded in 1997 as spin off of Zeitschrift für Kristallographie to meet the high demand to publish results of structure determination. All publications and their submitted CIF-data are online freely available (Open Access). Zeitschrift für Kristallographie — New Crystal Structures offers a place for researchers to present

- results of determinations of hitherto unknown crystal structures which do not justify detailed discussion of determination procedure, crystal structure, and/or structure-property relations (routine determinations and structures),
- refinement of previously published crystal structures which do not require a new description or discussion.

Further details of the structure determination can be accessed at the relevant database. Data with CSD numbers can be obtained from the Fachinformationszentrum Karlsruhe, Gesellschaft für wissenschaftlich-technische Information mbH, 76344 Eggenstein-Leopoldshafen, Germany (e-mail: crysdata@fiz-karlsruhe.de). Data with CCDC numbers can be obtained from the Cambridge Crystallographic Data Centre (CCDC), 12 Union Road, Cambridge CB2 1EZ, UK, (fax: +44-(0)1223-33 60 33 or e-mail: deposit@chemcrs.cam.ac.uk).

ONLINE-SUBMISSION New Crystal Structures (NCS) have to be submitted online as CIF-file to: <https://mc.manuscriptcentral.com/zkrist-ncs>

ABSTRACTED/INDEXED IN Baidu Scholar · Cabells Journalytics · Chemical Abstracts Service (CAS): CAPlus; SciFinder · Chimica · Chronos Hub · CNKI Scholar (China National Knowledge Infrastructure) · CNPIEC: cnpLINKer · Dimensions · DOAJ (Directory of Open Access Journals) · EBSCO (relevant databases) · EBSCO Discovery Service · Engineering Village · Genamics JournalSeek · GeoRef · GoOA · Google Scholar · Inspec · Japan Science and Technology Agency (JST) · J-Gate · Journal Citation Reports/Science Edition · JournalGuide · JournalTOCs · KESLI-NDSL (Korean National Discovery for Science Leaders) · MyScienceWork · Naver Academic · Naviga (Softweco) · Polymer Library · Primo Central (ExLibris) · Publons · QOAM (Quality Open Access Market) · ReadCube · Reaxys · Scilit · SCImago (SJR) · SCOPUS · Semantic Scholar · Sherpa/RoMEO · Summon (ProQuest) · TDNet · TEMA Technik und Management · Ulrich's Periodicals Directory/ulrichsweb · WanFang Data · Web of Science: Current Contents/Physical, Chemical and Earth Sciences; Science Citation Index Expanded · WorldCat (OCLC) · X-MOL · Yewno Discover

ISSN 1433-7266 · e-ISSN 2197-4578

All information regarding notes for contributors, subscriptions, Open access, back volumes and orders is available online at www.degruyter.com/ncrs

RESPONSIBLE EDITOR Univ.-Prof. Dr. Hubert Huppertz, University of Innsbruck, Institute of General, Inorganic and Theoretical Chemistry, Innrain 80-82, 6020 Innsbruck, Austria, e-mail: Hubert.Huppertz@uibk.ac.at

PUBLISHER Walter de Gruyter GmbH, Berlin/Boston, Genthiner Straße 13, 10785 Berlin, Germany

JOURNAL MANAGER Holger Kleessen, De Gruyter, Genthiner Straße 13, 10785 Berlin, Germany, Tel.: +49 (0)30 260 05 – 348, Fax: +49 (0)30 260 05 – 184, e-mail: ZKristallogr-NCS@degruyter.com

ADVERTISEMENTS e-mail: anzeigen@degruyter.com

© 2023 Walter de Gruyter GmbH, Berlin/Boston, Germany

TYPESETTING TNQ Technologies, Chennai, India

PRINTING Franz X. Stücker Druck und Verlag e.K., Ettenheim

COVER ILLUSTRATION Shifeng Jin und Jiali Lu: The crystal structure of bis(trimethylsulfoxonium) catena-poly[μ₂-hexabromido-indium(III) sodium(I)] C₆H₁₈O₂S₂NaInBr₆; in this issue pp. 1171–1173. DOI: 10.1515/ncrs-2023-0377.



Contents

Fenfang Li

Crystal structure of bis(dimethylammonium) poly[(μ_4 -1,1'-(1,4-phenylenebis(methylene))bis(1H-pyrazole-3,5-dicarboxylato))- κ^6O^1 , $N^2:O^2:O^3:O^1$, N^2]nickel (II)], $C_{22}H_{26}N_6NiO_8$ — 1027

Guang-Zhen Liu and Xin Wang

Hydrothermal synthesis and crystal structure of *catena*-poly[*diaqua*-bis(μ_2 -4-((pyridin-4-ylmethyl)amino)benzoato- $\kappa^2N:O$)cobalt(II)] - 4,4'-bipyridine - water (1/2/2) — 1031

Nuo Zhang, Shuo-Nan Guo, Liang-Qi Du and Xiao-Yu Ren

Crystal structure of (2*S*,3*S*,4*S*,5*S*, *Z*)-2,3,5,6-tetrakis(benzyloxy)-4-hydroxyhexanal oxime, $C_{34}H_{37}NO_6$ — 1035

Lili Zhou, Zhongyu Zhang, Xiaoxia Men and Yaxuan Zhang

The crystal structure of hexakis(3-thiophenecarboxylato- κ^2O,O'')-bis(1,10-phenanthroline- κ^2N,N') trimanganese(II), $C_{54}H_{34}N_4O_{12}S_6Mn_3$ — 1039

Xiaobo Bao and Chongchong Tian

Crystal structure of *catena*-poly[(μ_2 -1,4-di(pyridin-4-yl)benzene- $\kappa^2N:N'$)-(4-bromobenzoate- $\kappa^2O:O'$)-(μ -2-bromobenzoate- κ^2O,O')nickel(II)] - water (2/1), $C_{30}H_{21}Br_2N_2NiO_{4.5}$ — 1043

Liqiong He, Liang Xiao and Weiwei Fu

The crystal structure of poly[(μ_3 -1,3-phenylenedioxydiacetate- κ^5O,O,O',O'',O''')-bis(4'-(4-(1*H*-imidazol-1-yl)phenyl)-4,2':6',4''-terpyridine-*kN*)cadmium(II)], $C_{58}H_{42}CdN_{10}O_6$ — 1047

Yu Fang, Cheng Zhang, Meng-Qing Yin, Xiao-Die Yang and Wen-Jing Ma

The crystal structure of 5-chloro-6'-methyl-3-(4-(methylsulfonyl)phenyl)-[2,3'-bipyridin]-1'-ium 4-methylbenzenesulfonate — 1051

Dejing Yin, Lingling Wang and Zhenbo Yuan

Crystal structure of poly[(μ -benzoato)-(μ -cis-4-hydroxy-D-proline)lithium], $C_{12}H_{14}LiNO_5$ — 1055

Yang Kong, ChenFei Lu, Chang-Zhao Wang, Bin Tian, YiXuan Dang and ZiHao Han

The crystal structure of *catena*-poly[aqua-(4-iodopyridine-2,6-dicarboxylato- κ^3N,O,O')-copper(II)] monohydrate, $C_7H_6NO_6ICu$ — 1057

Liu Ying, Yan Xi-Hai, Wang Yuan-Fang and Tai Xi-Shi

The crystal structure of *catena*-[*diaqua*-(4-acetylphenoxyacetato- κ^2O,O)-bis(4-acetylphenoxyacetato- $\kappa^3O,O:O$)-dihydrate-lanthanum(III)]-4,4'-bipyridine (2/1), $C_{35}H_{35}NO_{14}La$ — 1061

Yang Kong, YiXuan Dang, Bin Tian, Chang-Zhao Wang, ZiHao Han and ChenFei Lu

The crystal structure of *catena*-poly[(4-iodopyridine-2,6-dicarboxylato- κ^4O,N,O',O'')-(4-imidazol-1-yl-pyridine-*kN*)copper(II)], $C_{15}H_9N_4O_4ICu$ — 1065

Yan-Qing Wang, Wen-Qing Yan, Li-Xue Nie, Ping-Ping Luan and Chao-Qun Li

Crystal structure of polybis(μ_4 -3,5-dicarboxylatopyrazol-1-yl)-bis(*N,N*-dimethylformamide)tri-copper(II)-acetonitrile (1/2), $C_{20}H_{22}Cu_3N_8O_{10}$ — 1069

Jin Cai, Xin-Tong Yao and Man-Sheng Chen

Crystal structure of poly[(μ_2 -5-hydroxy-isophthalato- $\kappa^4O,O':O'',O'''$)-(μ_2 -1,5-bis(imidazol-2-methyl)pentane- $\kappa^2N:N'$)cadmium(II)], $C_{21}H_{24}CdN_4O_5$ — 1071

Ji Qi, Shu-Ying Wang and Jin-Feng Chu

The crystal structure of poly[bis(μ_2 -1,4-bi(1-imidazolyl)benzene- $\kappa^2N:N'$)bis(μ_2 -4,4'-methylenebis(3-hydroxy-2-naphthoate)- $\kappa^2O:O'$)cobalt(II)], $C_{35}H_{24}CoN_4O_6$ — 1075

Chen Wu-Hua, Chen Ran, Mi Jin-Xiao, Wang Hua-Feng and Song Jia-Yu

The crystal structure of a cobalt-vanadium-oxido hydrate — 1079

Qian Mao, Yanfei Wang, Zhonghua Zhang and Jinlan Ji

The crystal structure of *catena*-poly[(μ_2 -2*H*-1,2,3-triazole-4,5-dicarboxylato- κ^2O, O')-(μ_2 -1,3-bis((1*H*-imidazol-1-yl)methyl)benzene- κ^2N,N') zinc(II)], $C_{18}H_{15}N_7O_4Zn$ — 1081

Si-Na Gu, Zhi-Ying Ou, Ting-Ting Wu, Ting-Yu Nie and Yang Liu
Crystal structure of poly[diaqua-(bis(m_2 -1,4-bis(imidazol-1-ylmethyl)benzene)- κ^2N,N' -manganese] dichloride,
 $C_{28}H_{32}MnN_8O_2Cl_2$ — 1085

Shi-Yun Chen, Wei Wang, Yong He and Deng-ke Yin
The crystal structure of 9,10-dimethoxy-5,6-dihydro-[1,3]dioxolo[4,5- g]isoquinolino [3,2- a]isoquinolin-7-ium (E)-3-(4-nitrophenyl)acrylate pentahydrate,
 $C_{29}H_{34}N_2O_{13}$ — 1089

Si N. Gu, Zhi Y. Ou, Ting T. Wu, Ting Y. Nie and Yang Liu
Crystal structure of poly[(μ_6 -ammoniotris(methylene))tris(hydrogen phosphonato)cadmium(II)],
 $C_3H_{10}CdNO_9P_3$ — 1093

Wen-Ze Zhao and Hua Tian
Crystal structure of $Zn_2[(1,1'-(\text{hexane-1,6-diyl})\text{bis}(3-(\text{pyridin-3-yl})\text{urea}))\cdot(H_2O)_2\cdot(DMF)_2\cdot(SO_4)_2]$,
 $C_{24}H_{50}N_8O_{18}S_2Zn_2$ — 1097

Mohammed A. Elmakki, Thato N. Taoana, Frederick J. F. Jacobs and Johan A. Venter
The crystal structure of 2-anilino-1,4-naphthoquinone,
 $C_{10}H_{11}NO_2$ — 1101

Cheng-Tao Sun and Qin Li
Crystal structure of (E)-2-(2-(4-(diethylamino)styryl)-1-ethyl-1,4-dihydroquinolin-4-yl) malononitrile,
 $C_{26}H_{26}N_4$ — 1103

Meimei Zhao, Mo Du and Bin Liu
Crystal structure of ethyl 2-((2,6-dichloro-4-(cyanomethyl)phenyl) amino)benzoate, $C_{17}H_{14}Cl_2N_2O_2$ — 1105

Ju-Mei Shi, Yong-Jia Hao, Lian-Hua Xu, Ying Zhou and Hua-Bin Wang
Synthesis and crystal structure of 2-(3-oxo-3-phenylpropyl)isoindoline-1,3-dione, $C_{17}H_{13}NO_3$ — 1107

Zihao Zhong and Miao Meng
The crystal structure of bis(acetonitrile- κ^1N)tetrakis(μ_2 -2,6-difluorobenzoato- $\kappa^2O:O'$)rhodium(II) (Rh–Rh),
 $C_{32}H_{18}F_8O_8N_2Rh_2$ — 1109

Mark G. Smith
The crystal structure of a new polymorph of 6-hydroxy-2-naphthoic acid, $C_{11}H_8O_3$ — 1113

Zhao Zeng-Bing, Yang Shu-Cheng, Yang Bing-Qi, Cheng Lan-Xing and Tai Xi-Shi
The crystal structure of [(8-carboxymethoxy-quinoline-2-carboxylate- κ^4N,O,O,O)-2,2'-bipyridine- κ^2N -copper(II)] tetrahydrate, $C_{22}H_{23}N_3O_9Cu$ — 1115

Bimal Bhushan Chakraborty, Saurav Paul, Siddique Anwar and Sudip Choudhury
The crystal structure of ethyl 4-hydroxy-2-(4-methoxyphenyl)-5-oxo-1-(2-oxo-2H-chromen-6-yl)-2,5-dihydro-1H-pyrrole-3-carboxylate, $C_{23}H_{19}NO_7$ — 1119

Boye Jiang, Yun Hou, Feng-Lan Zhao and Qing-Guo Meng
Crystal structure of 7-hydroxy-3,4-dihydronaphthalen-1(2H)-one, $C_{10}H_{10}O_2$ — 1123

Kang-Woo Kim and Hyoyi Yang
Crystal structure of bis(tetrapropylammonium) dodecacarbonyltetratelluridotetraferate(2-),
 $(Pr_4N)_2[Fe_4Te_4(CO)_{12}]$ — 1127

Fang-Fang Liu, Zhao-Yan Ping, Wei-Wei Zhou and Wang Zhao
The crystal structure of poly [bis(μ_2 -3-aminopyridine-4-carboxylato- $\kappa^2N:O$)Zinc(II)],
 $[Zn(C_6H_5N_2O_2)_2]_n$ — 1131

Shao-Wen Deng, Lin Yuan and Zhong-Yan Li
The crystal structure of methyl 5-nitro-2-(tosyloxy)benzoate, $C_{15}H_{13}NO_7S$ — 1133

Zhaolong Liu and Shifeng Jin
The crystal structure of 18-crown-6 — tetraaqua-dichlorido-di- μ_2 -chloridodicopper(II) (2/1),
 $C_{12}H_{32}O_{10}Cu_2Cl_4$ — 1135

Zhu Dali and Yu Yu
Crystal structure of 6,6a,7,8,9,10-hexahydro-5H-pyrazino [2,3- e]pyrido[1,2- a]pyrazine, $C_{10}H_{14}N_4$ — 1137

Xiao-Miao Chen, Zheng-Jun Liu, Qing Liu, Yu-Tao Zhang, Xue He and Yun Deng
Crystal structure of catena-poly-{diaqua-bis[μ -(((4-chlorophenyl)sulfonyl)glycinato- κO)](μ_2 -4, 4'-bipyridine- $\kappa^2N:N'$)cobalt(II)} dihydrate, $C_{26}H_{30}Cl_2CoN_4O_{12}S_2$ — 1141

Ming Yueh Tan, Karen A. Crouse, Sang Loon Tan and Edward R. T. Tiekink

Crystal structure of bis{*N'*-[1,3-diphenylprop-2-en-1-ylidene]-*N*-phenylcarbamohydrazonothioato}zinc(II), $C_{44}H_{36}N_6S_2Zn$ — 1145

Zheng-Jun Liu, Xiao-Miao Chen, Qiang Wu, Yu-Tao Zhang, Wu-Chao Zhou, Li Wei and Ying-Xian Zhao

Crystal structure of tetraaqua-bis(((4-chlorophenyl)sulfonyl)glycinato-*κO*)cobalt(II) dihydrate, $C_{16}H_{26}Cl_2CoN_2O_{14}S_2$ — 1149

Dai Zeng, Kai Tan, Ziyang Fang and Aiping Xing

Crystal structure of 2-(5-phenyl-1-(quinolin-2-yl)-4,5-dihydro-1*H*-pyrazol-3-yl)phenol, $C_{24}H_{19}N_3O$ — 1153

Yu-Lun Li, Qing-Guo Meng, Gui-Ge Hou and Zi-Kai Geng

Crystal structure of 2-((2-fluoro-4-(trifluoromethyl)phenyl)(hydroxy)methyl)-7-methoxy-3,4-dihydronaphthalen-1((2*H*))-one, $C_{19}H_{16}F_4O_3$ — 1157

Lu Yu, Qing-Guo Meng, Gui-Ge Hou, Yong-Jun Liu and Zi-Kai Geng

Crystal structure of 2-amino-4-(2-fluoro-3-(trifluoromethyl)phenyl)-9-methoxy-1,4,5,6-tetrahydrobenzo[*h*]quinazolin-3-ium chloride, $C_{20}H_{18}ClF_4N_3O$ — 1161

Jun Qian, Chunjie Chen, Liang Ma and Yida Wang

Crystal structure of (2-phenylimino methylquinoline- κ^2N,N')-bis(1-phenylpyrazole- κ^2C,N)-iridium(III) hexafluorophosphate, $C_{34}H_{26}F_6IrN_6P$ — 1165

Xiaona Xu, Hongjuan Tong, Zhoujing Zhu and Bin Liu

Crystal structure of (3-hydroxy-4-methoxyphenyl)(pyrrolidin-1-yl)methanone, $C_{12}H_{15}NO_3$ — 1169

Shifeng Jin and Jiali Lu

The crystal structure of bis(trimethylsulfoxonium) catenapoly[μ_2 -hexabromido-indium(III)sodium(I)] $C_6H_{18}O_2S_2NaInBr_6$ — 1171

Hongjuan Tong, Xiaona Xu, Zhoujing Zhu and Bin Liu

Crystal structure of *N*-cyclopropyl-3-hydroxy-4-methoxybenzamide, $C_{11}H_{13}NO_3$ — 1175

Yu Yang, Huanru Liu, Yuhang Wang and Xianggao Meng

The crystal structure of (bis(benzimidazol-2-yl-methyl)amine- κ^3N,N',N'')-(dihydrogen L-malate- κ^2O,O')copper(II) perchlorate dihydrate, $CuC_{20}H_{24}ClN_5O_{12}$ — 1177

Ying-Hong Ma, Hong-Yan Zhao, Yu Tian, Yi Wu and Lei Wang

Crystal structure of (1*E*,1'*E*)-4,4'-(9,9-diethyl-9*H*-fluorene-2,7-diyl)dibenzaldehyde dioxime, $C_{31}H_{28}N_2O_2$ — 1181

Zi-Ang Zhang, Jun-Xiang Li, Sen-Bao Lu and Peng Li

Crystal structure of diethyl 1,9-bis(4-fluorophenyl)-4,6-diphenylhexahydro-3*H*-2,7,3,5-(epimethanetriyliminomethanetriyl)cyclopenta [*b*]pyridine-3,7(2*H*)-dicarboxylate, $C_{40}H_{36}F_2N_2O_4$ — 1185

Xiao-Ming Chen and Guang-Chuan Ou

Crystal structure of bis(benzene-1 carboxylato-*O* 3,5-carboxyl- κ^1O)-[(5,5,7,12,12,14-hexamethyl-1,4,8,11-tetraazacyclotetradecane- κ^4N,N',N'',N''')]nickel(II) – benzene-1,3,5-tricarboxylic acid – water (1/2/4), $C_{52}H_{66}N_4NiO_{28}$ — 1189

Zhi-Yong Wang, Wan-Li Lu, Xu Zhou, Xian-Jiong Yang, Qi-Long Zhang and Hong Xu

Crystal structure of 1,4-dibromo-2,5-bis(2-methoxyethoxy)benzene-1,4-diol, $C_{12}H_{16}Br_2O_4$ — 1193

Lingyi Shen, Na Xu, Mengna Jiang, Jiang Zhao, Xiaoling Xu, Xian-Jiong Yang and Qi-Long Zhang

Crystal structure of dicarbonyl[*N,N'*-(1,2-dimethyl-1,2-ethanediylidene)bis[2,6-bis(1-methylethyl)benzenamine]-*N,N'*]nickel(0), $C_{30}H_{40}N_2NiO_2$ — 1195

Zhi-Yong Wang, Qi-Long Zhang, Xiu-Ming Zhang, Xu Zhou, Xian-Jiong Yang and Hong Xu

Crystal structure of 1,4-dibromo-2,5-bis(prop-2-yn-1-yloxy)benzene, $C_{12}H_8Br_2O_2$ — 1199

Qian Wang, Yong-Lang Liu, Jiang-Hai Ye, Juan Zou, Chong Wu and Wu-De Yang

Crystal structure of *O*-(3-(benzo[*d*]thiazol-2-yl)naphthalen-2-yl) *O*-phenyl carbonothioate, $C_{24}H_{15}NO_2S_2$ — 1201

Juanjuan Wen, Langlang Liu, Wenqiang Tang and Bin Liu

The crystal structure of (*E*)-4-fluoro-*N'*-(1-(4-hydroxyphenyl)propylidene)benzohydrazide, $C_{16}H_{15}FN_2O_2$ — 1205

Lingyi Shen, Qianjin Gong, Na Xu, Xiaoling Xu, Mengna Jiang, Jiang Zhao, Ya-Li Huang, Zhi-Yong Wang and Qi-Long Zhang

Crystal structure of (*E*)-1-(benzo[*d*]thiazol-2-yl)-*N*-(4,5-dihydropyren-2-yl)methanimine, $C_{24}H_{16}N_2S$ — 1209

Ning Wang, Ya-Fei Guo, Jun-Ying Ma, Ming-Ming Liu and Yu-Long Qu

Crystal structure of 3-((4-bromophenyl)thio)-1*H*-indole, $C_{14}H_{10}BrNS$ — 1211

Hai-Lin Chen, Xian Li, Dong-Mei Yao, Ze-Ping Luo, Yan-Ping Wang and Jian-Jing Lan

Synthesis and crystal structure of 1-((7-hydroxy-3-(4-hydroxy-3-nitrophenyl)-4-oxo-4*H*-chromen-8-yl)methyl)piperidin-1-ium-4-carboxylate monohydrate, $C_{22}H_{22}N_2O_9$ — 1215

Peng Wei, Jin-Feng Zhao, Juan Zou, Jiang-Hai Ye, Kang He and Hong Xu

Synthesis and crystal structure of (3*E*,5*S*,10*S*,13*S*,14*S*,17*Z*)-17-ethylidene-10,13-dimethylhexadecahydro-3*H*-cyclopenta[*a*]phenanthren-3-one *O*-(methacryloyl) oxime, $C_{50}H_{74}N_2O_4$ — 1219

Nazar Pavlyuk, Vitalii Nytko, Vasyl Kordan and Volodymyr Pavlyuk

Crystal structure of the hydrogen storage active phase $La_{12}Mg_{46}LiMn$ — 1223

Mark G. Smith

The crystal structure of the salt: 4-((1,3-dioxoisindolin-2-yl)carbamoyl)pyridine-1-ium 2-carboxybenzoate, $C_{14}H_{10}N_3O_3 \cdot C_8H_5O_4$ — 1227

Jun Qian, Chunjie Chen, Liang Ma and Yida Wang

Crystal structure of (2-(2-pyridine)-benzimidazole- κ^2 N,N')-bis(1-phenylpyrazole- κ^2 C,N)iridium(III) hexafluorophosphate, $C_{30}H_{22}F_6IrN_7P$ — 1229

Chen-En-Ze Cheng, Jian-Guo Zhang, Wei Tan and Hao Zou

Crystal structure of dichlorido-bis[2-(2,4-difluorophenyl)pyridine- κ^1 N]platinum(II), $C_{22}H_{14}Cl_2F_4N_2Pt$ — 1233

Zi-Yu Liu, Wen-Shui Wang, Sheng Jiang, Feng-Lan Zhao and Qing-Guo Meng

Crystal structure of (5*R*,8*R*,9*R*,10*R*,12*R*,13*R*,14*R*, 17*S*,17*Z*)-2-((3-fluoropyridin-4-yl)methylene)-12-hydroxy-4,4,8,10,14-pentamethyl-17-((*R*)-2,6,6-trimethyltetrahydro-2*H*-pyran-2-yl)hexadecahydro-3*H*-cyclopenta[*a*]phenanthren-3-one, $C_{36}H_{52}FNO_3$ — 1237