



ZEITSCHRIFT FÜR KRISTALLOGRAPHIE NEW CRYSTAL STRUCTURES



Crystal structure of a hydrogen storage
active high entropy material

EDITOR-IN-CHIEF

Hubert Huppertz

EDITORIAL BOARD

Marek Daszkiewicz

Christian Hübschle

Oliver Janka

Andreas Lemmerer

Guido J. Reiss

Marko Rodić

Svitlana V. Shishkina

Edward R. T. Tiekink

ZEITSCHRIFT FÜR KRISTALLOGRAPHIE NEW CRYSTAL STRUCTURES

EDITOR-IN-CHIEF

Hubert Huppertz

EDITORIAL BOARD

Marek Daszkiewicz

Christian Hübschle

Oliver Janka

Andreas Lemmerer

Guido J. Reiss

Marko Rodić

Svitlana V. Shishkina

Edward R. T. Tiekink

DE GRUYTER

Zeitschrift für Kristallographie – New Crystal Structures was founded in 1997 as spin off of Zeitschrift für Kristallographie to meet the high demand to publish results of structure determination. All publications and their submitted CIF-data are online freely available (Open Access). Zeitschrift für Kristallographie — New Crystal Structures offers a place for researchers to present

- results of determinations of hitherto unknown crystal structures which do not justify detailed discussion of determination procedure, crystal structure, and/or structure-property relations (routine determinations and structures),
- refinement of previously published crystal structures which do not require a new description or discussion.

Further details of the structure determination can be accessed at the relevant database. Data with CSD numbers can be obtained from the Fachinformationszentrum Karlsruhe, Gesellschaft für wissenschaftlich-technische Information mbH, 76344 Eggenstein-Leopoldshafen, Germany (e-mail: crysdata@fiz-karlsruhe.de). Data with CCDC numbers can be obtained from the Cambridge Crystallographic Data Centre (CCDC), 12 Union Road, Cambridge CB2 1EZ, UK, (fax: +44-(0)1223-33 60 33 or e-mail: deposit@chemcrs.cam.ac.uk).

ONLINE-SUBMISSION New Crystal Structures (NCS) have to be submitted online as CIF-file to: <https://mc.manuscriptcentral.com/zkrist-ncs>

Please see the journal's homepage for Abstracting & Indexing Services information.

ISSN 1433-7266 · e-ISSN 2197-4578

All information regarding notes for contributors, subscriptions, Open access, back volumes and orders is available online at www.degruyter.com/ncrs

RESPONSIBLE EDITOR Univ.-Prof. Dr. Hubert Huppertz, University of Innsbruck, Institute of General, Inorganic and Theoretical Chemistry, Innrain 80-82, 6020 Innsbruck, Austria, e-mail: Hubert.Huppertz@uibk.ac.at

PUBLISHER Walter de Gruyter GmbH, Berlin/Boston, Genthiner Straße 13, 10785 Berlin, Germany

JOURNAL MANAGER Holger Kleessen, De Gruyter, Genthiner Straße 13, 10785 Berlin, Germany,
Tel.: +49 (0)30 260 05 – 348, Fax: +49 (0)30 260 05 – 184, e-mail: ZKystallogr-NCS@degruyter.com

ADVERTISEMENTS e-mail: anzeigen@degruyter.com

© 2025 Walter de Gruyter GmbH, Berlin/Boston, Germany

TYPESETTING TNQ Tech Private Limited, Chennai, India

PRINTING Franz X. Stickle Druck und Verlag e.K., Ettenheim

COVER ILLUSTRATION Nazar Pavlyuk, Vasyl Kordan, Grygoriy Dmytriv and Volodymyr Pavlyuk, Crystal structure of the hydrogen storage active high entropy phase $\text{Tb}_{0.82}\text{Sm}_{0.18}\text{Ni}_{0.83}\text{Co}_{0.17}\text{Mg}$; in this issue pp. 97-99. DOI: 10.1515/ncrs-2024-0382

Questions about General Product Safety Regulation: productsafety@degruyterbrill.com



Offenlegung der Inhaber und Beteiligungsverhältnisse gem. § 7a Abs. 1 Ziff. 1, Abs. 2 Ziff. 3 des Berliner Pressegesetzes: Die Gesellschafter der Walter de Gruyter GmbH sind: Dr. Georg-Martin Cram, Unternehmens-Systemberater, Stadtbergen; Cram, Maike, Wien (Österreich); Cram, Jens, Mannheim; Rodriguez Cram, Catharina, Mexico, DF (Mexiko); Cram, Ingrid, Betriebsleiterin, Tuxpan/Michoacan (Mexiko); Cram, Sabina, Mexico, DF (Mexiko); Cram, Silke, Wissenschaftlerin, Mexico DF (Mexiko); Cram, Björn, Aachen; Cram, Berit, Hamm; Cram-Gomez, Susana, Mexico DF (Mexiko); Cram-Heydrich, Walter, Mexico DF (Mexiko); Cram-Heydrich, Kurt, Angestellter, Cancún (Mexiko); Duvenbeck, Brigitta, Oberstudienrätin i.R., Bad Homburg; Gädeke, Gudula, M.A., Atemtherapeutin/Lehrerin, Tübingen; Gädeke, Martin, Student, Ingolstadt; Gomez Cram, Arturo Walter, Global Key Account Manager, Bonn; Gomez Cram, Ingrid Arlene, Studentin, Mexico, DF (Mexiko); Gomez Cram, Roberto, Assistant Professor, London (UK); Lubasch, Dr. Annette, Ärztin, Berlin; Schütz, Dr. Christa, Ärztin, Mannheim; Schütz, Sonja, Diplom.-Betriebswirtin (FH), Berlin; Schütz, Juliane, Berlin; Schütz, Antje, Berlin; Schütz, Valentin, Mannheim; Seils, Dorothee, Apothekerin, Stuttgart; Seils, Gabriele, Journalistin, Berlin; Seils, Christoph, Journalist, Berlin; Siebert, John-Walter, Pfarrer, Oberstenfeld; Anh Vinh Alwin Tran, Student, Zürich (Schweiz); Tran, Renate, Mediatorin, Zürich (Schweiz); Carmen Siebert, Angestellte, Kempten; Duyen Anh Johann Tran, Architekt, Zürich (Schweiz); Lang Lieu Laurin Tran, Lehrperson, Zürich (Schweiz); Duyen Mai Marie Tran, Studentin, Zürich (Schweiz); Anh Huy Merlin Tran, Schüler, Zürich (Schweiz)

Contents

Fei Wang, Cuilian Chen and Zhirong Suo

Crystal structure of the co-crystal 2,4,6-triamino-1,3,5-triazine-1,3-dioxide — acetic acid (1/2) $C_7H_{14}N_6O_6$ — 1

Hai-Yan Yang, Hong-Yan Liu and Yao-Min Zhao

Crystal structure of the dinuclear mercury(II) complex bis(μ^2 -bromido)-dibromido-bis{1-[(benzotriazol-1-yl)methyl]-1-*H*-1,3-(2-ethyl-5-methyl-imidazol)- κ^1N]dimercury(II), $C_{26}H_{30}N_{10}Hg_2Br_4$ — 3

Zheng Cheng, Xiao-Yu Zhang, Xu Liu and Xiao-rui Yang

Crystal structure of poly[hexaqua-pentakis(μ_4 -2,2'-bipyridine-4,4'-dicarboxylato- $\kappa^4O:O':O'':O'''$)-(μ_2 -2,2'-bipyridine-4,4'-dicarboxylato- $\kappa^2O:O$)tetraytterbium(III)] hydrate, $C_{36}H_{26}N_6O_{16}Yb_2$ — 7

Bi Wen-Jie, Xie Dong, Hu Xing-ming, Chen Hu and Bian He-dong
Hydrothermal synthesis and crystal structure of *catena*-poly [(1,10-phenanthroline- κ^2N,N')-bis(μ_2 -nitroisophthalato- $\kappa^3O,O':O''$)nickel(II)], $C_{20}H_{13}NiN_3O_7$ — 11

Xiuteng Wang and Wei Wei

Crystal structure of 7²,7³,7⁵,7⁶-tetrafluoro-2⁵,4⁴-dimethyl-3¹,3³,3⁶,3⁸-tetraoxo-3¹,3²,3³,3⁶,3⁷,3⁸-hexahydro-3(2,7)-benzo[*mn*][3,8]phenanthrolina-1,5(4,1)-dipyridin-1-iuma-2,4(1,2),7(1,4)-tribenzenacyclooctaphane-1¹,5¹-diium hexafluoridophosphate, $[C_{46}H_{28}F_4N_4O_4][PF_6]_2$, a dicationic cyclophane — 15

Yu Chen, Ji-Peng Wang, Mei-Dan Wang, Wen-Xiao Yu, Yao-Tian Cui, Hao-Xue Gao, Gui-Ge Hou and Yan Ren

Crystal structure of (*E*)-2-(4-(1*H*-imidazol-1-yl)benzylidene)-7-fluoro-3,4-dihydronaphthalen-1(2*H*)-one, $C_{20}H_{15}FN_2O$ — 19

Yu-Heng Ma, Wei-Pu Hong, Yan-Ling Qian, Zhen-Wei Tao, Shi-Qi Hou, Jia-Le Guo, Wen-Jing Ma and Yi-Hong Wang

The salt crystal structure of etoricoxib hydrochloride, $C_{18}H_{16}Cl_2N_2O_2S$ — 23

Wei-Jie Sun, Zhi-Chao Wang and Cheng-Jun Jiang

The structure of *t*-butyl 7-[2-(4-fluorophenyl)-3-phenyl-4-(phenylcarbamoyl)-5-(propan-2-yl)-1*H*-pyrrol-1-yl]-3,5-dihydroxyheptanoate, $C_{37}H_{43}FN_2O_5$ — 25

Zhen-Zhen Shi, Shu-Yang Chen, Jun-Ling Chen, Shu-Zhou Yun and Xing-Fang Fu

The crystal structure of (μ_4 -oxo)-tri(μ_4 -2,2'-bipyridine-6,6'-bis(olato)- $\kappa^5O,O':N:N':O''$)tetrazinc(II) – methylformamide (1/1), $C_{33}H_{25}N_7O_8Zn_4$ — 29

Ji Wang, Wenhui Wu, Wencai Zhang, Xiyang Yang and Jie Qiao
The co-crystal structure of 4-chlorobenzophenone–salicylhydrazide(1/1), $C_{20}H_{17}ClN_2O_3$ — 33

Xing-Wei Li, Yu-Hao Miao, Yue-Xia Ding and Gui-Ge Hou

Crystal structure of 9-fluoro-4-(6-methoxypyridin-2-yl)-5,6-dihydrobenzo[*h*]quinazolin-2-amine, $C_{18}H_{15}FN_4O$ — 37

Jeraldine Maire Bourletidis How, Matthew C. Scheepers, Andreas Lemmerer and Mark G. Smith

The crystal structure of the co-crystal composed of benzhydrazide and 5-aminoisophthalic acid, $C_8H_7NO_4 \cdot C_7H_8N_2O$ — 41

Wei Han, Mei Li, Xiang Geng and Guoshun Zhang

The cocrystal structure of praziquantel-hesperetin (1/1), $C_{35}H_{38}N_2O_8$ — 45

Sun Woo Kim and Hong Young Chang

Crystal structure of new barium manganese fluorides dihydrates, $Ba_{10}Mn_2F_{25} \cdot 2H_2O$ — 49

Zhiwei Tang, Ruijuan Zheng, Wei Guo and Jiangcong Zhou

The crystal structure of bis[μ_2 -(3-(3-(pyridin-2-yl)-1*H*-pyrazol-1-yl)propanoate- $\kappa^2O:N$)-bis(2,2'-bipyridine- κ^2N,N')dicopper(II)]dinitrate, $C_{42}H_{36}Cu_2N_{12}O_{10}$ — 51

Jun Qian, Liang Ma and Yida Wang

Crystal structure of (3,6-di(2-pyridyl)-4-phenylaminopyridazine- κ^2N,N')-bis(2-(*p*-toluene)pyridinyl- κ^2C,N)-iridium(III) hexafluorophosphate – dichloromethane (1/1), $C_{45}H_{37}Cl_2F_6IrN_7P$ — 55

Yan Xi-Hai, Zhao Bo, Fan Peng-Cheng and Tai Xi-Shi

The crystal structure of 2-(2'-carboxybenzyl)benzoic acid, $C_{15}H_{12}O_5$ — 59

Zhi-Wei Zhai and Shuang-Hua Yang

The crystal structure of dichlorido-[(*E*)-*N'*,*N''*-bis((2*E*,3*E*)-3-(hydroxyimino)butan-2-ylidene)-2-((*E*)-3-(hydroxyimino)butan-2-ylidene)hydrazine-1-carbohydrazonhydrazide- κ^4N^4]cobalt(II), $C_{13}H_{22}N_9O_3Cl_2Co$ — 63

Kai Peng, Ding Luo and Guang-cun Wang

Crystal structure of (–)-flavesine H, $C_{15}H_{22}N_2O_2$ — 67

Quan-Le Sun, Da-Zhuan Lin, De-Dong Xue and Ying Lin
Crystal structure of 3-methoxybenzyl 2-(6-methoxynaphthalen-2-yl)propanoate, $C_{22}H_{22}O_4$ — 71

Mohammed A. Elmakki, Dumisani V. Kama and Johan A. Venter
Crystal structure of dicarbonyl(2-oxopyridin-1(2*H*)-olato- κ^2O,O)iridium(I), $C_7H_4IrNO_4$ — 73

Xibei Jia and Xiaomei Li
The crystal structure of 4-(3-(triphenylphosphonio)propyl)piperazin-1-ium dibromide trihydrate, $C_{25}H_{37}Br_2N_2O_3P$ — 77

Ying Zhou, Yan Li, Zengshuo Xiao and Hao Wang
The crystal structure of ethyl 5,6-dihydroxybenzofuran-3-carboxylate, $C_{11}H_{10}O_5$ — 81

Zhuyun Liu, Pengfei Ding, Shanshan Yang, Donghua Zhai, Yuning Sha, Ruifang Zhang and Lizhong Wang
Crystal structure of 14-(*R*)-(2'-cyano-phenoxy)-3,19-diacetyl andrographolide, $C_{31}H_{37}NO_7$ — 83

Rabia Usman, May Nasser Bin-Jumah, Abeer A. Altamimi, Kholoud A. Baeshen, Chao Feng, Mohsen Mohammed Al-Qhatani and Hanan A. Henidi
The twinned crystal structure of 10-(4-methyl benzoate)-2,8-diethyl-5,5-difluoro-1,3,7,9-tetramethyl-5*H*-di-pyrrolo [1,2-*c*:2',1'-*f*] [1,3,2]diazaborinin-4-ium-5-uide, $C_{25}H_{29}BF_2N_2O_2$ — 87

Qi Zhou, Li-Wen Zhai, Jing-Jing Zuo, Zhong-Yan Li and Lin Yuan
The crystal structure of (9*H*-thioxanthen-9-ylidene)hydrazine monohydrate, $C_{13}H_{11}N_2SO_{0.5}$ — 91

Zhen Cao and Wenhui Yan
The crystal structure of pyridinium diaqua-{1,2-phenylenebis((carboxylatocarbonyl)amido- κ^4N,N',O,O')manganese(III), $C_{15}H_{14}MnN_3O_8$ — 93

Nazar Pavlyuk, Vasyl Kordan, Grygoriy Dmytriv and Volodymyr Pavlyuk
Crystal structure of the hydrogen storage active high entropy phase $Tb_{0.82}Sm_{0.18}Ni_{0.83}Co_{0.17}Mg$ — 97

Jing-Jing Guo, Xin-Yue Zhang, Hou-Lu Deng, Zi-Yue Zhu, Jian Yang and Chao Feng
Crystal structure of diaqua-bis[5-methyl-1-(1*H*-pyrazol-3-yl)-1*H*-1,2,3-triazole-4-carboxylato- κ^2N,O]manganese(II), $C_{14}H_{16}MnN_{10}O_6$ — 101

Honglin Chen and Ying Xiong
Crystal structures of diiodido-3-((pyridin-2-ylmethylene)amino)-2-(pyridin-3-yl)-2,3-dihydroquinazolin-4(1*H*)-one-cadmium(II) — 105

Xiao-ming Shang, Ying Luo, Nuo Chen, Zong-de Wang and Hai Luo
Synthesis and crystal structure of methyl 4-(2-ethoxy-2-oxoethoxy)-3,5-dimethoxybenzoate, $C_{14}H_{18}O_7$ — 107

Litong Wang, Jinfang Wang, Fanchao Meng, Xiaoxin Zheng and Quanxiang Han
Crystal structure of isoxazolo[4,5-*b*]pyridin-3-amine, $C_6H_5N_3O$ — 111

Fanchao Meng, Litong Wang, Quanxiang Han, Jinfang Wang and Xiaoxin Zheng
Crystal structure of 4-chloro-1-isobutyl-1*H*-imidazo, $C_{14}H_{14}ClN_3$ — 113

Yi Shen
The crystal structure of 1,1,1,2,2,2-hexakis(2-methyl-2-phenylpropyl)distannane, $C_{60}H_{78}Sn_2$ — 117

Kun Li, Hiroaki Iitsuka, Shinji Ohisa, Takahiro Nishijima, Keiichi Noguchi, Noriyuki Yonezawa and Akiko Okamoto
The crystal structure of (2,7-dimethoxynaphthalene-1,8-diyl)bis((3-nitrophenyl)methanone), $C_{26}H_{18}N_2O_8$ — 119

Jie Li, Mengying Qiu, Haiwei Han, Biao Yan and Hongya Li
Crystal structure of diaqua-tetra((*E*)-(RS)-1-(2,4-dichlorophenyl)-4,4-dimethyl-2-(1,2,4-triazol-1-yl)pent-1-en-3-ol- κ^1N)zinc(II) dinitrate dihydrate, $C_{60}H_{76}Cl_8N_{14}O_{14}Zn$ — 123

Chao-Jun Du, Bin Cai and Dan-Xia Li
The crystal structure of diphenyl bis(2-((diphenoxyphosphoryl)amino)ethyl)phosphoramidate monohydrate $C_{40}H_{42}N_3O_{10}P_3$ — 127

Kai-Long Zhong, Yue Zhou, Tian-Yu Zhang and Chao-Bo Yang
Crystal structure of 4,4'-bis(dibromomethyl)-1,1'-biphenyl, $C_{14}H_{10}Br_4$ — 131

Jasper Arne Baldauf and Rainer Pöttgen
Crystal structure of $CaPtZn$ — 133

Xiaoru Pan and Xiang-Yan Kong
Crystal structure of 3-chloro-5-(trifluoromethyl)pyridine-2-carboxylic acid, $C_7H_3ClF_3NO_2$ — 135

Chengjuan Li, Yingjie Li, Aoqi Wang, Shiqi Xi and Yalin Zhang
The crystal structure of (3'-(2-bromophenyl)-2-phenyl-[2,2'-bioxiran]-3-yl)(phenyl)methanone, $C_{92}H_{68}O_{12}Br_4$ — 139

Xue Zeng, Yuanjiao Feng, Wenwu Zhong and Yuanfang Hou
Crystal structure of ethyl 4-(4-benzylpiperazin-1-yl) benzoate, $C_{20}H_{24}N_2O_2$ — 143

Yue Li, Liantao Hao, Shibing Guo and Qing-Guo Meng
The crystal structure of bis(selenocyanato- κ^1N)-bis(methanol)-bis((1*E*,2*E*)-1,2-bis (1-(pyridin-4-yl) ethylidene)-hydrazine)iron(II) methanol solvate, $C_{34}H_{44}FeN_{10}O_4Se_2$ — 147

Soon Young Shin, Ha-Jin Lee and Dongsoo Koh
Crystal structure of (*E*)-1-(5-bromo-2-hydroxyphenyl)-3-(5-(4-methoxyphenoxy)-3-methyl-1-phenyl-1*H*-pyrazol-4-yl) prop-2-en-1-one, $C_{26}H_{21}BrN_2O_4$ — 151

Yaoyao Li, Lai Su, Tianqin Wang and Le Zhang
The crystal structure of methyl 4-(4-(methylsulfonyl) phenyl)-2-methyl-5-oxo-1,4,5,6,7,8-hexahydroquinoline-3-carboxylate, $C_{19}H_{21}NO_5S$ — 155

Lanhua Wang and Qi Liu
Crystal structure of 1',3'-dihydro-2,2'-spirobi[indene]-1,3-dione, $C_{17}H_{12}O_2$ — 159

Yuwei Hao, Zhilin Ren, Jingjing Bi, Haiyan Wang and Qiong Chen
Crystal structure of (*E*)-2,2',3,3'-tetrahydro-[1,1'-biindenylidene]-4,4'-diol, $C_{18}H_{16}O_2$ — 161

Etelvina de Matos Gomes, Rosa M.F. Baptista and Carl Henrik Görbitz
Crystal structure of di-glycylglycinium squarate dihydrate, $C_{12}H_{22}N_4O_{12}$, at 105 K — 163

Chun-Yan Niu and Hui Jiang
Crystal structure of {[(4-fluorophenyl)methyl] triphenylphosphonium}dibromocopper(I), $[C_{25}H_{21}FP]^+[CuBr_2]^-$ — 167

Lai-Jun Zhang, Wen-Fang Weng, Shuai Huang, Xiao-Qing Ye, Yuan-Yuan Deng, Jia-Yi Lang, Qing Yin and Jun-Jie Ding
Crystal structure of poly[di aqua-bis(μ_2 -5-((pyridin-4-yl-methyl)amino)benzene-1,3-dicarboxylato- $\kappa^2N:O$) cadmium(II)], $C_{28}H_{26}CdN_4O_{10}$ — 171