


ZEITSCHRIFT FÜR KRISTALLOGRAPHIE NEW CRYSTAL STRUCTURES

**EDITOR-IN-CHIEF***Hubert Huppertz***EDITORIAL BOARD***Marek Daszkiewicz**Christian Hübschle**Oliver Janka**Andreas Lemmerer**Guido J. Reiss**Marko Rodić**Svitlana V. Shishkina**Edward R. T. Tiekink*

A section of the crystal structure of
 $\text{Ba}_2[\text{Ir}(\text{OH})_6](\text{OH})_2$

ZEITSCHRIFT FÜR KRISTALLOGRAPHIE NEW CRYSTAL STRUCTURES

EDITOR-IN-CHIEF

Hubert Huppertz

EDITORIAL BOARD

Marek Daszkiewicz

Christian Hübschle

Oliver Janka

Andreas Lemmerer

Guido J. Reiss

Marko Rodić

Svitlana V. Shishkina

Edward R. T. Tiekink

DE GRUYTER

Zeitschrift für Kristallographie – New Crystal Structures was founded in 1997 as spin off of Zeitschrift für Kristallographie to meet the high demand to publish results of structure determination. All publications and their submitted CIF-data are online freely available (Open Access). Zeitschrift für Kristallographie — New Crystal Structures offers a place for researchers to present

- results of determinations of hitherto unknown crystal structures which do not justify detailed discussion of determination procedure, crystal structure, and/or structure-property relations (routine determinations and structures),
- refinement of previously published crystal structures which do not require a new description or discussion.

Further details of the structure determination can be accessed at the relevant database. Data with CSD numbers can be obtained from the Fachinformationszentrum Karlsruhe, Gesellschaft für wissenschaftlich-technische Information mbH, 76344 Eggenstein-Leopoldshafen, Germany (e-mail: crysdata@fiz-karlsruhe.de). Data with CCDC numbers can be obtained from the Cambridge Crystallographic Data Centre (CCDC), 12 Union Road, Cambridge CB2 1EZ, UK, (fax: +44-(0)1223-33 60 33 or e-mail: deposit@chemcrs.cam.ac.uk).

ONLINE-SUBMISSION New Crystal Structures (NCS) have to be submitted online as CIF-file to: <https://mc.manuscriptcentral.com/zkrist-ncs>

Please see the journal's homepage for Abstracting & Indexing Services information.

ISSN 1433-7266 · e-ISSN 2197-4578

All information regarding notes for contributors, subscriptions, Open access, back volumes and orders is available online at www.degruyter.com/ncrs

RESPONSIBLE EDITOR Univ.-Prof. Dr. Hubert Huppertz, University of Innsbruck, Institute of General, Inorganic and Theoretical Chemistry, Innrain 80-82, 6020 Innsbruck, Austria, e-mail: Hubert.Huppertz@uibk.ac.at

PUBLISHER Walter de Gruyter GmbH, Berlin/Boston, Genthiner Straße 13, 10785 Berlin, Germany

JOURNAL MANAGER Holger Kleessen, De Gruyter, Genthiner Straße 13, 10785 Berlin, Germany, Tel.: +49 (0)30 260 05 – 348, Fax: +49 (0)30 260 05 – 184, e-mail: ZKristallogr-NCS@degruyter.com

ADVERTISEMENTS e-mail: anzeigen@degruyter.com

© 2025 Walter de Gruyter GmbH, Berlin/Boston, Germany

TYPESETTING TNQ Tech Private Limited, Chennai, India

PRINTING Franz X. Stickle Druck und Verlag e.K., Ettenheim

COVER ILLUSTRATION Jörn Bruns und Désirée Badea, The crystal structure of barium hexahydroxidoiridate(IV)dihydroxide, $\text{Ba}_2[\text{Ir}(\text{OH})_6](\text{OH})_2$; in this issue pp. 255–256. DOI: 10.1515/ncrs-2024-0455

Questions about General Product Safety Regulation: productsafety@degruyterbrill.com



Contents

Limin Zuo, Xia Zhou, Yitong Liu, Yongsheng Gu, Yifei Jiang, Xiaofang Lian, Huiyi Liu, Qingying Jia and Guangzhi Shan
The crystal structure of *N*-(3-bromo-4-fluorophenyl)-*N'*-hydroxy-4-[[2-(4-methylphenyl)ethyl]amino]-1,2,5-oxadiazole-3-carboximidamide, C₁₈H₁₇BrFN₅O₂ — 175

Zhang-Chao Dong, Hui Shen, Ze-Bo Mu and Kai-Hua Xu
Synthesis and crystal structure of ethyl (2*S*,4*aS*,6*aS*,6*bR*,8*aR*,12*aS*,12*bR*,14*bR*,*E*)-10-(((3,4-dichlorobenzyl)oxy)imino)-2,4*a*,6*a*,6*b*,9,9,12*a*-heptamethyl-13-oxo-1,2,3,4,4*a*,5,6,6*a*,6*b*,7,8,8*a*,9,10,11,12,12*a*,12*b*,13,14*b*-icosahydricene-2-carboxylate — 179

Feng Qingxin, Zhang Mian, Liu Jikai, Cheng Jun, Sheng Fanfan, Zhao Linxiu, Ren Fude and Cao Duanlin
The crystal structure of pyrazole nitrate — 183

Yan-Ling Qiao and Ji-Chun Cui
Crystal structure of tetramethyl-bis(μ₂-2-(2-hydroxy-3-methoxybenzylidene)-1-(6-(2-(2-hydroxy-3-methoxybenzylidene)hydrazine-1-carbonyl)picolinoyl)hydrazin-1-ido-κ⁴*O,N,O':O'*)ditin(II) – ethanol (1/2), C₅₄H₆₂N₁₀O₁₄Sn₂ — 185

Qingjia Liu, Litong Wang, Fanchao Meng, Quanxiang Han, Bingyu Xu and Xiaoxin Zheng
Crystal structure of *catena*-poly[μ₃-iodido-(4-bromopyridine-κ¹*N*)copper(I)], C₅H₄BrNCuI — 189

Shengnan Zhang, Lumin Wang, Zengli Zhai and Zihui Zhu
The crystal structure of cyclopentadienyl Co–P–C complexes by benzylideneacetone addition, C₃₈H₃₈CoO₂P — 191

Lu-Lu Li, Peng Wei, Jiang-Hai Ye, Juan Zou and Kang He
Synthesis and crystal structure of-(3*S*,10*S*,13*S*,17*S*)-*N*-(2-methoxyphenyl)-10,13-dimethyl-17-((*R*)-1-(phenylamino)ethyl)hexadecahydro-1*H*-cyclopenta[α]phenanthren-3-amine, C₃₄H₄₈N₂O — 195

Suzana C. Janićević, Vidoslav S. Dekić, Biljana R. Dekić, Emilija T. Pecev Marinković, Niko S. Radulović, Milica G. Bogdanović and Marko V. Rodić
The crystal structure of (*E*)-3-((*E*)-3-(4-ethoxy-3-methoxyphenyl)-1-hydroxyallylidene) chroman-2,4-dione, C₂₁H₁₈O₆ — 199

Orbett T. Alexander and Andreas Roodt
The crystal structure of *trans*-*L/D*-[*bis*-(2-methyl-8-hydroxyquinoline-κ²*N,O*) *bis*-(1,3,5-triaza-7-phosphaadamantane-κ²*P*)cobalt(III)] tetrafluoroborate — 203

Qiang Chen, Xian Wu Fu and Yu Yu
Crystal structure of 9-chloro-2,3,4,4*a*,5,6-hexahydro-1*H*-pyrido [1',2':1,6]pyrazino[2,3-*b*]quinoxaline, C₁₄H₁₅ClN₄ — 207

Yahong Chen, Jing Wang and Ruoya Wang
Crystal structure of 7-(diethylamino)-3-(benzoyl)-2*H*-chromen-2-one, C₂₀H₁₉NO₃ — 209

Wang Xiaolei, Xin Xianping, Sheng Fanfan, Zhao Linxiu, Cao Duanlin and Ren Fude
The crystal structure of 4-bromo-3,5-dinitropyrazole — 213

Mei-Ling Wang, Jie Wu, Pan-Feng Cai, Jiang-Hai Ye, Juan Zou, Qi-Ji Li, Ya-Hua Liu and Ji-Xin Li
Crystal structure of 8-hydroxy-3,5,8*a*-trimethyl-7,8,8*a*,9-tetrahydronaphtho[2,3-*b*]furan-4,6-dione, C₁₅H₁₆O₄ — 215

Mei-Ling Wang, Jie Wu, Pan-Feng Cai, Jiang-Hai Ye, Juan Zou, Qi-Ji Li, Ya-Hua Liu and Ji-Xin Li
Crystal structure of 5-hydroxy-3,5,8*a*-trimethyl-4*a*,5,6,7,8*a*,9-hexahydronaphtho[2,3-*b*]furan-4,8-dione, C₁₅H₁₈O₄ — 217

Mei Yang, Peng Wei, Yi-Chun Sun, Jiang-Hai Ye, Juan Zou and Kang He
Synthesis and crystal structure of-(3*S*,10*S*,13*S*,17*S*)-*N*-(2-methoxyphenyl)-10,13-dimethyl-17-((*R*)-1-(*p*-tolylamino)ethyl)hexadecahydro-1*H*-cyclopenta[α]phenanthren-3-amine, C₃₅H₅₀N₂O — 221

Wentao Chen, Zhongjie Lai, Hangyi An, Yani Luo, Airong Wang, Yan Li and Jiaming Li
The crystal structure of *catena*-poly((μ₂-1,3,5-tri(1*H*-imidazol-1-yl)benzene κ²*N:N'*)-bis(4-hydroxybenzoato-κ¹*O*)-zinc(II) monohydrate), C₂₉H₂₄N₆O₇Zn — 225

Juan Wang, Lei Feng, Dongrun Li, Litong Wang, Fanchao Meng, Quanxiang Han, Jinke Jiang, Xiaoxin Zheng and Xing Gao
Crystal structure of 2-(benzo[d]oxazol-2-yl)acetonitrile, $C_9H_6N_2O$ — 231

Shu-jun Shan, Yao-yao Cao, Ping Yao, Pei-pei Du, Sai Chen and Hong-lei Li
Crystal structure of 1,3-dihydroxy-6,8-dimethoxy-2-(6-methyltetrahydro-2H-pyran-2-yl)-4a,9a-dihydroanthracene-9,10-dione, $C_{22}H_{22}O_7$ — 233

Yi-Ping Shang, Jun-Ying Wu, Yu-Le Yao, Rui-Zheng Liu, Dan-Yang Liu and Lang Chen
The crystal structure of the double salt potassium 1-methylpiperazine-1,4-di-ium trinitrate, $C_5H_{14}KN_5O_9$ — 237

Li-Qiong Yang, Jie Wu, Hai-Long Qin, Pan-Feng Cai, Ya-Hua Liu and Ji-Xin Li
Crystal structure of 5'-hydroxy-6'-methoxy-1'-methyl-2',3',8',8a'-tetrahydro-1'H-spiro[cyclohexane-1,7'-cyclopenta[*j*]isoquinoline]-2,5-dien-4-one, $C_{18}H_{19}NO_3$ — 239

Yuwen Wang, Ruolin Cui and Chunteng Zhang
The crystal structure of 1,1'-(2,3,5,6-tetramethylpyrazine-1,4-diyl)bis(ethan-1-one), $C_{12}H_{18}N_2O_2$ — 243

Chaohong Ma, Xianwu Dong, Jinke Jiang and Hui Jiang
Crystal structure of [μ_2 -piperazine-1,4-bis(2-hydroxypropanesulfonato- $\kappa^2 O:O'$)] bis(μ_2 -4,4'-trimethylenedipyridyl- $\kappa^2 N:N'$)disilver(I), $C_{18}H_{24}AgN_3O_4S$ — 245

Haneen Fadhil Abbas, Basil A. Saleh, Faris A. J. Al-Doghachi, Benson M. Kariuki and Gamal A. El-Hiti
Crystal structure of bis ((1-((*E*)-(4-methoxyphenyl)imino) methyl)naphthalen-2-yl)oxy) copper(II), $C_{36}H_{28}CuN_2O_4$ — 247

Ya-Fang Zhang and Ji-Xing Zhao
Synthesis and crystal structure of 6,6'-((1*E*,11*E*)-5,8-dioxo-2,11-diazadodeca-1,11-diene-1,12-diyl) bis(2,4-di-*tert*-butylphenol), $C_{36}H_{56}N_2O_4$ — 251

Jörn Bruns and Désirée Badea
The crystal structure of barium hexahydroxidoiridate(IV) dihydroxide, $Ba_2[Ir(OH)_6](OH)_2$ — 255

Qiaru Wang, Xiaona Xu, Mo Du, Wenqiang Tang and Bin Liu
Crystal structure of cinnamoyl ferrocene, $C_{19}H_{16}FeO$ — 257

Mo Du, Xiaona Xu, Qiaru Wang, Wenqiang Tang and Bin Liu
Crystal structure of (*E*)-3-(4-butoxyphenyl)acryloylferrocene, $C_{23}H_{24}FeO_2$ — 261

Ruifeng Yue, Ruiying Wang, Hang Shu, Dayong Fu and Zhuanghui Qi
Crystal structure of 7-(dimethylamino)-2-hydroxy-2-(trifluoromethyl)-2*H*-chromene-3-ethyl carboxylate, $C_{15}H_{16}F_3NO_4$ — 265

Chen-Yu Ruan, Zi-Wei Ai, Gong-Yi Liang, Pan-Yue Cao, Ke-Fan Yu and Cheng-Jun Jiang
The crystal structure of 1-phenylethan-1-aminium 4-hydroxy-3,5-dimethoxybenzoate $C_{17}H_{21}NO_5$ — 271

Bai Sha, Liu Qiaoe, Lu Zhiyan, Wang Fan, Wang Jianlong and Chen Lizhen
The crystal structure of 1,3,5-trichloro-2-nitrobenzene — 273

Kgaugelo C. Tapala and Hadley S. Clayton
The crystal structure of tris(μ_2 -bromido)-bis(η^6 -*p*-cymene)-diosmium(II) tetrafluoroborate, $C_{20}H_{28}BBr_3F_4Os_2$ — 275

Hong Young Chang and Sun Woo Kim
Crystal structure of new barium lithium manganese fluorides: $Ba_{14}Li_{1.87}Mn_{14.13}F_{68}$ with a Jarlite-related structure — 279

Xue Li and Guangyao Wang
Crystal structure of (4-fluorobenzyl) triphenylphosphonium chloride, $C_{25}H_{21}ClFP$ — 281

Yue-Ting Deng, Zhong-Yan Hao, Xi Liu, Kang Pan, An Zhao, Wen-Yang Zheng, Wei Xiang and Wen-Jing Ma
The crystal structure of calcitriol-chloroform (1/1), $C_{27}H_{44}O_3 \cdot CHCl_3$ — 283

Claudio Barrientos, J. Arturo Squella and Silvana Moris
The crystal structure of (*E*)-1-((3-nitrophenyl)pyren-3-(pyren-1-yl)prop-2-en-1-one, $C_{25}H_{15}NO_3$ — 287

Xiaona Xu, Hongjuan Tong and Bin Liu
Crystal structure of (*E*)-2-hydroxy-*N'*-(1-(4-hydroxyphenyl)propylidene)benzohydrazide, $C_{16}H_{16}N_2O_3$ — 291

Fangfang Ding, Xiaona Xu, Zhoujing Zhu, Hongjuan Tong and Wenqiang Tang

Crystal structure of (E)-(3-(thiophen-2-yl)acryloyl)ferrocene, $C_{17}H_{14}FeOS$ — 295

Zhoujing Zhu, Xiaona Xu, Hongjuan Tong and Wenqiang Tang

Crystal structure of (E)-(3-(furan-2-yl)acryloyl)ferrocene, $C_{17}H_{14}FeO_2$ — 299

Hai-Lin Chen, Yan-Ping Wang, Qing-Yan Sun and Ze-Ping Luo

Synthesis and crystal structure poly[diaqua(μ_3 -3-(((7-hydroxy-3-(4-methoxy-3-sulfonatophenyl)-4-oxo-4H-chromen-8-yl) methyl)ammonio)propanoate- $\kappa^3 O:O':O''$) sodium(I)] monohydrate, $C_{20}H_{24}NNaO_{12}S$ — 303

Mei-Lin Song, Xian-Rui Xie and Gui-Ge Hou

Crystal structure of 9-methoxy-4-(2-methoxypyridin-3-yl)-5,6-dihydrobenzo[h]quinazolin-2-amine $C_{19}H_{18}N_4O_2$ — 307

Hao-Wen Huang, Hao-Hong Liu, Si-Tong Lin, Xian-Nv Gan and Ji Zhang

Synthesis and crystal structure of 4-(difluoromethyl)-1-methyl-N-(pyridin-3-yl)-1H-pyrazole-3-carboxamide hydrate, $C_{11}H_{12}F_2N_4O_2$ — 311

Xiuyuan Li, Guoyong Luo, Jianghai Ye, Tiantian Li and Tianqiong Lang

The crystal structure of caesalfurfuric acid B, $C_{22}H_{32}O_4$ — 315

Sadeekah O. Saber, Yaseen A. Al-Soud, Raed A. Al-Qawasmeh and Monther A. Khanfar

The crystal structure of 2-bromo-2-(5-bromo-2-methyl-4-nitro-1H-imidazol-1-yl)-1-phenylethanone, $C_{12}H_9Br_2N_3O_3$ — 319

Yinqiu Liu

The crystal structure of bis{chlorido-[μ_2 -(1-oxidopyridin-2-yl)(pyridin-2-yl)amido- $\kappa^3 O,N,N'$]copper(II)}, $C_{20}H_{16}Cl_2Cu_2N_6O_2$ — 323

Longdie Cheng, Guoyong Luo, Xulan Wang, Jianghai Ye and Tianqiong Lang

The crystal structure of 3-amino-2-formyl-1-phenyl-9,10-dihydrophenanthrene-4-carbonitrile, $C_{22}H_{16}N_2O$ — 325

Jinfeng Wang

The crystal structure of 1,1'-(2,5-dimethylpyrazine-1,4-diyl)bis(ethan-1-one), $C_{10}H_{14}N_2O_2$ — 329

Wen-Ze Zhao and Feng-Jun Lu

Crystal structure of 5'-(9-phenyl-9H-carbazol-3-yl)-[2,2'-bithiophene]-5-carbaldehyde, $C_{27}H_{17}NOS_2$ — 331

Wang Bo, Pan Hongxia, Chen Jun, Li Yunlu, Chen Lizhen and Wang Jianlong

The crystal structure of the double salt dipyridin-1-ium bromide tribromide — 335

Yanjiao Wang, Haoliang Zheng, Keyi Zhang, Xiaohua Li and Bin Liu

Crystal structure of (E)-(3-(3-methylthiophen-2-yl)acryloyl)ferrocene, $C_{18}H_{16}FeOS$ — 337

Jie Gao, Shuang Zhang, Yanan Wang, Yucong Guo and Bin Liu

Crystal structure of (E)-(3-(4-phenoxyphenyl)acryloyl)ferrocene, $C_{25}H_{20}FeO_2$ — 341

Yanrong Gao, Xiaona Xu, Zhoujing Zhu and Wenqiang Tang

Crystal structure of (E)-(3-(3,4-dimethylphenyl)acryloyl)ferrocene, $C_{21}H_{20}FeO$ — 345

Kwang Ha

Crystal structure of [(1,4,8,11-tetraazacyclotetradecane- $\kappa^4 N,N',N'',N'''$)tetracyanidodiplatinum(II)] dimethyl sulfoxide solvate, $C_{18}H_{36}N_8O_2Pt_2S_2$ — 349

Shuyan Chen, Xiangbin Nan, Haoqi Yang, Yiheng Xue and Hui Jiang

Crystal structure of (4-ethoxybenzyl)triphenylphosphonium bromide ethanol solvate, $C_{29}H_{32}BrO_2P$ — 353

Jinke Jiang and Hui Jiang

Crystal structure of (1-naphthalen-1-yl-methyl)triphenylphosphonium chloride ethanol solvate, $C_{31}H_{30}ClOP$ — 357

Kwang Ha

Crystal structure of (1,4,8,11-tetraazacyclotetradecane- $\kappa^4 N,N',N'',N'''$)platinum(II) bis[tribromido(dimethyl sulfoxide- κS)platinate(II)], $C_{14}H_{36}Br_6N_4O_2Pt_3S_2$ — 361

Chaohong Ma, Xianwu Dong, Jinke Jiang and Hui Jiang

Crystal structure of (2-methylbenzyl)triphenylphosphonium chloride ethanol solvate, $C_{28}H_{30}ClOP$ — 363

Kwang Ha

Crystal structure of bis(η^2 , σ^1 -8-methoxycyclooct-4-enyl)(μ_2 -1,4,8,11-tetraazacyclotetradecane- κ^4 N, N', N'', N''')diplatinum(II) dibromide, C₂₈H₅₄Br₂N₄O₂Pt₂ — 367

Kwang Ha

Crystal structure of (1,4,8,11-tetraazacyclotetradecane- κ^4 N,N',N'',N'''')palladium(II) tetrabromidopalladate(II), C₁₀H₂₄Br₄N₄Pd₂ — 371

Kwang Ha

Crystal structure of (1,4,8,11-tetraazacyclotetradecane- κ^4 N,N',N'',N'''')palladium(II) bis[trichlorido(dimethyl sulfoxide- κ S)platinate(II)], C₁₄H₃₆Cl₆N₄O₂PdPt₂S₂ — 373

Kwang Ha

Crystal structure of (1,4,8,11-tetraazacyclotetradecane- κ^4 N,N',N'',N'''')palladium(II) tetraiodidopalladate(II), C₁₀H₂₄I₄N₄Pd₂ — 375