


ZEITSCHRIFT FÜR KRISTALLOGRAPHIE NEW CRYSTAL STRUCTURES



EDITOR-IN-CHIEF

Hubert Huppertz

EDITORIAL BOARD

Marek Daszkiewicz

Christian Hübschle

Oliver Janka

Andreas Lemmerer

Guido J. Reiss

Marko Rodić

Svitlana V. Shishkina

Edward R. T. Tiekink

Crystal structure of a new thioether-containing amino acid

ZEITSCHRIFT FÜR KRISTALLOGRAPHIE NEW CRYSTAL STRUCTURES

EDITOR-IN-CHIEF

Hubert Huppertz

EDITORIAL BOARD

Marek Daszkiewicz

Christian Hübschle

Oliver Janka

Andreas Lemmerer

Guido J. Reiss

Marko Rodić

Svitlana V. Shishkina

Edward R. T. Tiekink

DE GRUYTER

Zeitschrift für Kristallographie – New Crystal Structures was founded in 1997 as spin off of Zeitschrift für Kristallographie to meet the high demand to publish results of structure determination. All publications and their submitted CIF-data are online freely available (Open Access). Zeitschrift für Kristallographie — New Crystal Structures offers a place for researchers to present

- results of determinations of hitherto unknown crystal structures which do not justify detailed discussion of determination procedure, crystal structure, and/or structure-property relations (routine determinations and structures),
- refinement of previously published crystal structures which do not require a new description or discussion.

Further details of the structure determination can be accessed at the relevant database. Data with CSD numbers can be obtained from the Fachinformationszentrum Karlsruhe, Gesellschaft für wissenschaftlich-technische Information mbH, 76344 Eggenstein-Leopoldshafen, Germany (e-mail: crysdata@fiz-karlsruhe.de). Data with CCDC numbers can be obtained from the Cambridge Crystallographic Data Centre (CCDC), 12 Union Road, Cambridge CB2 1EZ, UK, (fax: +44-(0)1223-33 60 33 or e-mail: deposit@chemcrs.cam.ac.uk).

ONLINE-SUBMISSION New Crystal Structures (NCS) have to be submitted online as CIF-file to: <https://mc.manuscriptcentral.com/zkrist-ncs>

Please see the journal's homepage for Abstracting & Indexing Services information.

ISSN 1433-7266 · e-ISSN 2197-4578

All information regarding notes for contributors, subscriptions, Open access, back volumes and orders is available online at www.degruyter.com/ncrs

RESPONSIBLE EDITOR Univ.-Prof. Dr. Hubert Huppertz, University of Innsbruck, Institute of General, Inorganic and Theoretical Chemistry, Innrain 80-82, 6020 Innsbruck, Austria, e-mail: Hubert.Huppertz@uibk.ac.at

PUBLISHER Walter de Gruyter GmbH, Berlin/Boston, Genthiner Straße 13, 10785 Berlin, Germany

JOURNAL MANAGER Holger Kleessen, De Gruyter, Genthiner Straße 13, 10785 Berlin, Germany,
Tel.: +49 (0)30 260 05 – 348, Fax: +49 (0)30 260 05 – 184, e-mail: ZKristallogr-NCS@degruyter.com

ADVERTISEMENTS e-mail: anzeigen@degruyter.com

© 2025 Walter de Gruyter GmbH, Berlin/Boston, Germany

TYPESETTING TNQ Tech Private Limited, Chennai, India

PRINTING Franz X. Stickle Druck und Verlag e.K., Ettenheim

COVER ILLUSTRATION James K. Waters, Valeri V. Mossine, Steven P. Kelley and Thomas P. Mawhinney: Crystal structure of (*R*)-2-ammonio-3-((5-carboxypentyl)thio)propanoate; in this issue pp. 769-771. DOI: 10.1515/ncrs-2025-0244

Questions about General Product Safety Regulation: productsafety@degruyterbrill.com



Contents

Yuxin Yang, Xinhe Zhou, Yuan Gao, Zhengbin Tang,
Muxin Zhang, Yantong Sun and Xiaoping Zhou

Crystal structure of (S)-N-(10-((2,2-dimethoxyethyl)amino)-1,2,3-trimethoxy-9-oxo-5,6,7,9-tetrahydrobenzo[*a*]heptalen-7-yl)acetamide, C₂₅H₃₂N₂O₇ — 703

Zhenlong Tu and Bangjin Sun

The crystal structure of 6,6'-difluoro-3,3'-dimethyl-5,5'-di(10*H*-phenoxazin-10-yl)-[1,1'-biphenyl]-2,2'-dicarbonitrile, C₄₀H₂₄F₂N₄O₂ — 707

Zi-Long Yue and Yu-Quan Feng

Crystal structure of poly[(di-ethylenediamine-κ²N,N')cadmium(II) tetradecadocyclohexavanadate] (V⁴⁺/V⁵⁺ = 2/1), C₄H₁₆CdN₄O₁₄V₆ — 709

Yao-Hua Sun, Zhi-Jian Li, Ping Hao, Liang-Liang Zhang and Jing Hao

The crystal structure of poly[bis(dimethylformamide-κ¹N)-(μ₄-2',3,3'',5'-tetrakis(trifluoromethyl)-[1,1':4',1''-terphenyl]-4,4''-dicarboxylato-κ⁴O,O': O'',O''')dicadmium(II)], C₂₇H₁₅CdF₁₂NO₅ — 713

Li-Fang Wang and You-Zhu Yu

Crystal structure of bis(μ₂-ferrocenylcarboxylato-O,O')-(μ₃-oxido-κ³O:O:O)-bis(μ₂-salicyladoximato-κ²N,O,O')-(μ₂-isopropoxo)-tris(isopropoxy-κ¹O trititanium(IV)), C₄₈H₅₅N₂O₁₃Fe₂Ti₃ — 717

Jingjing Bi, Wei Chen and Yuwei Hao

Crystal structure of 3-(diethylamino)-7,9,11-trimethyl-8-phenyl-6*H*,13*H*-12λ⁴,13λ⁴-chromeno[3',4':4,5]pyrrolo[1,2-*c*]pyrrolo[2,1-*f*][1,3,2]diazaborinin-6-one, C₂₈H₂₆BF₂N₃O₂ — 721

Weizheng Kong, Youming Zhang and Ying Zhang

The crystal structure of catena-poly[aqua-μ₂-2-nitrobenzene-1,3-dicarboxylato-κ²O,O']-(1,10-phenanthroline-κ²N,N')-zinc(II)], C₂₀H₁₃N₃O₇Zn — 725

Dong Wang, Bo-Bo Han, Ye-Meng Sheng, Yu-Jie Xie, Wen-Duo Zhu and Jiu-Fu Lu

Crystal structure of poly[diaqua-{μ₃-1-(3-carboxylatophenyl)-4-oxo-1,4-dihydropyridazine-3-carboxylato-κ⁴O,O':O'':O'''}manganese(II)]hydrate — 729

Feijuan Wang, Yanjiao Wang, Xiaojuan Han, Bin Liu and Wenqiang Tang

Crystal structure of N'-((1-hydroxycyclohexyl)(phenyl)methyl)-2-methoxybenzohydrazide methanol solvate, C₂₂H₂₈N₂O₄ — 733

Jiaxing Wang, Yong Yuan and Xin Zhu

The cocrystal of caffeic acid — progesterone — water (1/2/1), C₅₁H₇₀O₉ — 737

Cong Guo, Yi-Zheng Cheng and Qiang Li

Crystal structure of (((oxido(quinolin-6-yl)methoxy)triphenyl-λ⁵-stibanyl)oxy)(quinolin-7-yl)methanolate — 739

Bin Zhang, Jing Wang, Jinping Wu, Yixin Chu and Yan Wan

Crystal structure of [(E)-6'-(diethylamino)-2-(2-(((E)-pyren-1-ylmethylene)amino)ethyl)-4'-(2-(((E)-1,3,3-trimethylindolin-2-ylidene)ethylidene)-1',2',3',4'-tetrahydrospiro[isindoline-1,9'-xanthen]-3-one)]-methanol, solvate C₅₇H₅₆N₄O₃ — 741

Dan Zhou, Hong Ji Li, Yu Qian Kan and Wen Li

The crystal structure of 1-(acridin-9-yl)pyrrolidine-2,5-dione, C₁₇H₂₂N₂O₂ — 745

Li-wei Han and Qing Zhang

Crystal structure of N-(4-acetylphenyl)-2-(6-methoxynaphthalen-2-yl)propanamide, C₂₂H₂₁NO₃ — 747

Ren-Yun Kuang, Da-Wei Wang, Yi-Dong Wang, Qiu-Yan Luo and Jin-Hua Cai

The crystal structure of 5,10,15,20-tetrakis(4-(1*H*-1,2,4-triazol-1-yl)phenyl)porphyrin, C₅₂H₃₄N₁₆ — 749

Qing Lu, Yanan Liu, Guifang Chen and Kai Liu

Crystal structure of hexacarbonyl-μ₂-[phenylmethanedithiolato-κ⁴S:S,S':S']diiron (Fe-Fe) C₁₃H₆Fe₂O₆S₂ — 753

Meng-meng Cao, Xin-ling Wang, Wen-ke Yang, Jing Yang and Xia Wang

Crystal structure of diiodo-bis(1-((2-propyl-1*H*-benzo[d]imidazol-1-yl)methyl)-1*H*-benzo[d][1,2,3]triazole-κ¹N)cadmium(II), C₃₄H₃₄CdI₂N₁₀ — 755

Jingyin Yu, Xiaohua Li, Chanchan Liu, Dandan Cui and Hongjuan Tong

Crystal structure of (E)-(3-(3-bromophenyl)acryloyl)ferrocene, $C_{19}H_{15}BrFeO$ — 757

Huichao Shao, Zhongyu Zhang, Rui Xue and Meiyang Gong
Crystal structure of *catena*-poly(μ 2-6-chloropyridine-2-carboxylato- $\kappa^3N, O:O'$)(6-chloropyridine-2-carboxylato- κ^2O, N)copper(II), $C_{12}H_6Cl_2N_2O_4Cu$ — 759

Yanwen Sun, Yanzi Li, Xinyu Zhang, Jiayi Wu, Yongzhen Zhang and Zhen Chen

Crystal structure of poly[diaqua- μ_3 -(5-(3,5-dicarboxy-2,4,6-trimethylbenzyl)-2,4,6-trimethylisophthalato)- $\kappa^6O, O':O'', O''':O''''$] terbium(III)-monohydrate], $C_{23}H_{28}TbO_{12}$ — 761

Qi Wu, Sai Chen, Jia-yi Zhu, Yin-zhi Jia, Jia-ni Dong, Fei-fei Li and Hong-lei Li

Crystal structure of (E)-2-(((5-chloro-3-methyl-1-phenyl-1H-pyrazol-4-yl)methylene)amino)-3',6'-dihydroxyspiro [isoindoline-1,9'-xanthen]-3-one – ethanol (1/2), $C_{35}H_{33}ClN_4O_6$ — 763

Yue Gao, Song Ang, Ming Lang and Min Chen

The crystal structure of 3-(5-amino-3-phenylisoxazol-4-yl)-4-chloro-3-hydroxyindolin-2-one, $C_{17}H_{12}ClN_3O_3$ — 765

Qian Li and Chen Li

The crystal structure of dimethylammonium 4-[2-(4-fluorophenyl)-4, 5-diphenyl-1H-imidazol-1-yl] benzenesulfonate, $C_{29}H_{26}FN_3O_3S$ — 767

James K. Waters, Valeri V. Mossine, Steven P. Kelley and Thomas P. Mawhinney

Crystal structure of (R)-2-ammonio-3-((5-carboxypentyl)thio)propanoate — 769

Lamya H. Al-Wahaibi, Olivier Blacque, Edward R. T. Tiekink and Ali A. El-Emam

Crystal structure of 4-cyclohexyl-5-(thiophen-2-yl)-2,4-dihydro-3H-1,2,4-triazole-3-thione, $C_{12}H_{15}N_3S_2$ — 773

Shanlin Xu, Tianyuan Zhang and Gang Xiong

The crystal structure of 4,6-bis(dimethylamino)-2-fluoroisophthalonitrile, $C_{12}H_{13}FN_4$ — 775

Guido J. Reiss and Marie Barbara Wolke

Hydrogen bonding in the crystal structure of nicotin-1,1'-dium tetrabromidomanganate(II) — 777

Luo Na, Jiaqi Ou, Xiaoming Zhu and Fuxing Zhang

The crystal structure of bis(2-bromobenzyl)(2-((2-oxybenzylidene)amino)-4-methylpentanoato- κ^3N, O, O')tin(IV), $C_{27}H_{27}Br_2NO_3Sn$ — 781

Dandan Cui, Chanchan Liu, Mengjia Yang, Jingyin Yu and Bin Liu

Crystal structure of (E)-(3-(*p*-tolyl)acryloyl)ferrocene, $C_{20}H_{18}FeO$ — 783

Yu Chen, Wen-Xin Zhu, Wen-Xuan Li, Yan Ren and Gui-Ge Hou

Crystal structure of (E)-7-fluoro-2-((5-(4-methylpiperazin-1-yl)pyridin-2-yl)methylene)-3,4-dihydronaphthalen-1(2H)-one, $C_{21}H_{22}FN_3O$ — 785

Wen-Wen Li, Yu Chen, Gui-Ge Hou and Feng Zhao

Crystal structure of (E)-7-methoxy-2-((5-(4-methylpiperazin-1-yl)pyridin-2-yl)methylene)-3,4-dihydronaphthalen-1(2H)-one, $C_{22}H_{25}N_3O_2$ — 789

Zhongde Wei, Chaosheng Li, Wentao Chen, Hangyi An, Yani Luo, Xiaoli Wang, Airong Wang and Jiaming Li

The crystal structure of poly(bis(μ_2 -1,3,5-tri(1H-imidazol-1-yl)benzene- $\kappa^2N:N'$)-(μ_2 -2,3,5,6-tetrafluoroterephthalato- $\kappa^2O:O'$)-manganese(II), $C_{38}H_{24}F_4N_{12}O_4Mn$ — 791

Xinyao Tian, Shuxin Liu, Zilong Qiu, Liguang Li and Xiuhua Li

Crystal structure of (3,4-dimethoxybenzyl) triphenylphosphonium bromide ethanol solvate, $C_{29}H_{32}BrO_3P$ — 795

Yuan Yang

Crystal structure of tetraethylammonium hydrogencarbonate – (diaminomethylene)thiourea – water (2/1/3) — 797

Xue Lei

Crystal structure of *N, N*-Dimethyl-*N'*-tosylformimidamide, $C_{10}H_{14}N_2O_2S$ — 799

Di Fan, Zhiheng Li, Na Xu and Shoude Jin

The crystal structure of ethyl 2-methyl-5-oxo-4-(2-methoxyphenyl)-1,4,5,6,7,8-hexahydroquinoline-3-carboxylate, $C_{20}H_{23}N_2O_4$ — 801

Miljan Bigović, Marija Kaludjerović, Sergiu Shova, Zoran D. Tomić and Željko K. Jačimović

Crystal structure of bis(μ_2 -1,5-bis[(E)-1-(2-hydroxyphenyl)ethylidene] thiocarbonohydrazide)-bis(dimethylformamide)-dizinc(II) dimethylformamide solvate, $C_{40}H_{46}N_{10}O_6S_2Zn_2 \cdot C_3H_7NO$ — 803

Kiyoshi Fujisawa and Edward R.T. Tiekink

Crystal structure of azido- κ^1N {hydridotris(3-*tert*-butyl-5-methylpyrazol-1-yl)borato- κ^3N,N',N'' }copper(II), $C_{24}H_{40}BCuN_9$ — 807

Mmabatho L. Ledibane and Orbett T. Alexander

The crystal structure of *fac*-tricarbonyl(1,10-phenanthroline- κ^2N,N')-(azido- κ^1N)rhenium(I), $C_{15}H_8N_5O_3Re$ — 811

Mengjia Yang, Dandan Cui, Chanchan Liu, Min Jiang and Bin Liu

Crystal structure of 4-((triphenylphosphonio)methyl)pyridin-1-ium tetrachloridozincate(II), $C_{24}H_{22}Cl_4NPZn$ — 813