SCIENCE AND ENGINEERING OF COMPOSITE MATERIALS

EDITOR-IN-CHIEF

Suong V. Hoa, Montreal, QC

EDITORS

Omri Rand, Haifa Hiroyuki Hamada, Kyoto

EDITORIAL BOARD

Andrzej M. Brandt, Warsaw
Gottfried W. Ehrenstein, Erlangen
David Hui, New Orleans, LA
L. James Lee, Columbus, OH
Mamoun Medraj, Montreal, QC
Asami Nakai, Kyoto
Luigi Nicolais, Naples
James C. Seferis, Seattle, WA
Kiang Hwee Tan, Singapore
Minh Tan Ton-That, Quebec, QC
Xinran Xiao, Lansing, MI
Masaru Zako, Osaka
W. H. Katie Zhong, Pullman, WA

ABSTRACTED/INDEXED IN Celdes; Chemical Abstracts Service (CAS); Chemical Abstracts Service (CAS) - SciFinder; CNKI Scholar (China National Knowledge Infrastructure); CNPIEC; EBSCO - TOC Premier; EBSCO Discovery Service; Elsevier - Compendex; Elsevier - Engineering Village; Elsevier - SCOPUS; Google Scholar; Index Copernicus; Inspec; J-Gate; Naviga (Softweco); Paperbase; Pirabase; Polymer Library; Primo Central (ExLibris); ProQuest: Advanced Technologies Database with Aerospace, Aerospace Database, Aluminium Industry Abstracts, ANTE: Abstracts in New Technologies and Engineering, Ceramic Abstracts/World Ceramics Abstracts, Civil Engineering Abstracts, Computer and Information Systems Abstracts, Copper Technical Reference Library, Corrosion Abstracts, Earthquake Engineering Abstracts, Electronics and Communications Abstracts, Engineered Materials Abstracts, Engineering Research Database, Materials Business File, Materials Research Database, Mechanical & Transportation Engineering Abstracts, METADEX (Metals Abstracts), Solid State and Superconductivity Abstracts, Technology Research Database; ReadCube; SCImago (SJR); Summon (Serials Solutions/ProQuest); TDOne (TDNet); TEMA Technik und Management; Thomson Reuters - Current Contents/Engineering, Computing, and Technology; Thomson Reuters - Journal Citation Reports/Science Edition; Thomson Reuters - Science Citation Index Expanded; Ulrich's Periodicals Directory/ulrichsweb; WorldCat (OCLC)

The publisher, together with the authors and editors, has taken great pains to ensure that all information presented in this work (programs, applications, amounts, dosages, etc.) reflects the standard of knowledge at the time of publication. Despite careful manuscript preparation and proof correction, errors can nevertheless occur. Authors, editors and publisher disclaim all responsibility for any errors or omissions of liability for the results obtained from use of the information, or parts thereof, contained in this work.

The citation of registered names, trade names, trademarks, etc. in this work does not imply, even in the absence of a specific statement, that such names are exempt from laws and regulations protecting trademarks etc. and therefore free for general use.

ISSN 0792-1233 · e-ISSN 2191-0359

All information regarding notes for contributors, subscriptions, Open access, back volumes and orders is available online at www.degruyter.com/secm

RESPONSIBLE EDITOR Prof. Suong V. Hoa, Concordia Center for Composites, Department of Mechanical and Industrial Engineering, Concordia University, 1455 Demaisonneuve West # EV 4-145, Montreal, Quebec, Canada H3G 1M8, Tel.: + 1-514-848-2424, Email: hoasuon@alcor.concordia.ca

JOURNAL MANAGER Dr. Gunda Stöber, De Gruyter, Genthiner Straße 13, 10785 Berlin, Germany, Tel.: +49 (0)30 260 05-279, Fax: +49 (0)30 260 05-298, Email: secm.editorial@degruyter.com

RESPONSIBLE FOR ADVERTISEMENTS Heiko Schulze, De Gruyter, Genthiner Straße 13, 10785 Berlin, Germany. Tel.: +49 (0)30.260 05-358, Fax: +49 (0) 30.260 05-264 Email: anzeigen@degruyter.com

© 2015 Walter de Gruyter GmbH, Berlin/Boston

 $\textbf{TYPESETTING} \ Compuscript \ Ltd., \ Shannon, \ Ireland$

PRINTING Franz X. Stückle Druck und Verlag e.K., Ettenheim Printed in Germany



Contents

Original articles

Yasser Rostamiyan, Abdolhossein Fereidoon and Amin Hamed Mashhadzadeh

Experimental study on the mechanical properties of an epoxy-based nanocomposite using polymeric alloying and different nano-reinforcements: nanofiber, nanolayered and nanoparticulate materials — 591

Min Zhang, Shengjun Lu, Enhui Xu, Min He and Jie Yu A new method for preparation of low melting point polyamide-6 (LPA6) and properties of compatibilized blends of LPA6/glass beads/styrene and maleic anhydride copolymer — 599

Qinghong Fang, Xiaochen Liu, Na Wang, Chi Ma and Feng Yang

The effect of zeolite particle modified by PEG on rubber composite properties —— 607

Junjie Ye, Yuanying Qiu, Zhi Zhai, Xuefeng Chen and Yuchen Fan

Investigation of the effect of microstructural parameters on the initial yield surface of non-isothermal composites —— 613

Nazile Ural

The relationship between geotechnical index properties and the pore-size distribution of compacted clayey silts — 623

Goichi Ben, Akiko Hirabayashi, Kazuhiro Sakata, Koichi Nakamura and Norio Hirayama

Evaluation of new GFRTP and CFRTP using epsilon caprolactam as matrix fabricated with VaRTM —— 633

Tzehan Chen, Brian J. Chow and Yu Qiao
Two-step gradation of particle size in an inorganicorganic hybrid —— 643

Gang Wu, Xin Wang, Zhishen Wu, Zhiqiang Dong and Qiong Xie

Degradation of basalt FRP bars in alkaline environment — 649

Hui Luo, Peng Liu and Chengxin Teng

Effects of B and V on microstructure of FeCrC cladding layers on the surface of Q235B mild steel by TIG welding — 659

Jovana Ružić, Jelena Stašić, Viseslava Rajković, Karlo Raić and Dušan Božić

Microstructural and mechanical properties of Cu-7vol.%ZrB₂ alloy produced by powder metallurgy techniques —— 665

Shiming Hao, Jingpei Xie, Aiqin Wang, Wenyan Wang and Iiwen Li

Effect of consolidation parameters and heat treatment on microstructures and mechanical properties of SiCp/2024 Al composites —— 673

Levent Urtekin

Experimental investigation of process parameters for WEDM of Ti-6Al-4V/TiN composites —— 685

Kamran Asemi, Manouchehr Salehi and Mehdi Akhlaghi Three-dimensional natural frequency analysis of anisotropic functionally graded annular sector plates resting on elastic foundations — 693

Ramin Amid, Zouheir Fawaz and Hamid Ghaemi

Energy absorption rate of composite tube as a function of stacking sequence using finite element method —— 709