

Zeitschrift für Kristallographie

New Crystal Structures

Volume 218 • Issue 4 • 2003

Inorganic Crystal Structures

R. Wartchow, L. Müller and M. Binnewies

Crystal structure of manganese gallium germanium silicon oxide (garnet type), $\text{Mn}_3(\text{Ga}_{2-y}\text{Mn}_y)(\text{Ge}_{3-z}\text{Si}_z)\text{O}_{12}$ ($y = 0.6$, $z = 0.14$; $y = 0.44$, $z = 0$), and of manganese gallium germanium silicon oxide (braunite type), $\text{Mn}(\text{Mn}_{6-y}\text{Ga}_y)(\text{Si}_{1-z}\text{Ge}_z)\text{O}_{12}$ ($y = 0.7$, $z = 0.4$) 373

Hj. Mattausch and A. Simon

Crystal structure of tricerium dialuminide diiodide, $\text{Ce}_3\text{Al}_2\text{I}_2$ 376

B. Ewald, Yu. Prots and R. Kniep

Crystal structure of discandium tris-monohydrogen phosphate(III), $\text{Sc}_2(\text{HPO}_3)_3$ 377

M. Sofin, E.-M. Peters and M. Jansen

Crystal structure of rubidium copper silver oxide, $\text{Rb}_3\text{Cu}_{0.5}\text{Ag}_{0.5}\text{O}_2$ 379

B. Jäschke and M. Jansen

Crystal structure of trichloro(*N*-trimethylsilyl)phosphoraniminetrichloroaluminum, $[(\text{CH}_3)_3\text{Si}(\text{N})\text{PCl}_3\text{AlCl}_3]$ 381

H. Preishuber-Pfögl and K. O. Klepp

Crystal structure of tetrasodium tetraselenidosilicate(IV), Na_4SiSe_4 383

K. O. Klepp and M. Sing

Refinement of the crystal structure of dirubidium trithioargentate(I), $\text{Rb}_2\text{Ag}_4\text{S}_3$ 385

H. Preishuber-Pfögl and K. O. Klepp

Crystal structure of tetrarubidium hexathio-digermanate(IV), $\text{Rb}_4\text{Ge}_2\text{S}_6$ 387

Z.-M. Wang, W.-T. Yu, D.-R. Yuan, X.-Q. Wang, G. Xue,

X.-Z. Shi, D. Xu and M.-K. Lv

Crystal structure of tricalcium tantalum trigallium disilicon oxide, $\text{Ca}_3\text{TaGa}_3\text{Si}_2\text{O}_{14}$ 389

O. Moretzki, Th. Doering, V. Geist, W. Morgenroth and M. Wendschuh

Crystal structure of iron nickel phosphide, $\text{Fe}_{1.7}\text{Ni}_{1.3}\text{P}$, a Schreibersite extracted from Canyon Diablo meteorite 391

O. Moretzki, Th. Doering, V. Geist, W. Morgenroth and M. Wendschuh

Crystal structure of iron nickel phosphide, $\text{Fe}_{1.65}\text{Ni}_{1.35}\text{P}$, a Rhabdite extracted from Morasko meteorite 393

O. Moretzki, Th. Doering, V. Geist, W. Morgenroth and M. Wendschuh

Crystal structure of iron nickel phosphide, $\text{Fe}_{1.8}\text{Ni}_{1.2}\text{P}$, a Schreibersite extracted from Orange River meteorite 395

W. Carrillo-Cabrera, R. Cardoso Gil, S. Paschen and Yu. Grin

Crystal structure of barium europium germanide, $\text{Ba}_{6-x}\text{Eu}_x\text{Ge}_{25}$ ($x = 0.6$), a chiral clathrate 397

R. Karray, A. Kabadou, M. Loukil and A. Ben Salah

Crystal structure of lithium ammonium hexachlorotellurate(IV), $[\text{Li}_{0.2}(\text{NH}_4)_{0.8}]_2\text{TeCl}_6$ 399

U. Kolitsch

Crystal structure of dirubidium dichromate(VI), $\text{Rb}_2\text{Cr}_2\text{O}_7$, a fourth polymorph 401

V. Manriquez, A. Galdámez, D. Ruiz León and M. T. Garland

Crystal structure of potassium antimony hexathio-diphosphate, KSbP_2S_6 403

H. Euler, B. Barbier, A. Meents and A. Kirfel

Crystal structure of Tutton's salts, $\text{Cs}_2[\text{M}^{\text{II}}(\text{H}_2\text{O})_6](\text{SeO}_4)_2$, $\text{M}^{\text{II}} = \text{Mg, Mn, Co, Ni, Zn}$ 405

H. Euler, B. Barbier, A. Meents and A. Kirfel

Crystal structure of Tutton's salts, $\text{Cs}_2[\text{M}^{\text{II}}(\text{H}_2\text{O})_6](\text{SO}_4)_2$, $\text{M}^{\text{II}} = \text{Mg, Mn, Fe, Co, Ni, Zn}$ 409

L. G. Akselrud, M. Hanfland and U. Schwarz

Refinement of the crystal structure of Sb-I, at 2.22 GPa 414

L. G. Akselrud, M. Hanfland and U. Schwarz

Refinement of the crystal structure of Bi-II, at 2.54 GPa 415

V. Babizhetskyy, Hj. Mattausch and A. Simon

Crystal structure of lanthanum borocarbide, $\text{La}_5\text{B}_4\text{C}_{5-x}$ ($x = 0.15$) 417

Frank Biesemeier, Klaus Harms and Ulrich Müller

Crystal structure of bisacetonitrile-tetracarbonyl-molybdenum —acetonitrile solvate, $\text{Mo}(\text{CO})_4(\text{NCCH}_3)_2 \cdot \text{CH}_3\text{CN}$ 419

Organic and Metalorganic Crystal Structures

B.-S. Zhang and Y.-Q. Zheng

Crystal structure of 4,4'-bipyridinium dibromide,
(C₁₀H₁₀N₂)Br₂ 421

S. Steyer, D. Matt, R. Welter and A. Louati

Crystal structure of 5,11,17,23-tetra-*tert*-butyl-25,26-bis(diphenylphosphino)l-methoxy-27,28-bis(benzoyl-methoxy)calix[4]-arene—ethyl acetate—hexane (1:1:0.5), C₈₆H₉₀O₈P₂ · C₄H₈O₂ · 0.5C₆H₁₄, a new cavity-shaped ligand with eight oxygen donors 423

I. A. Bagatin, F. Balegroune and D. Matt

Crystal structure of 11,23-bis-(*tert*-butyl)-25,27-bis-(ethoxyethoxy)-26,28-bis-(propoxy)calix[4]arene, C₅₀H₆₈O₆ 427

E. F. Paulus, W. Joswig, V. Böhmer, M. Saadioui, M. Krilow, M. Peikert-Regelien and B. Urschel

Crystal structure of 5,11,17,23-tetra-*t*-butyl-25,27-dihydroxy-26,28-di-tosyloxy-calix[4]arene, C₅₈H₆₈O₈S₂ 429

M. Ranjbar, H. Aghabozorg and A. Moghimi


Crystal structure of bis(2,6-diaminopyridinium) diaqua-bis-(2,6-pyridinedicarboxylato)-bis(2,6-pyridinedicarboxylato)-dibismuthate(III) tetrahydrate, (C₂₈H₁₆O₁₈N₄Bi₂)(C₅H₈N₃)₂ · 4H₂O 432

A. R. Mahjoub, A. Ramazani and A. Morsali

Crystal structure of 2,2'-bis(4,5-dimethylimidazole)-(dithiocyanato)mercury(II), Hg(C₁₀H₁₄N₄)(CNS)₂ 435

U. Casellato, R. Graziani, M. Teijeira and E. Uriarter

Crystal structure of {2-[4-(4-chlorophenyl)-4-hydroxy-1-piperidinyl-methyl]cyclopentyl}-(4-fluorophenyl)-methanone, C₂₄H₂₇ClFNO₂ 437



M. Rajeswaran, T. N. Blanton and K. P. Klubek

Refinement of the crystal structure of the δ -modification of tris(8-hydroxyquinoline)aluminum(III), δ -Al(C₉H₆NO)₃, the blue luminescent Alq₃ 439

J. M. Rubin-Preminger, R. A. Illos and S. Bittner

Crystal structure of *N*-(4-(3,6-dioxo-4-phenylsulfanylcyclo-1,4-dienylamino))-5-dimethylaminonaphthalene-sulfonamide, C₃₀H₂₅N₃O₄S₂ 441

H. Huang, Q.-H. Jin, S.-Y. Yu, H.-W. Ma, S.-H. Li,

H.-P. Huang and K.-B. Yu

Crystal structure of catena-poly{[tetra[μ -(benzoato-*O,O'*)]-dicopper(II)]- μ -2-*N,N'*-(4,4''-bi-3,5-dimethylpyrazolate)} hydrate, [Cu₂(O₂CC₆H₅)₄(C₁₀H₈N₄)] · H₂O 443

X. Li and Y.-Q. Zou

Crystal structure of di(2,2'-bipyridine)tetra[μ -(3-methoxybenzoato-*O,O'*)]di(3-methoxybenzoato)diterbium(III), Tb₂(C₈H₇O₃)₆(C₁₀H₈N₂)₂ 445

X. Li and Y.-Q. Zou

Crystal structure of di(2,2'-bipyridine)tetra[μ -(4-methylbenzoato-*O,O'*)]di(4-methylbenzoato)disamarium(III), Sm₂(C₈H₇O₂)₆(C₁₀H₈N₂)₂ 448

X. Li and Y.-Q. Zou

Crystal structure of di(2,2'-bipyridine)di[μ -(2,3-dimethoxybenzoato-*O,O'*)]di[μ -(2,3-dimethoxybenzoato-*O,O':O'*)]-di(nitrato)diterbium(III), Tb₂(NO₃)₂(C₉H₉O₄)₄(C₁₀H₈N₂)₂ 451

X. Li and Y.-Q. Zou

Crystal structure of di(1,10-phenanthroline-*N,N'*)di[μ -(2-furancarboxylato-*O,O'*)- μ -(2-furancarboxylato-*O,O':O'*)]di(nitrato)diterbium(III), Tb₂(NO₃)₂(C₅H₃O₃)₄(C₁₂H₈N₂)₂ 453

R. Hauptmann and T. F. Fässler

Crystal structure of di[potassium(diaza-18-crown-6)]-dicaesium nonastannide(4-) diethylenediamine, [K(C₁₂H₂₆N₂O₄)]₂Cs₂[Sn₉] · 2C₂N₂H₈, a polyanion ²⁻[KCs₂Sn₉]⁻ with low-dimensional arrangement of [Sn₉] clusters 455

R. Hauptmann and T. F. Fässler

Crystal structure of di[potassium(18-crown-6)]dipotassium nonastannide(4-) — diethylenediamine solvate (1:1.5), [K(C₁₂H₂₄O₆)]₂K₂[Sn₉] · 1.5C₂N₂H₈ 458

R. Hauptmann and T. F. Fässler

Crystal structure of di[potassium([2.2.2]crypt)]tetrapotassium octadecagermanide(6-) — ethylenediamine solvate (1:6), [K(C₁₈H₃₆N₂O₆)]₂K₄(Ge₉)₂ · 6C₂N₂H₈ 461

R. Kempe and G. Hillebrand

Crystal structure of bis[2-(benzylamino)-6-methylpyridinato]-bis(hexahydro-2-azepinato)zirconium(IV), C₃₈H₄₆N₆O₂Zr 464

R. Kempe and G. Hillebrand

Crystal structure of dimethylamido-hexahydro-2-azepinato-bis[2-(trimethylsilylamino)-4-methylpyridinato]-titanium(IV), C₂₆H₄₆N₆OSi₂Ti 467

K. Skobridis, E. Weber and W. Seichter

Crystal structure of 1'-(1,2'-binaphthyl) 1-naphthyl ketone, C₃₁H₂₀O 469

H. Euler, A. Kirfel, C. Valder, M. Neugebauer, M. Meier and N. A. Braun

Crystal structure of (1*R**,2*S**,5*S**,6*S**,7*R**)-6-(3,5-dinitrobenzoyloxy)methyl-2,7-dimethyl-tricyclo[5.2.2.0^{1,5}]undec-8-ene, C₂₁H₂₄N₂O₆ 471

H. Euler, A. Kirfel, A. Bauer and C. E. Müller

Crystal structure of 9-benzyl-6-ethoxy-7-ethyl-2-phenyl-7,9-dihydropurin-8-one, C₂₂H₂₂N₄O₂ 473

- B. Tinant, R. Robiette and J. Marchand-Brynaert
Crystal structure of (S)-3-(Z-1',3'-butadienyl)-4-phenylthiazoline-2-one, C₁₃H₁₃NOS, a chiral 1-amino-diene useful in Diels-Alder cycloaddition reactions 475
- B. Tinant, D. Bayot and M. Devillers
Crystal structure of ammonium oxo(peroxo)(pyridine-2,6-dicarboxylato-N,O,O')aquavanadate(V), (NH₄)[VO(O₂)(H₂O)(C₇H₃NO₄)] 477
- H. Arslan, D. Vanderveer, F. Emen and N. Külcü
Crystal structure of cis-bis(N,N-dimethyl-N'-4-chlorobenzo-ylthioureato)palladium(II), Pd(C₁₀H₁₀ClN₂OS)₂ 479
- L. Van Meervelt and K. Uytterhoeven
Crystal structure of 4-aminopyrimidine, C₄H₅N₃ 481
- L. Van Meervelt and K. Uytterhoeven
Crystal structure of 2-acetonyl-5-benzyl-4,6-dimethoxy-5-nitro-2,5-dihydropyrimidine, C₁₆H₁₉N₃O₅ 483
- K. Uytterhoeven, L. Van Meervelt, M. Smet and W. Dehaen
Crystal structure of N-(3,5-benzenedicarboxy)-2,5-phenyl-3,4-(9,10-dihydroanthracen-diyl)-pyrrole — acetone — hydrate (1:1:1), C₃₈H₂₅NO₄ · C₃H₆O · H₂O 485
- L. Van Meervelt, K. Uytterhoeven, R. Van Deun and K. Binnemans
Crystal structure of tris(N-(n-butyl)-4-methoxy-2-hydroxybenzalimine)-tris(nitrato)lanthanum(III), La(C₁₂H₁₇NO₂)₃(NO₃)₃ 488
- M.-L. Hu, H.-P. Xiao, S. Wang and X.-H. Li
Crystal structure of di(μ-3,5-dinitrobenzoato-O,O')di(μ-3,5-dinitrobenzoato-O,O,O')di(3,5-dinitrobenzoato-O,O')di(1,10-phenanthroline-N,N')diterbium(III), Tb₂(C₁₂H₈N₂)₂(C₇H₃N₂O₆)₆ 491
- X.-H. Li and M.-L. Hu
Crystal structure of tris(1,10-phenanthroline-N,N')nickel(III) 1,2,4,5-benzene-tetracarboxylate, C₅₁H₃₀N₆NiO₁₂ 494
- X.-R. Hu, J.-M. Gu and G.-L. Lu
Crystal structure of 1-[(4-chloro-phenyl)-phenyl-methyl]piperazine, C₁₇H₁₉ClN₂ 497
- H.-L. Zhu, S.-C. Shao, J.-L. Ma, X.-Y. Qiu, S. Yang and L. Sun
Crystal structure of diethylenetriaminesilver(I) perchlorate, Ag(C₄H₁₃N₃)(ClO₄) 499
- J.-L. Ma, X.-Y. Qiu, S.-C. Shao, S. Yang, L. Sun and H.-L. Zhu
Crystal structure of hexaaquanickel(II) dinitrate hexamethylenetetramine hydrate (1:2:4), Ni(H₂O)₆(NO₃)₂ · (C₆H₁₂N₄)₂ · 4H₂O 501
- H.-L. Zhu, S.-C. Shao, J.-L. Ma, X.-Y. Qiu, S. Yang and L. Sun
Crystal structure of monoaquabenzato-2,5,8-triaza-1,9-di(2-fluorobenzyl)-nonanecopper(II) benzoate dihydrate, Cu(C₂₅H₃₀F₂N₃O₃)(C₇H₅O₂) · 2H₂O 503
- H.-L. Zhu, S.-C. Shao, J.-L. Ma, X.-Y. Qiu, S. Yang and L. Sun
Crystal structure of bis[dinitrato-2,5,8-triaza-1,9-di(2-fluorobenzyl)nonanecopper(II)] monohydrate, Cu(C₁₈H₂₂F₂N₅O₆)₂ · H₂O 506
- H.-L. Zhu, S. Yang, S.-C. Shao, J.-L. Ma, X.-Y. Qiu and L. Sun
Crystal structure of di(2-aminopyridine)-tetrakis[N-(2-aminopropyl)salicylaldiminato]tricobalt(III) diperchlorate, Co₃(C₅₈H₄₈N₁₂O₄)(ClO₄)₂ 509
- H.-L. Zhu, S.-C. Shao, S. Yang, X.-Y. Qiu, J.-L. Ma and H.-K. Fun
Crystal structure of diethylenetriammonium silver(I) di(4-nitrobenzoate) monohydrate, [Ag(C₄H₄N₃)](C₇H₄NO₄)₂ · H₂O 511
- H.-L. Zhu, S.-C. Shao, X.-Y. Qiu, L. Sun, S. Yang and J.-L. Ma
Crystal structure of diaqua-trans-dicinnamato-dihexamethylene-tetraminecobalt(II) dihydrate, Co(C₆H₁₂N₄)₂(C₉H₇O₂)₂(H₂O)₂ · 2H₂O 513
- H.-L. Zhu, H. Zhang, J.-L. Ma, X.-Y. Qiu, S. Yang and L. Sun
Crystal structure of bis(3,3'-diethyl-4-maleimido-phenyl)methane, C₂₅H₂₂N₂O₄ 515
- H.-L. Zhu, L. Sun, S. Yang, X.-Y. Qiu, S.-C. Shao and J.-L. Ma
Crystal structure of diaqua-dibenzoato-dihexamethylenetetraminenickel(II) dihydrate, Ni(C₆H₁₂N₄)₂(C₇H₅O₂)₂(H₂O)₂ · 2H₂O 517
- H.-L. Zhu, Y. Qu, Z.-L. You, M.-Y. Tan, W.-S. Liu and J.-L. Ma
Crystal structure of trans-diaqua-bis(salicylaldehydato-O,O')chromium(III) chloride, [Cr(C₇H₅O₂)₂(H₂O)₂]Cl 519
- H.-L. Zhu, M. Zhang, Z.-Y. Sun, N.-N. Rong, B. Zhang, Y. Li and H.-K. Fun
Crystal structure of di(4-aminopyridine)silver(I) trifluoromethylsulfate, Ag(C₅H₆N₂)₂(CF₃SO₃) 521
- H.-L. Zhu, X.-Y. Qiu, S. Yang and J.-L. Ma
Crystal structure of triaquisulfato-2,3-diaza-1,6-di(4-fluorobenzyl)hexanecopper(II) dihydrate, Cu(C₁₆H₁₈N₂F₂)(H₂O)₃(SO₄) · 2H₂O 523
- H. Lin and W.-S. Wu
Crystal structure of dimethylglyoxime 2-picoloylhydrazone, C₁₀H₁₂N₄O₂ 525
- W.-S. Wu and Y.-L. Feng
Crystal structure of (2-picoloylcarbonyl)thiosemicarbazone, C₇H₁₀N₄O₂S 527
- W.-S. Wu and Y.-L. Feng
Crystal structure of [bis(2-hydroxybenzylidenethiosemicarbazone)iron(II)] hydrate, Fe(C₁₆H₁₆N₆O₂S₂) · H₂O 529

<i>Q.-Y. Lin and Y.-L. Feng</i> Crystal structure of tris(nitrato- <i>O,O'</i>)bis(1,10-phenanthroline- <i>N,N'</i>)cerium(III), $\text{Ce}(\text{NO}_3)_3(\text{C}_{12}\text{H}_8\text{N}_2)_2$	531	<i>B. W. Greatrex, D. K. Taylor and E. R. T. Tiekink</i> Crystal structure of $(\pm)$ -[(2 <i>R</i> ,3 <i>S</i>)-3-(hydroxymethyl)oxiran-2-yl](phenyl)-methanone, $\text{C}_{10}\text{H}_{10}\text{O}_3$	561
<i>H. Lin and Y.-L. Feng</i> Crystal structure of (aqua)(benzimidazole- <i>N</i>)bis(2,4-pentanedionato- <i>O,O'</i>)cobalt(II), $\text{C}_{17}\text{H}_{22}\text{CoN}_2\text{O}_5$	533	<i>H.-Y. He, Y.-L. Zhou and L.-G. Zhu</i> Crystal structure of triaqua(1,10-phenanthroline- <i>N,N'</i>)-sulfatonickel(II), $\text{Ni}(\text{H}_2\text{O})_3(\text{C}_{12}\text{H}_8\text{N}_2)\text{SO}_4$	563
<i>F.-Y. Xu, F.-S. Zhang, R.-J. Wang, S.-Z. Pu, X.-H. Zhou, F. Sun and P. Yuan</i> Crystal structure of 2-dimethoxy-phosphinyl-1,3-benzodithiole, $(\text{C}_6\text{H}_4\text{S}_2\text{CH})\text{PO}(\text{OCH}_3)_2$	535	<i>J. Xiong, M.-L. Hu, Q. Shi and H.-P. Xiao</i> Crystal structure of the adduct of sulfosalicylic acid and thiourea, $\text{C}_7\text{H}_6\text{O}_6\text{S} \cdot \text{CH}_4\text{N}_2\text{S}$	565
<i>E. M. Al-Shami, A. S. Abu-Surrah, M. Klinga, M. Ahlgren and H. A. Hodali</i> Crystal structure of dichloro(3-methylthio-2-methylpropyl)diphenyl-phosphine-palladium(II)—dichloromethane (1:1), $\text{Pd}(\text{C}_{17}\text{H}_{21}\text{PS})\text{Cl}_2 \cdot \text{CH}_2\text{Cl}_2$	537	<i>J. Garbarczyk and K. Pogorzalet-Glaser</i> Crystal structure of imidazolium decanedioate, $\text{C}_{18}\text{H}_{31}\text{N}_2\text{O}_6$	567
<i>K. O. Klepp and H. Schmidt</i> Crystal structure of 1,3,5-trimethyl-6-phenyl-2,4-dioxohexahydro-1,3,5-triazine, $\text{C}_{12}\text{H}_{15}\text{N}_3\text{O}_2$	539	<i>A. Y. Nazarenko, N. K. Dalley, J. S. Bradshaw, V. N. Pastushok and J. D. Lamb</i> Crystal structure of 13,27-dichloro-29,30-dihydroxy-3,9,17,23-tetramethyl-6,20-dioxo-3,9,17,23-tetraazatri-cyclo[23.3.1.1 ^{11,15}]triaconta-1(29),11,13,15(30),25,27-hexaene-(aqua)magnesium hydrate, $\text{Mg}[\text{C}_{28}\text{H}_{40}\text{Cl}_2\text{N}_4\text{O}_4(\text{H}_2\text{O})] \cdot \text{H}_2\text{O}$	569
<i>R. Kirchmaier, E. Altin and A. Lentz</i> Crystal structure of diaqua-bis(pyridine)- μ_2 -squarato(1,3)-nickel(II), $\text{Ni}(\text{C}_4\text{O}_4)(\text{C}_5\text{H}_5\text{N})_2(\text{H}_2\text{O})_2$	541	<i>B. Tinant, D. Bayot and M. Devillers</i> Crystal structure of tetraguanidinium dioxo-tetraperoxo- μ -tartratodimolybdate(VI) dihydrate, $(\text{CN}_3\text{H}_6)_4[\text{Mo}_2\text{O}_2(\text{O}_2)_4(\text{C}_4\text{H}_2\text{O}_6)] \cdot 2\text{H}_2\text{O}$	572
<i>Z. Liu, W.-T. Yu, X.-T. Tao and M.-H. Jiang</i> Crystal structure of 4,5-methylenedithio-1,3-dithiol-2-thione, $\text{C}_4\text{H}_2\text{S}_5$	543	<i>E. F. Paulus and L. Vértessy</i> Crystal structure of the antibiotic SY-1 (20-deoxy-salinomycin): sodium 2-(6-[2-(5-ethyl-5-hydroxy-6-methyl-tetrahydro-pyran-2-yl)-2,10,12-trimethyl-1,6,8-trioxo-dispiro[4.1.5.3]pentadec-13-en-9-yl]-2-hydroxy-1,3-dimethyl-4-oxo-heptyl-5-methyl-tetrahydro-pyran-2-yl)-butyrate — methanol solvate (1:0.69), $\text{C}_{42}\text{H}_{69}\text{NaO}_{10} \cdot 0.69\text{CH}_3\text{OH}$	575
<i>W.-T. Yu, G. Xue, Q. Fang and G.-Q. Liu</i> Crystal structure of 4,5-bis(2'-cyanoethylthio)-1,3-dithiole-2-thione, $\text{C}_9\text{H}_8\text{N}_2\text{S}_5$	545	Errata	578
<i>X. Álvarez Micó, M. Richter, S. Schwarz, J. Strähle, T. Ziegler and L. R. Subramanian</i> Crystal structure of nonafluoro-{ <i>N</i> -[(<i>E</i>)-2-(4-hydroxyphenyl)diazanyl]-phenyl}-1-butanefulfonamide, $\text{C}_{16}\text{H}_{10}\text{F}_9\text{N}_3\text{O}_3\text{S}$	547	Author Index	
<i>X. Álvarez Micó, M. Richter, S. Schwarz, J. Strähle, T. Ziegler and L. R. Subramanian</i> Crystal structure of nonafluoro-{ <i>N</i> -[(<i>E</i>)-2-(2-hydroxyphenyl)diazanyl]-phenyl}-1-butanefulfonamide, $\text{C}_{16}\text{H}_{10}\text{F}_9\text{N}_3\text{O}_3\text{S}$	549	Formulae Index	
<i>M. Wilhelm and H. Strasdeit</i> Crystal structure of 7-(<i>p</i> -toluenesulfonyl)-7-aza-1,4-dithiacyclononane ($\text{Ts}[9]\text{aneNS}_2$), $\text{C}_{13}\text{H}_{19}\text{NO}_2\text{S}_3$	551	Further details of the structure determination can be accessed at the relevant database:	
<i>M. Polamo and M. Talja</i> Crystal structure of 4- <i>N</i> -phenylisindolinone, $\text{C}_{14}\text{H}_{11}\text{NO}$	553	Data with CSD numbers can be obtained from the Fachinfor-mationszentrum Karlsruhe, Gesellschaft für wissenschaftlich-technische Information mbH, D-76344 Eggenstein-Leopoldshafen, Germany (e-mail: docdel@fiz-karlsruhe.de).	
<i>M. Tomura and Y. Yamashita</i> Crystal structure of 4,7-dibromo-2,1,3-benzothiadiazole, $\text{C}_6\text{H}_2\text{Br}_2\text{N}_2\text{S}$	555	Data with CCDC numbers can be obtained from the Cambridge Crystallographic Data Centre (CCDC, 12 Union Road, Cambridge CB2 1EZ, UK, (fax: +44-(0)1223-33 60 33 or e-mail: deposit@chemcrs.cam.ac.uk).	
<i>M. Ramos Silva, A. Matos Beja, J. A. Paixão and J. Martin-Gil</i> Crystal structure of diaqua-monodimethylglycine-hexakis(μ_2 -dimethylglycine- <i>O:O</i>)- μ_3 -oxo-triiron(III) heptanitrate — water — dimethylglycine solvate (1:4:0.63), $\text{Fe}_3\text{O}(\text{C}_4\text{H}_9\text{NO}_2)_7(\text{H}_2\text{O})_2(\text{NO}_3)_7 \cdot 4\text{H}_2\text{O} \cdot 0.63\text{C}_4\text{H}_9\text{NO}_2$	557		