

Zeitschrift für Kristallographie New Crystal Structures

Volume 220 · Issue 3 · 2005

Inorganic Crystal Structures

J. P. A. Makongo, C. Kudla, Yu. Prots, R. Niewa, U. Burkhardt and G. Kreiner
Crystal structure of trimagnesium monopalladium, Mg_3Pd 289

J. P. A. Makongo, Yu. Prots, R. Niewa, U. Burkhardt and G. Kreiner
Crystal structure of dimagnesium monopalladium, Mg_2Pd 291

A. K. Gray, J. M. Knaust, B. C. Chan, L. A. Polyakova and P. K. Dorhout
Crystal structure of potassium ytterbium(III) tetrathiosilicate, KYbSiS_4 293

B. R. Martin, J. M. Knaust and P. K. Dorhout
Crystal structure of nonasodium lanthanum(III) bis[hexaselenodigermanate], $\text{Na}_9\text{La}[\text{Ge}_2\text{Se}_6]_2$ 294

J. M. Knaust, L. A. Polyakova and P. K. Dorhout
Crystal structures of octasodium dieuropium(II) bis[hexatellurodisilicate], $\text{Na}_8\text{Eu}_2[\text{Si}_2\text{Te}_6]_2$, octasodium dieuropium(II) bis[hexaselenodigermanate], $\text{Na}_8\text{Eu}_2[\text{Ge}_2\text{Se}_6]_2$, and nonasodium samarium(III) bis[hexaselenodisilicate], $\text{Na}_9\text{Sm}[\text{Si}_2\text{Se}_6]_2$ 295

B. Hu, P. Wang, Y. Xiao and L.-P. Song
Crystal structure of dicesium hexachloromolybdate(IV), $\text{Cs}_2[\text{MoCl}_6]$ 298

Hj. Mattausch and A. Simon
Crystal structure of dodecalanthanum heptadecaiodide triethanide, $\text{La}_{12}\text{I}_{17}(\text{C}_2)_3$ 299

Hj. Mattausch, C. Hoch and A. Simon
Crystal structure of dodecacerium heptadecaiodide triethanide, $\text{Ce}_{12}\text{I}_{17}(\text{C}_2)_3$ 301

S. S. Öztürk, I. Kokal and M. Somer
Crystal structures of strontium octabarium hexakis(dinitridoborate) and europium octabarium hexakis(dinitridoborate), $\text{MBa}_8[\text{BN}_2]_6$ ($M = \text{Sr}, \text{Eu}$) 303

L.-B. Wu and F.-Q. Huang
Crystal structure of trilanthanum manganese aluminum heptaselenide, $\text{La}_3\text{Mn}_{0.73}\text{AlSe}_7$ 305

L.-B. Wu and F.-Q. Huang
Crystal structure of trilanthanum monosilver monosilicon heptasulfide, $\text{La}_3\text{AgSiS}_7$ 307

A. Gacemi, D. Benbortal, I. Gautier-Luneau and A. Mosset
Crystal structure of lead chloride thiocyanate, $\text{PbCl}(\text{SCN})$ 309

A. Gacemi, D. Benbortal, I. Gautier-Luneau and A. Mosset
Crystal structure of dipotassium dibromobis(thiocyanato)mercurate(II), $\text{K}_2[\text{HgBr}_2(\text{SCN})_2]$ 311

Hj. Mattausch and A. Simon
Crystal structure of tetragadolinium monosilicide hexabromide, Gd_4SiBr_6 313

C. Zheng, Hj. Mattausch and A. Simon
Crystal structure of tricerium monogallium tribromide, Ce_3GaBr_3 314

A. Fedorchuk, Yu. Prots, W. Schnelle and Yu. Grin
Crystal structure of europium lithium gallium, $\text{EuLi}_{0.24}\text{Ga}_{1.76}$ 315

A. Fedorchuk, Yu. Prots and Yu. Grin
Crystal structures of europium magnesium gallium, $\text{EuMg}_x\text{Ga}_{4-x}$, and europium lithium gallium, $\text{EuLi}_x\text{Ga}_{4-x}$ ($x = 0.5$) 317

M. Conrad, B. Herrmann and B. Harbrecht
Refinement of the crystal structure of monovanadium monocobalt monosilicide, VCoSi 319

X.-W. Wang, P. Wang and Y.-Q. Zheng
Crystal structure of hexaaquanickel(II) hydrogenphosphate monohydrate, $[\text{Ni}(\text{H}_2\text{O})_6][\text{HPO}_4] \cdot \text{H}_2\text{O}$ 321

W. Xu and Y.-Q. Zheng
Crystal structure of dipotassium hexachlorotungstate(IV), $\text{K}_2[\text{WCl}_6]$ 323

H. G. von Schnering, J. Llanos, J.-H. Chang, K. Peters, E.-M. Peters and R. Nesper
Refinement of the crystal structures of the tetrahedrotetragermanides K_4Ge_4 , Rb_4Ge_4 and Cs_4Ge_4 324

Organic and Metalorganic Crystal Structures

M.-J. Niu, L.-Q. Kong, D.-C. Li and J.-M. Dou
Crystal structure of bis(15-crown-5)potassium bis(1,2-dicyanoethene-1,2-dithiolate- S,S')aurate(I), $[\text{K}(\text{C}_{10}\text{H}_{20}\text{O}_5)_2][\text{Au}(\text{C}_4\text{N}_2\text{S}_2)_2]$ 327

D.-C. Li, S.-C. Feng, J.-M. Dou and D.-Q. Wang
Crystal structure of bis[acetoneitrile- N -3,6'-bis(methylbenzo)-18-crown-6]potassium bis(1,1-dicyanoethene-2,2-dithiolate- S,S')nickel(II), $[\{\text{K}(\text{C}_{22}\text{H}_{28}\text{O}_6)(\text{CH}_3\text{CN})\}_2\{\text{Ni}(\text{C}_4\text{N}_2\text{S}_2)\}_2]$ 330

I. Ben Garbia, R. Kefi, A. Rayes and C. Ben Nasr
Crystal structure of phenylpiperazinium tetrachlorozincate, $(\text{C}_{10}\text{H}_{16}\text{N}_2)[\text{ZnCl}_4]$ 333

- A. Bulut, K. Guven, O. Dogan and S. Zeytinci
Crystal structure of 1-ferrocenyl(3-methyl-1-phenyl-aziridin-2-yl)methanone, (C₅H₅)Fe(C₁₆H₁₆NO) 335
- D. J. Young, P. Manuaba, P. C. Healy and E. R. T. Tiekink
Crystal structure of trimesityltin(IV) benzoate, (C₂₇H₃₃)₃Sn(O₂CC₆H₅) 337
- Y. Liu and E. R. T. Tiekink
Crystal structure of tris(pyrrolinedithiocarbamato)-arsenic(III), As[S₂CN(CH₂)₄]₃ 339
- S. Y. Ho and E. R. T. Tiekink
Crystal structure of (diethyldithiocarbamato)(triethylphosphine)gold(I), Au[P(C₂H₅)₃][S₂CN(C₂H₅)₂] 342
- J. Cejka, B. Kratochvil, L. Cvak and A. Jegorov
Crystal structure of 2-bromo-1'- α -dehydro-ergokryptam acetone sesquisolvate, C₃₂H₃₈BrN₅O₄ · 1.5(CH₃)₂CO 345
- M. Chudik, A. Jegorov, H. Petrickova, B. Kratochvil and I. Cisarova
Crystal structure of 3-benzoylmorphin-6-one-17-carboxamide ethanol solvate (1:0.333), C₂₄H₂₀N₂O₅ · 0.333 C₂H₅OH 348
- J. Cejka, B. Kratochvil, L. Cvak and A. Jegorov
Crystal structure of 1-hydroxymethyl-10 α -methoxy-9,10-dihydrolysergol, C₁₈H₂₄N₂O₃ 351
- L. Dupont, B. Pirotte and P. de Tullio
Crystal structure of 7-chloro-3-isopropylamino-4H-1,2,4-benzothiadiazine 1,1-dioxide, C₁₀H₁₂ClN₃O₂S 353
- D. Ruiz-León, P. Rivera, I. Brito, M. Rodríguez and V. Manríquez
Crystal structure of isocalamendiol, C₁₅H₂₆O₂, from *Baccharis marginalis* 355
- M. M. S. Humberto, V. R. M. Da Silva, A. E. G. Sant'Ana, C. A. De Simone, V. R. S. Malta and M. A. Pereira
Crystal structure of 3 β -[5-phenyl-(2E,4E)-penta-2,4-dien-1-yl]-olean-12-ene, C₄₁H₅₈O₂, from *Peltastes peltatus* 358
- C.-B. Ma, C.-N. Chen and Q.-T. Liu
Crystal structure of hexacarbonyl-bis(μ -2-4-chlorophenylthiolato-S,S)-diiron(I) diethyl ether hemisolvate, Fe₂(CO)₆(ClC₆H₄S)₂ · ½(C₂H₅)₂O 361
- V. H. Rodrigues, M. M. R. Costa, A. Klöpperpieper, M. R. Chaves, A. Almeida and J. Agostinho Moreira
Crystal structure of aqua-bis(N,N,N-trimethylammonioacetato)sodium bromide, [Na(H₂O)]{(CH₃)₃NCH₂COO}₂]Br 363
- A. Oueslati, R. Kefi, S. Akriche and C. Ben Nasr
Crystal structure of o-cyanoaniline hydrochloride, (NCC₆H₄NH₃)Cl 365
- A. Zonouzi, H. Rahmani and D. Kazemi
Crystal structure of bis(tert-butyl) 2-(tert-butylamino)-5-acetyl-6-methyl-4H-pyran-3,4-dicarboxylate, C₂₂H₃₅NO₆ 367
- H. Euler, A. Kirfel, M. Meusel and M. Gütschow
Crystal structure of N-benzyl-N-1,3,4-tetramethyl-2,5-dioxo-4-imidazolidinecarboxamide, C₁₅H₁₉N₃O₃ 369
- R. J. Staples and W. Lea
Crystal structure of 6-bromochromone, C₉H₅BrO₂ 371
- R. D. Ernst, B. G. Harvey, O. J. Oteri and A. M. Arif
Crystal structures of dichloromethane solvate and ethanol solvate of 1-chloromethyl-1,4,7-trimethyl-1,2,3,4-tetrahydropyridine-1-ium chloride, (C₁₀H₂₃N₃Cl)Cl · CH₂Cl₂, (C₁₀H₂₃N₃Cl)Cl · C₂H₅OH 373
- B.-S. Zhang, Y.-H. Huang and H.-M. Gao
Crystal structure of bis(2,2'-bipyridine-N,N')-bis(4-chlorobenzoato)cadmium(II) trihydrate, [Cd(C₇H₄O₂Cl)₂(C₁₀H₈N₂)₂] · 3 H₂O 376
- A. Aydin, Y. Dündar and C. Arici
Crystal structure of ethyl [6-(2-fluorobenzoyl)-2-oxo-benzothiazolin-3-yl]-butanoate, C₂₀H₁₈FNO₄S 379
- Y.-L. Zhou, H.-Y. He and L.-G. Zhu
Crystal structure of catena-poly[(1,4-diazabicyclo[2.2.2]octane)tetrakis(2-thiopheneacetato)dicopper(II)], Cu₂(C₆H₁₂N₂)(C₆H₅O₂S)₄ 381
- R. J. Staples and S. George
Crystal structure of α -methyl-2-naphthylmethanol, C₁₂H₁₁OH 383
- A. Schwarzer, M. Nieger, D. Klomfaß and E. Weber
Crystal structure of 1,3-di(1-naphthyl)propan-2-one, C₂₃H₁₈O 385
- K. Gholivand, M. Pourayoubi, Z. Shariatnia and S. Molani
Crystal structure of tert-butylammonium trifluoroacetyl-N-(tert-butylamino)dioxophosphate acetonitrile solvate hydrate (1:0.333:0.333), (C₄H₉NH₃)[(F₃C₂ONH)(C₄H₉NH)PO₂]₂ · 0.333CH₃CN · 0.333H₂O 387
- Y.-Q. Cheng, X.-Q. Cai and M.-L. Hu
Crystal structure of aqua(2,2'-bipyridine-N,N')bis(3-hydroxy-trans-cinnamato-O,O')cadmium(II), Cd(H₂O)(C₁₀H₈N₂)(C₉H₇O₃)₂ 390
- F. S. Kuan, P. Tadubappa and E. R. T. Tiekink
Crystal structure of o-methyl N-(o-tolyl)thiocarbamate, SC(OCH₃)NH(C₆H₄CH₃) 393
- P. Tadubappa and E. R. T. Tiekink
Crystal structure of o-ethyl N-(m-tolyl)thiocarbamate, SC(OC₂H₅)NH(C₆H₄CH₃) 395
- P.-H. Wen
Crystal structure of naphthalen-1-yl-(4-nitro-benzylidene)-amine, C₁₇H₁₂N₂O₂ 397
- M. Dieng, O. Diouf, M. Gaye, A. S. Sall, A. H. Barry and R. Weller
Crystal structure of mononitratobis(1,10-phenanthroline)-cobalt(II) mononitrate, [Co(C₁₂H₈N₂)₂(NO₃)] [NO₃] 399
- P. M. Haba, O. Diouf, M. Gaye, A. S. Sall, A. H. Barry, R. Weller and B. Chahrazed
Crystal structure of dinitratobis(4-methyl-5-formyl-imidazolofuranoylhydrazon)gadolinium(III) mononitrate, [Gd{(OC(C₄H₃O)NHNCH(CH₃)C₃H₂N₂)₂(NO₃)₂}] [NO₃] 401

- T. Irrgang and R. Kempe*
Crystal structure of *N,N'*-bis(2,4-dimethyl-5-phenylimidazo[1,5-*b*]pyridazin-7-yl)-1,3-diaminopropane, C₃₁H₃₂N₈ 403
- T. Schmalz, J. Burkhardt, T. Irrgang and R. Kempe*
Crystal structure of (2,4,6-trimethyl-phenyl)-[6-(2,4,6-trimethyl-phenyl)-pyridin-2-yl]-amine, C₂₃H₂₆N₂ 405
- X. Li*
Crystal structure of bis(1,10-phenanthroline)bis(μ -2-methoxybenzoato-*O,O'*)bis(μ -2-methoxybenzoato-*O,O':O'*)dinitrato-dineodymium(III), Nd₂(C₈O₃H₇)₄(NO₃)₂(C₁₂H₈N₂)₂ 407
- Z. Aloui, S. Abid and M. Rzaigui*
Crystal structure of tetrakis(*m*-toluidinium) cyclotetraphosphate, (CH₃C₆H₄NH₃)₄[P₄O₁₂] 409
- M. Monteil, C. Barbey, A. Neuman, T. Prangé and M. Lecouvey*
Crystal structure of diaquadisodium [1-(ethoxy-hydroxyphosphoryl)-1-hydroxy-ethyl]phosphonic acid diethyl ester, Na₂(H₂O)₂[(C₂H₅OPO₂)₂C(CH₃)OH], a pro-drug derivative for etidronate 411
- Z. Liu, W.-T. Yu, X.-T. Tao, M.-H. Jiang, J.-X. Yang and L. Wang*
Refinement of the crystal structure of *p*-nitroaniline hydrochloride, (NO₂C₆H₄NH₃)Cl 413
- Z. Liu, W.-T. Yu, X.-T. Tao, M.-H. Jiang, J.-X. Yang and L. Wang*
Crystal structure of *o*-chloroaniline hydrobromide, (ClC₆H₄NH₃)Br 415
- F.-X. Wei, X. Yin, W.-G. Zhang, J. Fan, X.-H. Jiang and S.-L. Wang*
Crystal structure of (pyridine-*N*)bis(*N,N*-dibenzylthiocarbamate)cadmium(II), Cd(C₅H₅N)[S₂CN(C₆H₅CH₂)₂]₂ 417
- F. Jafarpour and H. Pirelahi*
Crystal structures of *cis*- and *trans*-4-benzyl-4-methyl-2,6-diphenyl-4*H*-thiopyran-1-oxide, C₂₅H₂₂OS 420
- A. Bekaert, P. Lemoine, J. D. Brion and B. Viossat*
Crystal structure of hexakis(*N,N*-dimethylformamide-*O*)-silicon(IV) tris(tribromide) chloride, [Si{(CH₃)₂NCHO}₆][Br₃]₃Cl 425
- Z.-X. Li and X.-L. Zhang*
Crystal structure of diaquabis(5-chlorosalicylaldehydato)cobalt(II), Co(H₂O)₂(C₇H₄ClO₂)₂ 427
- D.-M. Feng, H.-Y. He, H.-X. Jin and L.-G. Zhu*
Crystal structure of aqua(1,10-phenanthroline)bis(2-thiophenecarboxylato)copper(II), Cu(H₂O)(C₁₂H₈N₂)(C₄H₃SCOO)₂ 429
- D. Peikow, C.-M. Matern, M. G. Peter and U. Schilde*
Crystal structure of (1,4,7,10,13-pentaoxacyclopentadecane-*O,O',O'',O''',O''''*)(trifluoromethanesulfonato-*O,O'*)sodium, Na(C₁₀H₂₀O₅)(CF₃SO₃) 431
- H. Dhaouadi, H. Marouani and M. Rzaigui*
Crystal structure of *o*-aminopyridinium dihydrogenmonophosphate, (NH₂C₅H₄NH)[H₂PO₄] 433
- H.-J. Drexler, J.-T. Sun, D. Heller, U. Berens and M. Kesselgruber*
Crystal structure of (η^4 -norborna-2,5-dien){2,3-bis[(*S,S*)-2,5-dimethyl-phospholanyl]benzothiophene}rhodium(I) tetrafluoroborate, [Rh(C₇H₈)(C₂₀H₂₈P₂S)] [BF₄] 435
- R. J. Staples and A. A. Spencer*
Crystal structure of *S,R*-(+)-*N*-methylephedrine, C₁₁H₁₇NO 437
- A. Hosseinian, A. R. Mahjoub and A. Morsali*
Crystal structure of 2,2'-diamino-5,5'-dimethyl-4,4'-bithiazolium dibromide monohydrate, [(C₄H₆N₂S)₂]Br₂ · H₂O 439
- M. Somer, D. Hacıu, N. M. Agh-Atabay and H. Borrmann*
Crystal structure of bis[μ -2-(3-benzimidazol-2-yl)-2-ethanethiolato-*N,S,S*]-chloro-palladium(II), [(C₆H₄N₂HCCH₂CH₂S)PdCl]₂ · C₂H₅OH 441
- Y.-Z. Wu, C.-X. Wang, W.-T. Yu and J.-X. Yang*
Crystal structure of 4-(4-(1*H*-imidazol-1-yl)phenyl)-2,6-diphenylpyridine, C₂₆H₁₉N₃ 443
- H.-Y. He, Y.-L. Zhou and L.-G. Zhu*
Crystal structure of diaqua(4,4'-bipyridine)(5-hydroxy-1,3-benzenedicarboxylato)cobalt(II) 4,4'-bipyridine dimethylsulfoxide solvate, Co(H₂O)₂(C₁₀H₈N₂)[C₆H₃OH(COO)₂] · C₁₀H₈N₂ · (CH₃)₂SO 445
- H.-Y. He, Y.-L. Zhou, Y.-N. Chen and L.-G. Zhu*
Crystal structure of [chlorobis(1,10-phenanthroline)-copper(II)] chloride 3,5-dihydroxybenzoic acid solvate monohydrate, [CuCl(C₁₂H₈N₂)₂]Cl · C₆H₃(OH)₂COOH · H₂O 448
- G.-F. Zhang, Y.-L. Dou and X.-Z. Fan*
Crystal structure of dichloro[1,3-bis(5-methyl-3-phenylpyrazol-1-yl)propan-2-ol]palladium(II), Pd[(C₁₀H₉N₂)₂C₃H₅OH]Cl₂ 451
- A. Amani, G. Rezanejade Bardajee, G. Samavati and R. Mansouri*
Crystal structure of 7 α -acetyl-6,14-*endo*-ethanotetrahydrothebaine, C₂₃H₂₉NO₄ 453
- S. Natarajan, Yu. Prots, R. Niewa and R. Kniep*
Crystal structure of 1,2-ethylenediamine-dizinc diphosphate(III), Zn₂(C₂H₈N₂)(HPO₃)₂ 455
- R. Artali, G. Beretta and D. M. Araújo Melo*
Crystal structure of tris[bis(pentamethylene)urea]trinitrato-lanthanum(III), La(NO₃)₃[(C₅H₁₀N₂)₂CO]₃ 457
- F.-J. Yu, X.-J. Hu, Y. Li, H.-J. Yang and R.-J. Wang*
Crystal structure of 5,17-dibromo-25,27-dimethoxy-26-benzoyloxy-28-hydroxycalix[4]arene dihydrate, C₃₇H₃₄Br₂O₅ · 2H₂O 460
- H. Maisel, S. Keller, T. Irrgang and R. Kempe*
Crystal structure of (2,6-diisopropyl-phenyl)-[6-(2,6-dimethyl-phenyl)-pyridin-2-yl-methylene]-amine, C₂₆H₃₀N₂ 463
- H. Maisel, S. Keller, T. Irrgang and R. Kempe*
Crystal structure of (2,6-diisopropyl-phenyl)-[6-(2,6-dimethyl-phenyl)-pyridin-2-yl-methylene]-aminopalladium(II) dichloromethane trisolvate, Pd(C₂₆H₃₀N₂)Cl₂ · 3CH₂Cl₂ 465

- L. Dupont, S. Boverie, P. de Tullio and B. Pirotte*
Crystal structure of 7-chloro-3-isopropylsulfanyl-4*H*-1,2,4-benzothiadiazine 1,1-dioxide, $C_{10}H_{11}ClN_2O_2S_2$ 467
- P. Wang, L.-P. Song, Z.-F. Li and D.-Q. Han*
Crystal structure of tetrakis(μ -isobutyrate-*O,O'*)-bis(isobutyrate-*O,O'*)bis(1,10-phenanthroline-*N,N'*)-didysprosium(III), $Dy_2(C_4H_7O_2)_6(C_{12}H_8N_2)_2$ 469
- D.-Y. Wei, H.-Z. Xie, S.-J. Huang and Y.-Q. Zheng*
Crystal structure of bis(aquapraseodymium) trisuccinate, $Pr_2(H_2O)_2[O_2C(CH_2)_2CO_2]_3$ 471
- A. Mahjoub*
Crystal structure of benzytriethylanmonium dithiobenzoate, $[C_6H_5CH_2N(CH_3)_3][C_6H_5CS_2]$ 473
- S. Y. Ho and E. R. T. Tiekink*
Crystal structure of bis(μ -diphenylphosphino)butane-*P,P'*-bis[(*N*-(4-ethylcarboxyphenyl)-*O*-ethylthiocarbamate)-gold(I)], $[(CH_2)_4(C_6H_5)_2P]_2[Au(SCNC_6H_4CO_2C_2H_5)]_2$. . . 475
- M. Saravanan, R. Ramalingam, B. Arulprakasam, G. Bocelli, A. Cantoni and E. R. T. Tiekink*
Crystal structure of bis[(*N*-benzyl,*N*-hydroxyethyl)-dithiocarbamate](1,10-phenanthroline)cadmium(II), $Cd[S_2CN(C_7H_7)(C_2H_5OH)]_2(C_{12}H_8N_2)$ 477
- P. M. Haba, O. Diouf, A. Sy, M. L. Gaye, A. S. Sall, A. H. Barry and T. Jouini*
Crystal structure of *trans*-diaqua-dichloro-bis(μ -salicylaldehyde-2-furanoylhydrazonato)dycopper(II), $Cu_2[(C_4H_3O)CONHNCH(C_6H_4O)]_2Cl_2(H_2O)_2$ 479
- Z.-X. Li, D.-Q. Wang, A.-Y. Fu and D.-H. Chen*
Crystal structure of tetraammonium tris(pyridine-2,6-dicarboxylato-*O,N,O'*)cadmate(II) hexahydrate, $(NH_4)_4[Cd(C_7H_3NO_4)_3] \cdot 6H_2O$ 481
- J.-C. Yao, L.-F. Ma and F.-J. Yao*
Crystal structure of tris(2,2'-bipyridine)cobalt(II) diperchlorate, $[Co(C_{10}H_8N_2)_3][ClO_4]_2$ 483
- Y.-L. Dou, G.-F. Zhang and X.-Z. Fan*
Crystal structure of 1,3-bis(1-methyl-1*H*-tetrazol-5-ylthio)propane, $C_3H_6(SCN_4CH_3)_2$ 485
- M. Ramos Silva, J. A. Paixão and A. Matos Beja*
Crystal structure of L-tryptophanium phosphite, $(C_{11}H_{13}N_2O_2)[H_2PO_3]$ 487
- J.-C. Lee, H. Takahashi and Y. Matsui*
Crystal structure of poly[{aqua(1,10-phenanthroline- κ^2N,N')nickel(II)- μ -(dihydrogen-benzene-1,2,4,5-tetracarboxylate)- $\kappa^3O:O':O''$ }, $Ni(C_{10}H_8O_8)(C_{12}H_8N_2)(H_2O)$. . . 489
- J.-C. Lee, H. Takahashi and Y. Matsui*
Crystal structure of diaquabis(ethylenediamine- κ^2N,N')copper(II) bis(*p*-chlorobenzoate), $[Cu(C_2H_8N_2)_2(H_2O)_2](C_7H_4ClO_2)_2$ 491
- J.-C. Lee, H. Takahashi and Y. Matsui*
Crystal structure of catena-poly[(*p*-hydroxybenzoato)-silver(I)- μ -(1*R*,2*R*)-(-)-1,2-cyclohexanediamine- κ^2N,N'], $Ag(C_7H_5O_3)(C_6H_{14}N_2)$ 493
- J.-G. Pan, J.-L. Lin and Y.-Q. Zheng*
Crystal structure of aqua-(2,9-dimethyl-1,10-phenanthroline-*N,N'*)-diformato-copper(II), $Cu(C_{14}H_{12}N_2)(H_2O)(HCOO)_2$. 495

- D.-Y. Wei, H.-Z. Xie and Y.-Q. Zheng*
Crystal structure of 1,2-bis(4-pyridinium)ethane tetrachlorocobaltate(II) monohydrate, $(C_{12}H_{14}N_2)[CoCl_4] \cdot H_2O$ 497
- W. Ponikvar, H. Nöth, H. Dialer and W. Beck*
Crystal structure of pentacarbonyl[(ethoxycarbonyl)-(N-diphenylmethylenamino)methylene]chromium(0), $Cr(CO)_5[C(COOC_2H_5)\{NC(C_6H_5)_2\}]$ 499
- A.-Y. Fu and D.-Q. Wang*
Crystal structure of poly[{bis(cyanide-*C*)iron(II)}tetra(μ^2 -cyanide-*C:N*)bis{bis(ethylenediamine-*N,N'*)cadmium(II)}], $Cd_2Fe(CN)_6(C_2H_8N_2)_4$ 501
- A.-Y. Fu and D.-Q. Wang*
Crystal structure of tetraammonium bis[(pyridine-2,6-dicarboxylato-*O,N,O'*)cadmate(II)] pentahydrate, $(NH_4)_4[Cd(C_7H_3NO_4)_2]_2 \cdot 5H_2O$ 503
- T.-J. Cai, Y.-F. Long, Q. Deng and Z.-S. Peng*
Crystal structure of (*N*-benzoyl-*N'*-(2-pyridylmethylene)-hydrazine)bis(trimethylphosphine)copper(I) tetrafluoroborate, $[Cu(C_{12}H_{10}N_4O)\{P(C_6H_5)_3\}_2]BF_4$ 506
- Y.-Z. Zhou, R.-J. Chen, D.-D. Hu and S.-J. Tu*
Crystal structure of ethylenediammonium bis[(2-oxo-1-naphthaldehyde-isonicotinyl hydrazonato-*O,N,O'*)dioxovanadate(V)], $(CH_2NH_3)_2[(C_{16}H_{11}N_3O_2)VO_2]_2$ 509
- Y.-Z. Zhou, R.-J. Chen, S.-J. Tu and D.-D. Hu*
Crystal structure of (*N*-(2-hydroxyl-1-naphthal)ethylenediamine)(isonicotinyl hydrazide)oxovanadium(V), $[VO(C_6H_5N_3O)(C_{13}H_{13}N_2O)]$ 511
- Y. Chen, H.-W. Zhou and J.-Z. Chen*
Crystal structure of *N*-(1-(1-(4-chlorophenyl)cyclobutyl)-3-methylbutyl)-*N,N*-dimethylamine hydrochloride monohydrate, $(C_{17}H_{27}NCl)Cl \cdot H_2O$ 513
- J.-G. Yang and F.-Y. Pan*
Crystal structure of 2'-(4-dimethylaminobenzylidene)-2-hydroxybenzoylhydrazide, $(CH_3)_2N(C_6H_4)(CH)N(NH)(CO)(C_6H_4OH)$ 515
- F.-Y. Pan and J.-G. Yang*
Crystal structure of 2'-(2-hydroxybenzylidene)-2-hydroxybenzoylhydrazide, $C_{14}H_{12}N_2O_3$ 517

Instructions to Contributors

Author Index Formulae Index

Further details of the structure determination can be accessed at the relevant database:

Data with CSD numbers can be obtained from the Fachinformationszentrum Karlsruhe, Gesellschaft für wissenschaftlich-technische Information mbH, D-76344 Eggenstein-Leopoldshafen, Germany (e-mail: docdel@fiz-karlsruhe.de).

Data with CCDC numbers can be obtained from the Cambridge Crystallographic Data Centre (CCDC), 12 Union Road, Cambridge CB2 1EZ, UK, (fax: +44-(0)1223-33 60 33 or e-mail: deposit@chemcrs.cam.ac.uk).