

Zeitschrift für Kristallographie New Crystal Structures

Volume 220 • Issue 4 • 2005

Inorganic Crystal Structures

- O. Reckeweg and F. J. DiSalvo*
Crystal structure of dibarium mononitride, Ba₂N,
an alkaline earth metal subnitride 519
- S.-J. Li, C. Zheng, H. Mattausch and A. Simon*
Crystal structure of decacerium pentagallium tetrabromide,
Ce₁₀Ga₅Br₄ 521
- J. Köhler, H. Okudera, D. Reuter and A. Simon*
Crystal structure of germanium tetrabromide, α-GeBr₄,
room temperature modification 523
- J. Köhler, H. Okudera and A. Simon*
Crystal structure of germanium tetrabromide, β-GeBr₄,
low temperature modification 524
- H. G. von Schnering, M. Schwarz, J.-H. Chang, K. Peters,
E.-M. Peters and R. Nesper*
Refinement of the crystal structures of the
tetrahedro-tetrasilicides K₄Si₄, Rb₄Si₄ and Cs₄Si₄ 525
- C. Mühle, J. Nuss and M. Jansen*
Crystal structure of dirubidium barium
bis(tetracyanoplatinate(II)), Rb₂Ba[Pt(CN)₄]₂ 528
- J. Nuss and M. Jansen*
Crystal structure of dineodymium antimonide, Nd₂Sb 529
- N. Arumugam, M. Sofin and M. Jansen*
Crystal structure of tripotassium monosodium ditungstate,
K₃Na[WO₄]₂ 531
- B. Ewald, Yu. Prots and R. Kniep*
Crystal structure of dilanthanum tris(mono-
hydrogenphosphate(III)), La₂(HPO₃)₃ 533
- B. Ewald, Y. Öztan, Yu. Prots and R. Kniep*
Crystal structure of diaqua(magnesium,cobalt)
bis(hydroxyboro)bisphosphate monohydrate,
Mg_{1-x}Co_x(H₂O)₂[B₂P₂O₈(OH)₂]₂ · H₂O (x ≈ 0.25) 536
- Q.-Y. Du, Y.-P. Li, L.-Y. Xin and M.-L. Han*
Crystal structure of *trans*-diaquabis(pyridine-
2-carboxamide-*N,O*)nickel(II) dibromide,
[Ni(H₂O)₂]{(OC(NH₂)(C₅H₄N))₂}Br₂ 539
- A. Mahjoub and A. Durif*
Crystal structure of *trans*-2,4-bis(*sec*-butyl)-2,4-
bis((2-methyl-1-thioxo)butylsulfanyl)-1,3-dithietane,
C₂S₂(C₄H₉)₂(C₄H₉CS₂)₂ 541
- R. J. Staples and E. Cho*
Crystal structure of *R,S*(-)-*N*-methylephedrine,
C₁₁H₁₇NO 543
- A. Zonouzi, H. Rahmani, H. Samareh Afsari and
M. Nezamabadi*
Crystal structure of dimethyl 2-(*tert*-butylamino)-7,7-
dimethyl-5-oxo-5,6,7,8-tetrahydro-4*H*-chromene-3,4-
dicarboxylate, C₁₉H₂₇NO₆ 545
- A. Zonouzi, H. Rahmani and H. Samareh Afsari*
Crystal structure of diethyl 1-(cyclohexyl carbamoyl)-
3-methyl-6-nitro-1*H*-indene-1,2-dicarboxylate,
C₂₃H₂₈N₂O₇ 547
- A. Amani, G. Rezanejade Bardajee, F. Jafarpour,
M. O. Razaghi, M. Yousefi Behzadi and A. Haeri*
Crystal structure of 2,2-diphenyl-4-dimethyl-
aminopentanenitrile, C₁₉H₂₂N₂ 549
- Z.-W. Gao, G.-F. Wang, L.-X. Gao, C.-Y. Zhang,
D.-H. Wu, W.-R. Yu and Z.-T. Liu*
Crystal structure of (5-ferrocenyl-2-hydroxy-
benzenecarboxylato-*O,O'*)titanocene(IV),
(C₅H₅)Fe(C₁₂H₇O₃)Ti(C₅H₅)₂ 551
- Z.-W. Gao, C.-Y. Zhang, L.-X. Gao, G.-F. Wang,
D.-H. Wu and Z.-T. Liu*
Crystal structure of 3,5-dichloro-2-hydroxy-benzoic acid,
C₆H₂Cl₂(OH)COOH 553
- Z.-H. Liu, J.-J. Zhang and W.-J. Zhang*
Crystal structure of bis(diethylenetriamine)cobalt(II)
tetrahydroxypentaborate, [Co(C₄H₁₃N₃)₂][B₅O₆(OH)₄]₂ ... 555

Organic and Metalorganic Crystal Structures

- R. Torres, F. Faini, J. M. L. Rodilla, L. A. Silva and
F. Sanz*
Crystal structure of taedol, C₁₀H₁₆O₂,
from *Haplopappus taeda* 537
- H.-W. Lin, W.-D. Xu, Q.-H. Wang, F. Qiu, and
W.-S. Chen*
Crystal structure of brevifolincarboxylic acid pyridine
pentasolvate, C₁₃H₈O₈ · 5C₅H₅N 557

- H. Su, Y.-H. Wen and Y.-L. Feng
Crystal structure of aquaphenanthroline(pyridine-2,6-dicarboxylato)cobalt(II) pyridine-2,6-dicarboxylic acid monosolvate tetrahydrate, $[\text{Co}(\text{H}_2\text{O})(\text{C}_{12}\text{H}_8\text{N}_2)(\text{NC}_5\text{H}_3(\text{COO})_2)] \cdot \text{NC}_5\text{H}_3(\text{COOH})_2 \cdot 4\text{H}_2\text{O}$ 560
- G.-L. Zhao, Y.-H. Wen and Y.-L. Feng
Crystal structure of aqua(1,10-phenanthroline-*N,N'*)-(2-nitrobenzoato-*O*)(2-nitrobenzoato-*O,O'*)cadmium(II), $\text{Cd}(\text{H}_2\text{O})(\text{NO}_2\text{C}_6\text{H}_4\text{COO})_2(\text{C}_{12}\text{H}_8\text{N}_2)$ 563
- L. Dupont, S. Boverie, B. Pirotte and P. de Tullio
Crystal structure of 7-chloro-3-isopropoxy-4*H*-1,2,4-benzothiadiazine 1,1-dioxide monohydrate, $\text{C}_{10}\text{H}_{11}\text{ClN}_2\text{O}_3\text{S} \cdot \text{H}_2\text{O}$ 565
- W. Frey, J. Y. Lee and V. Jüger
Crystal structure of 1,3,5-tris(4-methoxyphenyl)-1*H*-1,2,4-triazole-2-oxide, $\text{C}_{23}\text{H}_{21}\text{N}_3\text{O}_4$ 567
- X.-H. Jiang, W.-G. Zhang, Y. Zhong and S.-L. Wang
Crystal structure of (2,2'-bipyridine)bis(*n*-butyldithiocarbonato-*S,S'*)cadmium(II), $\text{Cd}(\text{C}_4\text{H}_9\text{COS}_2)_2(\text{C}_{10}\text{H}_8\text{N}_2)$.. 569
- J.-G. Ding
Crystal structure of *meso*-5,5,7,12,12,14-hexamethyl-4,11-diaza-1,8-diazoniacyclotetradecane bis(dicyanoargentate) dihydrate, $(\text{C}_{16}\text{H}_{38}\text{N}_4)[\text{Ag}(\text{CN})_2]_2 \cdot 2\text{H}_2\text{O}$ 571
- L. C. Souza, D. O. Imbroisi, C. A. De Simone, M. A. Pereira, V. R. S. Malta and J. F. T. Oliveira
Crystal structure of 4-hydroxy-6-propenyl-5,6-dihydro-pyran-2-one, $\text{C}_8\text{H}_{10}\text{O}_3$ 573
- G. Laus, C. Reitsamer, K. Wurst and H. Schottenberger
Crystal structure of sodium 4-azido-1,2,3-triazolide monohydrate, $\text{Na}(\text{N}_3\text{C}_2\text{HN}_3) \cdot \text{H}_2\text{O}$ 575
- G. Laus, G. Bentivoglio, K. Wurst, H. Schottenberger and G. Nauer
Crystal structure of bis(1-butyl-3-methylimidazolium)hexachlorotitanate(IV) bis(dichloromethane) solvate, $(\text{C}_8\text{H}_{15}\text{N}_2)_2[\text{TiCl}_6] \cdot 2\text{CH}_2\text{Cl}_2$ 577
- L.-M. Zhu
Refinement of the crystal structure of bis(*N,N*-dimethylformamide)tetra(μ -formato)dycopper(II), $\text{Cu}_2(\text{HCOO})_4[(\text{CH}_3)_2\text{NCHO}]_2$, at 193 K 579
- A. Spannenberg, B. Müller and U. Rosenthal
Crystal structure of tris[(diphenylphosphino)methylene]diphenylphosphoranylmethyl]yttrium diethyl ether monosolvate, $[\text{Y}\{\text{P}(\text{C}_6\text{H}_5)_2\text{CHP}(\text{C}_6\text{H}_5)_2\text{CH}_2\}_3] \cdot (\text{C}_2\text{H}_5)_2\text{O}$ 581
- H.-D. Liang, J.-G. Yang, H. Yan and F.-Y. Pan
Crystal structure of 2'-(3-benzoxo-4-fluorobenzylidene)-2-hydroxybenzoylhydrazide, $\text{C}_{20}\text{H}_{15}\text{FN}_2\text{O}_3$ 585
- S. Dehghanpour, F. Mojahed and F. Farzaneh
Refinement of the crystal structure of *N,N'*-ethylene-bis(benzoylacetoniminato)copper(II), $\text{Cu}(\text{C}_{22}\text{H}_{22}\text{N}_2\text{O}_2)$, at 110 K 587
- D. Weng, Y.-W. Yao, Q. Cai and G.-Y. Tang
Crystal structure of poly[(1,10-phenanthroline-*N,N'*)-(μ_3 -pyridyl-3,4-dicarboxylato-*N,O,O',O''*)cobalt(II)], $\text{Co}(\text{C}_{12}\text{H}_8\text{N}_2)(\text{NC}_5\text{H}_3(\text{COO})_2)$ 589
- D.-X. Cao, H.-Y. Chen, G.-Z. Li, Y.-H. Wang and Z.-Q. Liu
Crystal structure of *trans*-4-[4-(*N,N*-diethylamino)-2-hydroxystyryl]-*N*-methylpyridinium iodide monohydrate acetonitrile hemisolvate, $(\text{C}_{18}\text{H}_{23}\text{N}_2\text{O})\text{I} \cdot \text{H}_2\text{O} \cdot \frac{1}{2}\text{CH}_3\text{CN}$.. 591
- T. M. Klapötke, B. Krumm and I. Schwab
Crystal structure of tris(triphenyltelluronium) fluoride tetrafluoroborate hemi(hexafluorosilicate) chloroform trisolvate, $[\text{Te}(\text{C}_6\text{H}_5)_3]_3[\text{F}][\text{BF}_4][\text{SiF}_6]_{0.5} \cdot 3\text{CHCl}_3$ 594
- J.-G. Wang, H.-X. Kang and X.-Y. Zheng
Crystal structure of bis(1,10-phenanthroline)copper(I) dichlorocuprate(I), $[\text{Cu}(\text{C}_{12}\text{H}_8\text{N}_2)_2][\text{CuCl}_2]$ 597
- A. Al-Harrasi, I. Brüdgam, H. Hartl and H.-U. Reißig
Crystal structure of 1*R*,5*S*,8*R*,9*S*-8-azidomethyl-2-benzyl-6,6-dimethyl-3,7-dioxo-2-azabicyclo[3.3.1]nonan-9-ol, $\text{C}_{16}\text{H}_{22}\text{N}_4\text{O}_3$ 599
- F.-L. Yang, G. Guo and S. Bittner
Crystal structure of ethyl 3-(4-methoxy-phenyl)-2-(triphenylphosphoniiminoyl)acrylate, $(\text{C}_6\text{H}_5)_3\text{PNC}(\text{COOC}_2\text{H}_5)(\text{C}_7\text{H}_5\text{OCH}_3)$ 601
- L.-F. Ma, Y.-H. Zhang, J.-G. Wang and L.-Y. Wang
Crystal structure of bis(2,2'-bipyridine-*N,N'*)-(N-tosyl- β -alaninato-*O*)copper(II) chloride tetrahydrate, $[\text{Cu}(\text{C}_{10}\text{H}_8\text{N}_2)_2(\text{C}_{10}\text{H}_{12}\text{NO}_4\text{S})]\text{Cl} \cdot 4\text{H}_2\text{O}$ 603
- J.-G. Wang, L.-F. Ma, L.-Y. Wang, Y.-H. Wang and R. Liu
Crystal structure of (1,10-phenanthroline)(*N*-tosylserinato)copper(II), $\text{Cu}(\text{C}_{12}\text{H}_8\text{N}_2)(\text{C}_{10}\text{H}_{11}\text{NO}_5\text{S})$ 606
- K. Fichtel and U. Behrens
Crystal structure of bis(pentamethylcyclopentadienyl)tri(pyridine)barium, $\text{Ba}(\text{C}_5\text{H}_5\text{N})_3(\text{C}_{10}\text{H}_{15})_2$ 609
- A. F. da Silva, C. A. de Simone, A. E. G. Sant'Ana, M. A. Pereira and V. R. S. Malta
Crystal structure of diethyl 4-phenyl-2,6-dimethyl-3,5-pyridinedicarboxylate, $\text{C}_{19}\text{H}_{21}\text{NO}_4$, an multidrug resistance reversal agent from *Jatropha elliptica* 611
- A. A. Torabi, R. Kian, A. Souldozi and R. Welter
Crystal structure of dichloro(pyridine-2-aldoxime-*N,N'*)mercury(II), $\text{HgCl}_2(\text{NC}_5\text{H}_4\text{CHNOH})$ 613
- M. C. Torralba, M. Cano, J. A. Campo, J. V. Heras and E. Pinilla
Crystal structure of *trans*-dichlorobis[3-(4-octyloxyphenyl)pyrazole]palladium(II), $\text{PdCl}_2(\text{C}_{17}\text{H}_{24}\text{N}_2\text{O})_2$ 615
- M. C. Torralba, M. Cano, J. A. Campo, J. V. Heras and E. Pinilla
Crystal structure of 2-[3,5-bis(4-octyloxyphenyl)pyrazol-1-yl]pyridine, $\text{C}_{36}\text{H}_{47}\text{N}_3\text{O}_2$ 617

V. H. Rodrigues, A. Matos Beja, J. A. Paixão and M. M. R. Costa Crystal structure of hexaaquamagnesium sulfate bis(<i>N,N,N</i> -trimethylaminoethanoic acid) trihydrate, $[\text{Mg}(\text{H}_2\text{O})_6]\text{SO}_4 \cdot 2(\text{CH}_3)_3\text{NCH}_2\text{COO} \cdot 3\text{H}_2\text{O}$	620
Y.-Z. Zhou, D.-D. Hu, R.-J. Chen and S.-J. Tu Crystal structure of 2-hydroxyethylammonium [(2-methoxysalicylaldehydato)benzoylhydrazonato- <i>O,N,O'</i>]-dioxovanadate(V), $[\text{C}_2\text{H}_8\text{NO}][\text{VO}_2(\text{C}_{15}\text{H}_{12}\text{N}_2\text{O}_3)]$	623
T.-B. Li, W.-T. Yu, D. Xu, R. Quan, G.-H. Zhang and X.-Q. Wang Crystal structure of tetramethylammonium bis(1,3-dithiole-2-thione-4,5-dithiolato- <i>S,S'</i>)aurate(III), $[\text{N}(\text{CH}_3)_4][\text{Au}(\text{C}_3\text{S}_5)_2]$	625
J. Harloff, H. Reinke, M. Köckerling and E. Popowski Crystal structure of 1,1,4,4-tetramethyl-2,2,3,3-tetraphenyl-tetrasilane, $[(\text{CH}_3)_2(\text{H})\text{Si}(\text{C}_6\text{H}_5)_2\text{Si}]_2$	627
E. Pfund, C. Barbey, T. Lequeux and A. Navaza Crystal structure of diethyl 2-(4,5-dihydroxy-2-methylsulfanyl-3,4,5,6-tetrahydro-4 <i>H</i> -thiopyranyl)difluoromethylphosphonate, $\text{C}_{11}\text{H}_{21}\text{F}_2\text{O}_5\text{PS}_2$, a thioglycoside analogue bearing a difluorophosphonate group	629
N. Cesur, I. Pantenburg and G. Meyer Crystal structure of catena-[triaqua-bis(acetato- <i>O,O'</i>)-gadolinium(III)] chloride, $[\text{Gd}(\text{CH}_3\text{COO})_2(\text{H}_2\text{O})_3]\text{Cl}$	631
S.-J. Peng, D.-W. Yang, Z.-L. Xiao, D.-X. Wu and Z. Cao Crystal structure of methanol[4-bromo- <i>N</i> -(2-pyridylmethyl)salicylaldiminato- <i>N,N',O</i>]nickel(II) perchlorate, $[\text{Ni}(\text{CH}_3\text{OH})(\text{C}_{14}\text{H}_{14}\text{BrN}_2\text{O}_2)]\text{ClO}_4$	633
Q. Chen Crystal structure of bis[<i>N</i> -cyclohexyl-4-nitrosalicylaldiminato]copper(II), $\text{Cu}(\text{C}_{13}\text{H}_{15}\text{N}_2\text{O}_3)_2$	635

M. Liu-González, F. Sanz-Ruiz, P. Palanca, V. Sanz, M. Pérez-Priede, S. García-Granda and E. García-Rodríguez Crystal structure of bis(tetra- <i>n</i> -butylammonium) tris(2-sulfidopropionato)sulfidodioxodimolybdate(V) monohydrate, $[(\text{NC}_4\text{H}_9)_4]_2\text{Mo}_2\text{O}_2\text{S}(\text{C}_2\text{H}_4\text{SCOO})_3 \cdot \text{H}_2\text{O}$	637
M. Liu-González, F. Sanz-Ruiz, P. Palanca, V. Sanz, M. Pérez-Priede, S. García-Granda and E. García-Rodríguez Crystal structure of bis(tetra- <i>n</i> -butylammonium) bis(2-sulfidopropionato)disulfidodioxodimolybdate(V), $[(\text{NC}_4\text{H}_9)_4]_2\text{Mo}_2\text{O}_2\text{S}_2(\text{C}_2\text{H}_4\text{SCOO})_2$	641

Author Index

Formulae Index

Further details of the structure determination can be accessed at the relevant database:

Data with CSD numbers can be obtained from the Fachinformationszentrum Karlsruhe, Gesellschaft für wissenschaftlich-technische Information mbH, D-76344 Eggenstein-Leopoldshafen, Germany (e-mail: docdel@fiz-karlsruhe.de).

Data with CCDC numbers can be obtained from the Cambridge Crystallographic Data Centre (CCDC), 12 Union Road, Cambridge CB2 1EZ, UK, (fax: +44-(0)1223-33 60 33 or e-mail: deposit@chemcrs.cam.ac.uk).

