

Zeitschrift für Kristallographie

New Crystal Structures

Volume 220 • Issue 1 • 2005

Inorganic Crystal Structures

- V. Babizhetskyy, I. Veremchuk, N. Chaban and Yu. Kuz'ma*
Crystal structure of diytterbium pentadecanickel nonaboride, $\text{Yb}_2\text{Ni}_{15}\text{B}_9$ 1
- C. Lefevre, C. Hoch, R. Eger and A. Simon*
Crystal structure of hexagadolium cobalt decabromide, $\text{Gd}_6(\text{CoBr}_{10})$, a Y_6Ru_{10} -type structure 3
- A. Amdara, M. A. Salvadó, Á. Fernández-González, S. García-Granda and M. Prieto*
Crystal structure of barium selenate, BaSeO_4 5
- B. C. Chan and P. K. Dorhout*
Crystal structures of potassium terbium(III) tetrasulfidogermanate, KTbGeS_4 , and potassium praseodymium(III) tetraselenidogermanate, KPrGeSe_4 7
- B. C. Chan, P. L. Feng, Z. Hulvey and P. K. Dorhout*
Crystal structure of tetrapotassium hexaselenidohypodiphosphate, $\text{K}_4\text{P}_2\text{Se}_6$ 9
- B. C. Chan, P. L. Feng, Z. Hulvey and P. K. Dorhout*
Crystal structure of tripotassium tetraselenidophosphate, K_3PSe_4 11
- B. C. Chan, P. L. Feng, Z. Hulvey, L. Polykova, R. F. Hess, K. D. Abney and P. K. Dorhout*
Crystal structure of tetracesium octaselenidodisilicate, $\text{Cs}_4\text{Si}_2\text{Se}_8$ 12
- P. L. Feng, B. C. Chan and P. K. Dorhout*
Crystal structure of tetracesium decaselenidotetrasilicate, $\text{Cs}_4\text{Si}_4\text{Se}_{10}$ 13

Organic and Metalorganic Crystal Structures

- F. Jafarpour and H. Pirelahi*
Crystal structure of *syn*-4-(*p*-trifluoromethylphenyl)-2,4,66-triphenyl-4*H*-thiopyran-1-oxide, $\text{C}_{30}\text{H}_{21}\text{F}_3\text{OS}$ 15
- K. Peters, E.-M. Peters, F. Rebien and T. Linker*
Crystal structure of methyl (1*R*,2*S*,3*R*,4*S*)-1-phenyl-3,4-epoxi-1,2,3,4-tetrahydronaphthalene-2-carboxylate, $\text{C}_{18}\text{H}_{16}\text{O}_3$ 17
- K. Peters, E.-M. Peters, U. Linker and T. Linker*
Crystal structure of 1,1,2,2-tetramethoxycarbonylethanol, $\text{C}_2\text{H}_4(\text{CH}_3\text{OCO})_4\text{OH}$ 19

- K. Peters, E.-M. Peters, B. G. Kim and T. Linker*
Crystal structure of ethyl (3*aR*,4*R*,5*R*,6*R*,7*aR*)-4,5-diacetoxy-6-acetoxymethyl-2-oxy-3*a*,5,6,7*a*-tetrahydro-4*H*-pyrano[3,2-*d*]isoxazole-3-carboxylate, $\text{C}_{16}\text{H}_{21}\text{NO}_{11}$ 21

- M.-C. Liu, J.-C. Ding, W. Feng and H.-Y. Wu*
Crystal structure of phenylbenzylsulfone, $(\text{C}_6\text{H}_5)(\text{C}_7\text{H}_7)\text{SO}_2$ 23

- Q.-W. Liu, X. Fan, C.-H. Tan, T. Zhang, L.-J. Han and D.-Y. Zhu*
Crystal structure of (5*R*,10*R*)-2,7-dibromo-3,8-dihydroxy-5,10-dimethoxy-5,10-dihydrochromeno[5,4,3-*cde*]-chromene sesquihydrate, $\text{C}_{16}\text{H}_{12}\text{Br}_2\text{O}_6 \cdot 1.5\text{H}_2\text{O}$ 25

- E. Horn, A. Horiuchi, K. Ito, T. Nakahodo, M. Watabe, T. T. Takahashi and C. A. Horiuchi*
Crystal structure of dichlorobis(3,5-dimethylisoxazolato)palladium(II), $\text{PdCl}_2(\text{C}_5\text{H}_7\text{NO})_2$ 27

- E. Horn and M. Ohno*
Crystal structure of bromo[bis(diphenylphosphino)methane]-*fac*-(tricarbonyl)manganese(I) benzene solvate, $\text{MnBr}(\text{CO})_3\text{CH}_2[\text{P}(\text{C}_6\text{H}_5)_2]_2 \cdot \text{C}_6\text{H}_6$ 29

- K. Miyamoto, F. Murata, E. Horn and Y. Fukuda*
Crystal structure of tetramethylethylenediaminobis(1-phenylbutane-1,3-dionato)nickel(II), $\text{Ni}(\text{C}_6\text{H}_{16}\text{N}_2)(\text{C}_{10}\text{H}_9\text{O}_2)_2$ 31

- X. Li and Y.-Q. Zou*
Crystal structure of bis(1,10-phenanthroline)tetrakis(4-methylbenzoato)bis(μ -4-methylbenzoato-*O,O'*)diholmium(III), $\text{Ho}_2(\text{C}_8\text{H}_7\text{O}_2)_6(\text{C}_{12}\text{H}_8\text{N}_2)_2$ 33

- X. Li, Z.-Y. Zhang, D.-Y. Wang and Y.-Q. Zou*
Crystal structure of *catena*-hexakis(μ -4-methylbenzoato)didysprosium(III), $\text{Dy}_2(\text{C}_8\text{H}_7\text{O}_2)_6$ 36

- M. Talja and M. Polamo*
Crystal structure of 2-(2-chlorophenylamino)pyridine, $\text{C}_{11}\text{H}_9\text{ClN}_2$ 39

- M. Polamo, M. Talja and A. J. Piironen*
Crystal structure of 2-[2,6-di(methylethyl)phenylamino]pyridine, $\text{C}_{17}\text{H}_{22}\text{N}_2$ 41

- M. Polamo and M. Talja*
Crystal structure of trichloro(phenyl-2-pyridylamido)phenylimidotungsten(VI), $\text{WCl}_3(\text{C}_6\text{H}_5\text{N})(\text{C}_{11}\text{H}_9\text{N}_2)$ 43

A. R. Mahjoub, A. Morsali and S. Nouryan Aval Crystal structure of pyridyl-2-methylammonium nitrate, (C ₆ H ₉ N ₂)NO ₃	45
A. R. Mahjoub, A. Morsali, Z. Talaei and A. Hosseinian Crystal structure of chlorobis(1,10-phenanthroline)zinc(II) perchlorate monohydrate, [ZnCl(C ₁₂ H ₈ N ₂) ₂]ClO ₄ · H ₂ O	47
L. Yong, S. D. Hoffmann and T. F. Fässler Crystal structure of tris{[(2.2.2)crypt]potassium} nonastannide ethylenediamine hemisolvate, [K(C ₁₈ H ₃₆ N ₂ O ₆) ₃ Sn ₉ · ½C ₂ H ₈ N ₂	49
L. Yong, S. D. Hoffmann and T. F. Fässler Crystal structure of tetrakis{[(2.2.2)crypt]potassium}- tricarbonylmolybdenum(0) nonastannide ethylenediamine disolvate, [K(C ₁₈ H ₃₆ O ₆ N ₂) ₄ [Mo(CO) ₃ Sn ₉] · 2C ₂ H ₈ N ₂	53
R.-F. Wang, W.-G. Zhang, J. Fan and S.-L. Wang Crystal structure of tris(triphenylphosphine)bis(μ-phenyl- selenolato)disilver(I), Ag ₂ [P(C ₆ H ₅) ₃] ₃ (C ₆ H ₅ Se) ₂	58
R.-F. Wang, W.-G. Zhang, J. Fan and S.-L. Wang Crystal structure of bis(triphenylphosphine)hexakis(μ- phenylselenido)bis(phenylselenido)tetramercury(II), Hg ₄ [P(C ₆ H ₅) ₃] ₂ (C ₆ H ₅ Se) ₈	61
K. Gholivand, Z. Shariatnia and M. Pourayoubi Refinement of the crystal structure of N-4-nitrophenyl phosphoramidic acid dimethyl ester, (CH ₃ O) ₂ PONHC ₆ H ₄ NO ₂ , at 120 K	65
M. Gjikaj, A. Adam, M. Döwiel and W. Brockner Crystal structure of bis[(18-crown-6)potassium] hexathiodiphosphate(V) acetonitrile disolvate, [K(C ₁₂ H ₂₄ O ₆) ₂ (P ₂ S ₆) · 2CH ₃ CN	67
S.-R. Fan, L.-P. Zhang, H.-P. Xiao, G.-Q. Cai and L.-G. Zhu Crystal structure of bis[diaqua(1,10-phenanthroline)- (μ-4-sulfobenzoato)cadmium(II)], [Cd(H ₂ O) ₂ (C ₁₂ H ₈ N ₂)(C ₇ H ₄ O ₅ S)] ₂	69
K. Boubekeur, J.-L. Syssa-Magalé, P. Palvadeau and B. Schöllhorn Crystal structure of pentafluorophenyl ferrocene, Fe(C ₅ H ₅)(C ₁₁ H ₄ F ₅)	71
B.-S. Zhang Crystal structure of bis[μ-chloro(2,2'-bipyridine-N,N')- (μ-2-chlorobenzoato)lead(II)], [Pb(Cl)(C ₁₀ H ₈ N ₂)(ClC ₆ H ₄ COO)] ₂	73
B.-S. Zhang, X.-R. Zeng, Y.-Y. Yu, X.-N. Fang and C.-F. Huang Crystal structure of (1,10-phenanthroline-N,N')bis(2- fluorobenzoato)lead(II), Pb(FC ₆ H ₄ COO) ₂ (C ₁₂ H ₈ N ₂)	75
F. Schüllner, G. Laus, K. Wurst and H. Schmidhammer Crystal structure of 17-(cyclopropylmethyl)-6,7-didehydro- 4,5α-epoxy-3-hydroxy-14β-(3-phenylpropyloxy)indolo- [2,3:6,7]morphinan hydroiodide, (C ₃₅ H ₃₇ N ₂ O ₃)I	77
A. Galdámez, P. Iturriaga-Vásquez, B. K. Cassels and V. Manríquez Crystal structure of isotetrandrine, C ₃₈ H ₄₂ N ₂ O ₆	79
S.-Z. Pu, R.-J. Wang, L. Shen, G. Liu, J.-K. Xu, Q. Xiao and B. Chen Crystal structure of 3,3,4,4,5,5-hexafluoro-1,2-bis(5-(3- trifluorophenyl)-2-methyl-3-thienyl)-cyclopent-1-ene, C ₂₉ H ₁₆ F ₁₂ S ₂	81
E. Popowski, I. Rietz, H. Reinke and M. Köckerling Crystal structure of 1,2-bis[bis(trimethylsilyl)amino]- 1,2-dimethyl-1,2-diphenyl-disilane, {[(CH ₃) ₃ Si]N}(CH ₃)(C ₆ H ₅)Si) ₂	83
Z.-P. Kong, R.-L. Bao, X.-G. Zhou, Z. Pang, L. Jiang, Z.-X. Chen and B. Yue Crystal structure of hexaaquabis{2-[N-(4-pyridyl- carbonyl)hydrazido]propionato}dimanganese(II) tetrahydrate, Mn ₂ (H ₂ O) ₆ (C ₉ H ₇ N ₃ O ₃) ₂ · 4H ₂ O	85
D. Ruiz, P. Rivera, I. Brito, M. Rodríguez and V. Manríquez Crystal structure of sesquiterpene spartidienedione, C ₁₅ H ₂₂ O ₂	87
R. Wartchow, S. Roeper and H. M. R. Hoffmann Crystal structures of ethanol hemisolvates of (1S,3R,4S,8S,9R)-1N-boranyl-6'-methoxy-cinchonan-9-ol, C ₂₀ H ₂₇ BN ₂ O ₂ · ½C ₂ H ₅ OH, and (1S,3S,4S,8S,9R)-1N- boranyl-10,11-didehydro-6'-methoxy-cinchonan-9-ol, C ₂₀ H ₂₅ BN ₂ O ₂ · ½C ₂ H ₅ OH	89
L.-X. Shi, W.-S. Wu, J.-C. Dai and J.-M. Lin Crystal structure of N,N-phthaloylpicoloylhydrazide, C ₁₄ H ₉ N ₃ O ₃	93
H. Nuss, J. Nuss and M. Jansen Crystal structure of 2,6-dimethylpyridinium hydrochloride, (C ₇ H ₁₀ N)Cl	95
Y.-L. Feng and G.-J. Zhang Crystal structure of N,O-(1-methyl-3-oxobutyliden)- N',N''-(1-methyl-2-isonitroso-3-oxo-3-phenyl-propyl- iden)ethylenediaminonickel(II), Ni(C ₁₇ H ₁₉ N ₃ O ₃)	97
G.-L. Zhao and Y.-L. Feng Crystal structure of triaquabis(vanillin-O,O')nitrito- gadolinium(III), Gd(H ₂ O) ₃ (C ₈ H ₇ O ₃) ₂ (NO ₂)	99
H.-G. Zhang, W.-T. Yu, L. Wang, J.-X. Yang, Z. Liu, X.-T. Tao and M.-H. Jiang Crystal structure of N,N,N',N'-tetraphenyl-1,4-benzene- diamine, C ₃₀ H ₂₄ N ₂	101
M. Królikowska and J. Garbarczyk Crystal structures of 1,4-di(1-imidazolyl)butane dihydrochloride, (C ₁₀ H ₁₆ N ₄)Cl ₂ , and 1,4-di(1- imidazolyl)butane dihydrate, C ₁₀ H ₁₄ N ₄ · 2H ₂ O	103
A. Oueslati, A. Rayes, C. Ben Nasr and M. Rzaigui Crystal structure of 5-chloro-2-methylanilinium chloride hydrate, (ClC ₇ H ₆ NH ₃)Cl · H ₂ O	105

B. Aechter, J. Knizek, H. Nöth and W. Beck

Crystal structure of *tert*-butylisocyanide-tricarbonyl-1,10-phenanthroline-rhenium(I) trifluoromethanesulfonate, $[\text{Re}(\text{C}_5\text{H}_9\text{N})(\text{CO})_3(\text{C}_{12}\text{H}_8\text{N}_2)](\text{F}_3\text{CSO}_3)$ 107

B. Aechter, J. Knizek, H. Nöth and W. Beck

Crystal structure of μ -2,2'-bipyrimidine-hexacarbonyl-bis(triphenylphosphine)dirhenium(I) bis(trifluoromethanesulfonate) acetonitrile tetrasolvate, $[\text{Re}_2(\text{C}_8\text{H}_6\text{N}_4)(\text{CO})_6(\text{C}_{18}\text{H}_{15}\text{P})_2](\text{F}_3\text{CSO}_3)_2 \cdot 4\text{CH}_3\text{CN}$ 110

A. Jegorov, V. Havlíček, M. Husák, B. Kratochvíl,

I. Císarová, J. Satke and M. Zabka

Crystal structure of *cyclo*(2-hydroxy-*i*-valeryl-isoleucyl-2-hydroxy-*i*-valeryl-alanyl-threonyl) dihydrate, $\text{C}_{23}\text{H}_{39}\text{N}_3\text{O}_8 \cdot 2\text{H}_2\text{O}$ 113

K. Kirakci, S. Cordier, T. Roisnel, S. Golhen and C. Perrin

Crystal structure of bis(tetrabutylammonium) tetradecabromohexamolybdate, $[(\text{C}_4\text{H}_9)_4\text{N}]_2[\text{Mo}_6\text{Br}_{14}]$, at 100 K and 293 K 116

F.-L. Yang, S.-J. Cao, Z.-J. Liu and M.-W. Ding

Crystal structure of 5-phenylmethylidene-3-(2'-fluorobenzyl)-2-thio-4-imidazolidinone, $\text{C}_{17}\text{H}_{13}\text{FN}_2\text{OS}$ 119

Instructions to Contributors

Author Index

Formulae Index

Further details of the structure determination can be accessed at the relevant database:

Data with CSD numbers can be obtained from the Fachinformationszentrum Karlsruhe, Gesellschaft für wissenschaftlich-technische Information mbH, D-76344 Eggenstein-Leopoldshafen, Germany (e-mail: docdel@fiz-karlsruhe.de).

Data with CCDC numbers can be obtained from the Cambridge Crystallographic Data Centre (CCDC), 12 Union Road, Cambridge CB2 1EZ, UK, (fax: +44-(0)1223-33 60 33 or e-mail: deposit@chemcrys.cam.ac.uk).

