ILLUSTRATIONS

Tables

- 2.1 Area of humid forest in forest Guinea at different times 23
- 3.1 Classification of dehesas habitat under four EU classification systems 39
- 7.1 Number of national forest surveys for ninety tropical countries by latest survey date 89
- 7.2 Trend in the area of forest plantations in ninety tropical countries in 1980–2005 93
- 10.1 Remnant tree cover and vegetation characteristics in two 1-ha plots in an eleven-year-old secondary forest 132
- 13.1 Tree inventory from Dos Hombres vegetation survey 180
- 13.2 Tree inventory from uninhabited area (control) 183
- 13.3 Species diversity in uninhabited forest and forest adjacent to Dos Hombres 187
- 13.4 Number of economic tree species found in uninhabited forest area and forest adjacent to Dos Hombres 188
- 13.5 Statistical analyses comparing the number of economic tree species found in each of the two study areas 188
- 18.1 Tea prices in Yunnan Province, 2005–2008 245
- 20.1 Forest fragmentation 263
- 20.2 Rice production in Sing District 264
- 20.3 Shares of household inputs in agriculture 267
- 24.1 Radiocarbon dates from Nokugu (X6) and other sites in the Kuikuro study area, southern PIX 318
- 25.1 Number of households with urban, rural, and rural/urban employment from a sample of 207 urban households 331
- 25.2 Logging camp workers and their areas of origin in the Provincia Ucayali, Región Loreto 332
- 26.1 Quantity of *tablillas* produced per month by small-scale millers in Contamana 341

[x] Illustrations

26.2 Estimated expense, revenue, and profit from a stand of 1 ha with 200 bolaina trees at a diameter of 25 cm using four different marketing options 343

Figures

- 3.1 Natura 2000 sites in the EU-25 37
- 3.2 Model of changes in biodiversity associated with the development and abandonment of traditional agriculture in Europe 38
- 3.3 A shepherd and his flock in Spain's Sierra de Cazorla 41
- 7.1 The national land use transition and forest transition models 87
- 7.2 Projection methods in FAO Forest Resources Assessments 90
- 7.3 Trends in natural forest area in ninety tropical countries, 1980–2005 91
- 7.4 Estimates of tropical moist forest area for sixty-three countries, 1973–2000 92
- 9.1 Hypothetical species migration rate decrease under agricultural landscape evolution 120
- 10.1 Map of the study plots and La Selva Biological Station in Northeastern Costa Rica 131
- 10.2 Seedlings and sapling density in four second-growth and two old-growth plots based on 2006 census data 134
- 10.3 Exponential growth of *Euterpe oleracea* over ten years in a fifteen-year-old, second-growth forest plot near Timbina Research Center 138
- 11.1 Carbon isotope values from Nilgiri soil organic matter 159
- 12.1 The Kelabit Highlands 162
- 12.2 The Penan camp at Ba Puak to the west of the Kelabit Highlands, July 2008 163
- 12.3 Human activity in the Kelabit Highlands 166
- 12.4 The stone etuu near the village of Pa' Mada said to be the culture hero Tukad Rini's sharpening stone 170
- 13.1 Map of Belize 174
- 15.1 Forest island in the savanna, Machupo River, in 2006 206
- 15.2 An octagon-shaped ring ditch site in the Bolivian Amazon 207
- 15.3 Pre-Columbian raised fields, canals, and causeways in the Bolivian Amazon 208
- 15.4 Four pre-Columbian causeways and canals connecting forest islands in the Bolivian Amazon 210
- 15.5 A network of pre-Columbian fish weirs in the Bolivian Amazon 211
- 16.1 Teak forests of Burma 222
- 16.2 Girdling (ring-barking) of teak 223
- 16.3 Teak and stainless steel sun lounge chair 229

Illustrations [xi]

- 17.1 Map of shea tree distribution 233
- 20.1 Map of research site 262
- 20.2 Land cover change in Sing District, Laos 263
- 20.3 Areas of upland cash crop production 265
- 20.4 Household agricultural production 265
- 22.1 Classic property rights systems 299
- 22.2 From individualization to the collective: The forest community concessions of Peten, Guatemala 300
- 23.1 Map of the Sahel 304
- 23.2 Comparative woodland cover Nigeria-Niger 308
- 24.1 Upper Xingu region image 316
- 24.2 Kuikuro study area 317
- 24.3 Satellite image of Mato Grosso (the state) and Formadores do Xingu (the archaeological region) 319
- 24.4 Aerial photographs of Lake Ipatse and Lake Kuhikugu 320
- 26.1 Average volume of lumber transported on trucks per day from Pucallpa to Lima, 2007 340
- 27.1 Five decades of production changes for municipalities of the Amazon estuary: Nontimber forest products and annual crops 352
- 27.2 Relative percentage of recognized kin-household distributed within and between rural communities and urban areas, Ponta de Pedras, PA, 2007–2008 357
- 27.3 Multisited households: Household members in rural and urban areas 359
- 27.4 Reasons for city visits and lodging while away among rural members of households, Ponta de Pedras, PA, 2007–2008 360
- 28.1 Chicago Wilderness covers a broad, multistate region 368
- 28.2 Trained ecologists initiate a controlled burn 372
- 28.3 Restoring the natural fire cycle brings back native species 372
- 28.4 The Green Infrastructure Vision identifies opportunities for land acquisition, restoration, and conservation development 376