

Index

Note: *Italic* page numbers refer to tables.

- Abalaka, Jeremiah, 102
- Affordable Medicines Facility for Malaria, 33
- Africa: infectious disease burden of, 6, 18;
 malaria as endemic to, 27, 38, 122, 167n13,
 181n57; and smallpox, 107; stereotype as
 infectious continent, 78, 95, 106; and stereo-
 types of HIV infection, 93–94, 95. *See also*
 specific countries
- African Institutions Initiative, 161
- African medical systems: and clinical record-
 keeping, 65, 125–26, 181n4; colonial model
 of health care system as template for, 131,
 132–33, 135; development of, 142; and
 health care access, 18, 24, 28, 45, 155; imper-
 sonal nature of, 65–66, 143–44; inadequacy
 of, 5, 6, 20, 35; medical pluralism in, 25,
 135; and medical research, 158, 185n56; in
 modern environment, 4, 19; role of, 163n2;
 successful programs of, 106; Western models
 for, 18, 149–50. *See also* diagnostic develop-
 ment; diagnostic insufficiency; indigenous
 medicine; laboratory diagnostics
- African Network for Drugs and Diagnostic
 Innovation, 161
- AIDS (acquired immune deficiency syn-
 drome): AIDs-related syndromes, 179n34;
 clinical case definition for, 105; and di-
 agnostic insufficiency, 96, 102, 178n24;
 etiologic agents of, 93, 96, 97; and intestinal
 parasite infection rates, 138; myths sur-
 rounding, 178n14; and Nigeria, 67–68, 94,
 100–102; prevalence of, 98, 100–101; skepti-
 cism about, 94, 95–96, 98, 177n4; stigma
 associated with, 97, 99; treatment for, 101–2,
 178n24, 178n25; vaccines for, 102, 103–4;
 and vulnerability to diseases resembling ty-
 phoid, 49; and Western medicine, 103
- American Society for Clinical Pathology, 154
- American Society for Microbiology, 149, 154
- American Society of Tropical Medicine and
 Hygiene, 122–23
- Angola, 34, 69, 72, 170n58, 184n13
- Anikulapo-Kuti, Fela, 98–99
- anthrax, 16, 127, 184n13
- antimicrobials: appropriate application of, 7,
 127; and drug resistance, 44, 50–51, 54, 57,
 62, 63, 115, 150, 155; lack of profitability in
 development of, 53, 63; narrow-spectrum,
 57; overprescribing of, 53, 115, 131; selective
 pressure from drug use, 51, 62, 114, 124,
 126, 183n9; and susceptibility testing, 58, 59,
 60, 156; types of, 171n4
- antiretroviral drugs, 97, 98, 101, 102, 103–5
- Aro confederation, 21–22, 166n2
- Aro-Ndizuogu, Nigeria, 21–24
- artemether-lumefantrine, 33, 169n37
- artemisinin, 171n4
- artemisinin-based combination therapies
 (ACTs), 33, 34, 62, 123, 159, 168n32
- Asia: and malaria, 27, 36, 50; and smallpox,
 107; and typhoid fever, 46, 48, 170n3
- Attah, Sefi, 11
- BACTEC instrumentation, 121
- bacteremia, 41, 42
- bacterial infections: and child mortality, 41, 54,
 55, 56; clinical diagnosis of, 127; diagnos-
 tic tests for, 46–48, 57, 145, 148, 155, 156,
 161; and fevers, 37; identifying, 44; malaria
 confused with, 29, 40, 41, 43, 47; and sus-
 ceptibility testing, 59; treatment of, 56–57;
 vaccines for, 115
- bacteriology, 15, 16, 56, 164n12, 164–65n13,
 165n18
- Bank-Anthony, Mobolaji, 66, 173n3
- Banu, Rahima, 109
- Barker, Robert H., 136
- Bassi, Agostino, 14
- Bill and Melinda Gates Foundation, 123–24
- Biosafety Level 4, 76, 156
- Bosompem, Kwabena, 140
- Botswana, 94, 100, 119, 120, 149, 177n4
- Böttger, Eric, 46
- Brazil, 88
- Brefeld, Julius Oscar, 15
- Brock, Thomas, 7, 166n19

- Brown, Richard C., 56
 Brundtland, Gro Harlem, 33
- Cameroon, 46, 111, 175n38, 181n10
 Campbell, Carlos "Kent," 176n71
 cancer: diagnostic tests for, 47; liver cancer, 91, 92, 105
 Cather, Daniel W., 135
 causation: and confounding infections, 38, 126; Koch's work on, 16, 165n15, 165n18; and microbes, 14, 15–16; and precision in diagnosis, 17; prescribing medications without ascertaining, 20, 32, 33, 36, 43, 53, 56–58, 60, 127, 132, 135; Salmon's work on, 165n18. *See also* etiologic agents
- Chan, Margaret, 123
 Chigwedere, Pride, 97
 children: cognitive damage from fevers, 26, 167n10; and diagnostic tests for malaria, 169n43; and diarrhea, 24, 50, 137–38, 151; and drug resistance, 50; fever mortality rate, 26, 41; infection mortality rate, 54, 55, 56; and influenza antibodies, 170n6; malaria infection rate, 37; malaria mortality rate, 27, 40, 50, 55, 124; measles mortality rate, 112, 113; mortality rate of, 24, 26, 29, 41, 167n21; neonatal infections, 54–57, 131; respiratory infection mortality rate, 115; and sexually transmitted diseases, 92–93; vulnerability to diseases resembling typhoid, 49
 chlamydial infections, 92–93, 140, 146
 chloramphenicol, 12, 44, 126–27, 164n5
 chloroquine: as antimalarial, 9, 10, 168n32; distribution of, 52; resistance to, 50, 62, 122, 124; as synthetic, 171n4
 cholera, 16, 52, 69, 151
 clinical record-keeping, 13, 65, 125–26, 127, 181n4
 Clinton Foundation, 154
 Cohen, Gary M., 157
 colonial model of health care system: and AIDS, 95; and clinical record-keeping, 181n4; diagnostic insufficiency rooted in, 7–8, 127, 131, 136, 150; and drug resistance, 52–53; and imposition of Western medicine, 127–28, 163n2; and infectious diseases, 129, 130, 182n16; and laboratory diagnostics, 129, 132, 182n15; and medications, 129, 130–31, 132, 182n18; objectives of, 128–29; and sexually transmitted diseases, 94–95; as template for African medical systems, 131, 132–33, 135; and unitization, 110, 143, 183n6
 Congo, 72, 89, 180n28
- Conteh, Aniru S., 86, 87
 Cook, Albert, 178n9
 Cote D'Ivoire, 149
 Cunningham, Andrew, 14
 curative medicine, 5, 19, 133, 135, 151, 155
 cures: and accuracy of blood culture results, 42; AIDS cure claims, 101, 102; benefits of curing infections, 63; confirming diagnosis, 56; and indigenous medicine, 127; and Western medicine, 57
- DALY (disability-adjusted life year), 118
 Davies, J. N., 178n9
 deBary, Anton, 164n10
 Declaration of Alma-Ata, 156
 developing countries: diagnostic insufficiency in, 6; education in, 148; hospital conditions in, 142–43; and infectious diseases, 138; and laboratory diagnostics, 41, 151, 156; and medications, 182–83n43; and molecular tests, 136; and trial-and-error treatment, 56; and tuberculosis, 118
 diagnosis: abuse balanced with sufficiency, 163n4; and antimicrobial conservation, 54; clinical diagnosis of malaria, 26, 28, 29, 34, 40, 41, 46, 62, 160, 167n16; and clinical record-keeping, 125–26, 127; differential diagnosis, 7, 153, 155, 160; and disease control, 7, 109–11, 119, 122; and health practitioners, 6, 18, 29, 75, 127, 143; of hepatitis, 91–92; and indigenous medicine, 17, 19, 57–58, 127, 134; of measles, 113; and outpatient clinics, 2–3; parasite-based diagnosis of malaria, 27, 35, 36, 40, 62, 159, 169n43; precision in, 5, 6, 7, 15, 16, 17, 19, 41, 109, 115, 122, 124, 127, 143, 150, 155, 163n3, 181n4; presumptive diagnosis, 56, 125–26
 diagnostic development: advocacy of, 13, 35–36, 56, 61, 154–61; and African scientists, 146–47, 155, 160–61, 184n23, 186n64; and AIDS, 105; challenges of, 46, 170n13; and disease control, 36, 112, 115, 121, 155, 180n23; feasibility of, 8, 142–52; and individualization, 110, 143–44; models for, 138–40, 154–61; optimizing health care delivery with, 136; sustained commitment to, 152–54
 diagnostic insufficiency: acceptance of, 133–35; and AIDS, 96, 102, 178n24; and drug quality assurance, 63; and Ebola outbreaks, 7, 74, 75, 77–80, 82, 174n17; and HIV, 7, 98, 100, 102–3; and infectious diseases, 3–4, 97, 138–40; and Lassa fever, 87–88; levels of, 58; and medical protocols,

- 3–5, 20, 29, 160; and polio eradication, 112; and preventive measures, 152; and primary care centers, 26, 134–35; rooted in colonial model of health care system, 7–8, 127, 131, 136, 150; solutions to, 138–40; and technical expertise, 147; transmission exacerbated by, 5–6; and tuberculosis, 119; in Western-style clinics, 19
- diagnostic reagents: costs of, 60, 144, 153, 157, 183n10, 183n11; local production of, 60, 129–30, 144, 157; and malaria diagnostic tests, 30, 31; and molecular tests, 168n29; and preliminary identification, 16; quality of, 64; storage of, 44, 139, 157, 183n10; as testing component, 55, 139, 152
- diagnostic tests: for bacterial infections, 46–48, 57, 145, 148, 155, 156, 161; costs of, 6–7, 31–34, 45, 46, 60, 140, 144–45, 160; doctor's order required for, 12; for Ebola, 75–78, 80; for endemic diseases, 6, 168n29; for epidemic diseases, 6, 75, 77–79; for hemorrhagic viral infections, 76–78, 81–83, 88–89; for hepatitis, 138, 139, 147; for HIV, 47, 55, 76, 96–98, 102, 104–5, 137–39, 145, 147, 154, 156, 159, 178n12; for Lassa fever, 85, 86, 87–88, 90; local development and manufacture of, 155; for malaria, 30–37, 46–47, 55, 120–21, 136–38, 140–45, 148, 155–57, 159, 167nn22–24, 168n25, 168n28, 169n41, 169nn43–44, 183n9; molecular tests, 62, 76, 121, 136–37, 139, 146, 168n29; multiplex tests, 47, 145, 155; point-of-care tests, 47, 93, 105, 121, 139, 140, 145, 146, 147, 148, 150, 156, 157, 170n13, 184n13; quality assurance for, 1, 32, 44, 60, 61, 63, 89, 158, 159; for sexually transmitted diseases, 93, 95, 96, 144, 148, 155, 158, 177n3; time needed for, 142–44; for tuberculosis, 55, 137, 145–48, 150, 156; for typhoid, 12, 43–47, 49, 145, 170n13; usefulness of early testing, 170n7; for viral infections, 47, 155
- diarrhea: and children, 24, 50, 137–38, 151; diagnostic tests for, 57–58, 145–46, 150; and Lassa fever, 80; and mortality rate, 128; multiplex tests for, 155; *Salmonella* causing, 43, 49
- disease control: cost effectiveness of, 109–10; and diagnostic certainty, 7, 109, 122; and diagnostic development, 36, 112, 115, 121, 155, 180n23; and eradication challenges, 111–14; and eradication successes, 107–11; and geographic area, 115; and guinea worm, 106, 110–12, 115, 179–80n17; and Hib, 115–16, 180n35; and individualization, 110; ineradicable diseases, 115–21; and infectious diseases, 6, 7, 35, 51, 53, 63, 68–69, 72–73, 81, 88, 104–5, 115, 132, 151, 155, 174n22, 174n24, 176n54; and laboratory diagnostics, 106, 112–14, 118–21, 155, 180nn22–23, 180–81n43; and malaria, 35, 36–37, 122–24, 138, 160, 181n57; and measles, 106, 112–14, 115, 180n26, 180n28; and pneumococcus, 115, 116; and polio, 106, 111–12, 115, 180n22; and role of diagnosis, 7, 109–11, 119, 122; and smallpox, 106, 107–12, 114–15, 124; and tuberculosis, 117–21, 180–81n43; and yaws, 111, 114, 132, 183n6
- Disraeli, Benjamin, 94, 177n5
- Domagk, Gerhard, 52
- DOTS (directly observed short course therapy), 117–20
- Dougan, Gordon “Doog,” 46
- Doyle, Arthur Conan, 143
- drinking water. *See* water supply
- drug resistance: and antimalarial drugs, 50, 61–62, 124; and antimicrobials, 44, 50–51, 54, 57, 62, 63, 115, 150, 155; containment of, 171n13; history of, 52–53; and HIV, 105; identification of, 137; and misuse of medications, 7, 30, 33, 35, 57, 62, 126–27, 132; role of misdiagnosis in, 6, 32; and susceptibility testing, 53–54, 56, 59–64, 172n27; and tuberculosis, 117, 119, 120, 121; and typhoid fever, 126; and vaccines, 116, 117
- drugs. *See* medications
- Ebola virus: bat species as reservoirs of, 71, 84, 89; hospital-acquired infections versus community-acquired, 72, 84; localization of, 89; as notifiable disease, 176n54; origins of, 71, 174n15; outbreaks of, 70, 71–75, 84, 174n17, 174n19; and primates, 71, 174n16; retrospective confirmation of, 175n28; role of diagnostic insufficiency in, 7, 74, 75, 77–80, 82, 174n17; treatment of, 73–74, 78
- Ehrlich, Paul, 51–52, 171n7
- Elujoba, Anthony, 101, 102
- emergent diseases, 70, 80, 83, 144–45, 152–54
- endemic diseases: and confounding infections, 46; and diagnostic precision, 19; diagnostic tests for, 6, 168n29; surveillance systems for, 80, 89. *See also* malaria
- Eniola, Adewunmi, 99
- enteric fevers, 43, 48, 49, 74, 158. *See also* typhoid fever
- epidemic diseases, 6, 75, 77–82, 119
- Essex, Myron, 97

- Ethiopia, 56, 60, 119, 159, 168n25
 etiologic agents: of AIDS, 93, 96, 97; defining of, 6, 14, 53, 58, 81, 127, 132; of febrile disease, 34; Koch's work on, 16; of Marburg virus, 72; Salmon's work on, 165n18
 Evans, Jennifer A., 41
- faith healing, 19, 24–25, 135, 166n6
falciparum malaria: clinical diagnosis of, 40, 41; cyclic blood stage, 28, 38–40; diagnostic tests for, 30, 167n22, 167n23; and drug resistance, 50; signs and symptoms of, 25, 30, 40; and transfusion risks, 40, 103; treatment of, 27, 40; typhoid confused with, 46
 Farmer, Paul, 29, 166n5
 Feierman, Steven, 127
 fevers: causes of, 37, 38; and colonial model of health care system, 131; diagnosed as malaria, 7, 9, 18, 25–27, 29, 30, 32, 166n7; diagnostic protocol for, 47, 150; differential diagnosis of, 155, 160; enteric fevers, 43, 48, 49, 74, 158; and infectious diseases, 25, 37, 80; laypeople's recognition of, 25, 28, 166n7; treatment of, 21, 32, 38, 155, 166n7. *See also* typhoid fever
 Fleming, Alexander, 52, 172n27
 flesh-eating bacteria, 52, 171n10
 Foundation for Innovative New Diagnostics (FIND), 159
- Gabon, 89, 170n6
 The Gambia, 48, 54–55, 102, 115–16, 119, 171n20
 Garrett, Laurie, 126, 177n76
 Garrett, S. D., 172n30
 Gaskell, Elizabeth, 165n17
 Gerhardt, Carl, 3
 Ghana: and AIDS, 94, 102; and child mortality from fevers, 41; and guinea worm, 111; laboratory diagnostics in, 129, 134, 140–42, 147, 172n34, 185n56; and tuberculosis, 119; and vaccine for yellow fever, 70; Western medicine in, 19, 133, 134; and yaws, 114
 global economic crisis, 144, 154
 Global Health Program, 123
 Goethe, Johann Wolfgang von, 161
 gonorrhea, 92–93
 Groopman, Jerome, 18, 79
 Guinea, 84, 87, 90
 guinea worm, 106, 110–12, 115, 179–80n17
- Hantavirus, 17–18
 Hardin, Garrett, 63
 health, defining of, 65, 173n2
- health practitioners: and AIDS, 96, 98, 102; and colonial model of health care system, 128–29; and diagnosis, 6, 18, 29, 75, 127, 143; and diagnostic tests, 31; doctors infected with Lassa fever, 82–88; and international experts, 89, 90; licensing of, 163n2; local technical expertise myths, 147–49; medications dispensed by, 12, 24, 37, 52–53, 58, 65, 130; and microscopy, 4; and patient records, 125; and patient recovery, 18–19; safety of, 68, 72, 73, 89; and staffing levels, 65, 68; training of, 6, 68, 131, 133, 135, 147–49, 154, 174n22; and tuberculosis, 119, 121; unsanctioned practitioners, 19, 25, 69, 119, 156, 161, 163n2; vaccines for, 92; village health workers, 34, 37; work load of, 142–43
- hemorrhagic viral infections: diagnostic tests for, 76–78, 81–83, 88–89; and fevers, 37; hospital outbreaks of, 68–69, 71–76, 81, 84, 88, 90; malaria confused with, 73–74, 78–80, 82, 84–85; mortality rate, 69–71, 78, 80, 81; and quarantine, 58, 72, 74, 78, 81, 82; transmission of, 71, 72–73, 78, 89, 90; treatment of, 73–74, 78, 81. *See also* Ebola virus; Lassa fever; Marburg virus; yellow fever
- Henle, Friedrich Gustav Jacob, 14, 38, 165n15
 hepatitis, 40, 91–92, 138–39, 147
 hepatitis B virus, 91, 92, 103, 105, 138, 139, 147
 herbal remedies, 17, 101, 102, 127, 128
 Hesse, Fannie, 16
 Hesse, Walter, 16
 Hib (*Haemophilus influenzae* type B), 41, 115–16
 Hippocrates, 13
 Hippocratic Oath, 14
 HIV (human immunodeficiency virus): denialist hypotheses, 96–100; and diagnostic insufficiency, 7, 98, 100, 102–3; diagnostic tests for, 47, 55, 76, 96–98, 102, 104–5, 137–39, 145, 147, 154, 156, 159, 178n12; HIV-associated dementia, 179n34; and laboratory diagnostics, 97, 102, 103–5, 157, 158; and measles vaccination, 113; and needle reuse, 174n22; prevalence of, 94, 96–97, 98, 100, 120; risk factors for, 96, 98; skepticism about, 95, 97, 98; and smallpox eradication, 109; and stereotypes of Africa, 93–94, 95; and transfusion risks, 40, 102–3; transmission of, 98, 105; treatment of, 103–4; and tuberculosis, 117, 120, 121
- Hoffman, Stephen, 123
 home nursing care, 11–12, 28
 Hudson, Rock, 98

- Ibadin, Michael O., 45
 Idris, Ali, 72, 174n23
 Ikeja General Hospital, Lagos, Nigeria, 63–64, 66–68, 125–26, 173n5
 India, 64, 108, 112, 118, 131
 indigenous medicine: Africans' reliance on, 24, 128, 134, 135; and AIDS, 101–2, 178n25; costs of, 69; and diagnosis, 17, 19, 57–58, 127, 134; and Ebola virus, 78; education of doctors, 182n19; indigenous practitioners as sanctioned, 163n2; investments in, 5; and medical pluralism, 25; and missionary health care, 130; and sorcery accusations, 24, 26, 166n5; surgical burial sites, 81, 82, 174n25; as term, 163n2; and tuberculosis, 119; and vaccines, 108
 infectious diseases: cause and nature of, 4, 13–14, 150; and colonial model of health care system, 129, 130, 182n16; confounding infections, 32, 37–38, 46–47, 126, 157–58, 176n71; and diagnostic insufficiency, 3–4, 97, 138–40; and disease control, 6, 7, 35, 51, 53, 63, 68–69, 72–73, 81, 88, 104–5, 115, 132, 151, 155, 174n22, 174n24, 176n54; and drug resistance, 50; and fevers, 25, 37, 80; and microbiology, 4, 14, 128; neonatal infections, 54–57; nonspecific clinical signs for, 18, 29; rapid diagnostic tests for, 31, 168n28; as self-resolving, 19; treatment for, 26, 32
 influenza: avian influenza strains, 80; Hib, 41, 115–16; malaria confused with, 42, 170n6; pandemic potential of, 80, 176n54; polio confused with, 112
 International Laboratory Capacity Building Program, 149
 International Monetary Fund, 59
 intestinal perforation, 12, 43, 47
 invaliding, 128
 Iraq, 152–53, 184–85n42, 185n43
 Irrua Specialist Teaching Hospital, 85, 176n72

 Janssen, Zacharias, 164n8
 Janzen, John, 127
 Jenner, Edward, 108, 179n9
 Jetsy, Benjamin, 179n9
 Jones, Edward, 119

 Kenema Government Hospital, 85, 87, 177n76
 Kenya: and clinical record-keeping, 126; and Ebola virus, 90; laboratory diagnostics in, 41–42, 149, 158; and malaria, 33, 37, 169n37; and Marburg virus, 72; and nontyphoidal *Salmonella*, 49, 171n20; and Rift Valley fever, 184n13
 Kenya Medical Research Institute (KEMRI), 147
 Kim, Jim Yong, 103, 137–38
 Klebs, Edwin, 164–65n13
 Klugman, Keith, 145
 Koch, Robert, 14, 15–16, 127, 164n8, 164n10, 165n15, 165n18, 166n19
 Kochi, Arata, 35
 Koprowski, Hilary, 111
 Korle-Bu Teaching Hospital, Accra, Ghana, 46, 63, 185n56
 Kumasi, Ghana, 41, 48, 60

 laboratory diagnostics: access to, 45, 155; and blood cultures, 41–46, 160, 186n62; and colonial model of health care system, 129, 132, 182n15; cost effectiveness of, 46, 144–45, 183n9; costs of, 60–61, 144–45; decentralizing facilities, 155–56; development of, 8, 42, 104, 105; and disease control, 106, 112–14, 118–21, 155, 180nn22–23, 180–81n43; and donor priorities, 137; and dysentery, 57–58; emerging technologies, 7, 136–37, 138; and fevers, 37, 38; field laboratories, 78, 82, 89, 153; in The Gambia, 55; in Ghana, 129, 134, 140–42, 147, 172n34, 185n56; for hemorrhagic virus infections, 89, 90; for hepatitis B, 92; for HIV, 97, 102, 103–5, 157, 158; ideal tests for Africa myths, 145–47; identification of pathogens with, 5, 16–17; and infection control, 104–5; for Lassa fever, 86, 87, 88; local technical expertise myths, 147–49; for malaria, 30–34, 35, 40, 122, 124, 138, 158, 167n22; in Malawi, 160, 185n47; and medical protocols, 20; and molecular tests, 136–37; myths concerning, 142–52; in Nigeria, 61, 91, 148–49, 151, 158; and preventive measures, 151–52, 155; and regional laboratories, 156–57; and safety, 159, 186n60; superfluous diagnostic tests myth, 149–51; supply chain for, 158–59; and susceptibility testing, 58, 59–61; in Tanzania, 56, 141, 146, 149, 155; and tertiary care, 9, 133–34, 138, 142, 144, 148, 156, 185n56; time constraint myths, 142–44; and training, 131–32, 154; and tuberculosis, 118, 150, 157–58; for typhoid carriers, 48; for typhoid fever, 43–46; and Western medicine, 42, 134, 135, 150–51, 153; in Zambia, 61, 138, 149, 159
 Laënnec, René, 3, 13
 Lagos University Teaching Hospital, 63, 99, 173n4
 Larsen, Christoph H., 157

- Lassa fever, 74, 81, 82–88, 89, 173n9, 176n64, 176n71, 176n72, 177n76
- Lee, Helen, 138–40, 146
- Leeuwenhoek, Anton, 14, 164n8
- Lesotho, 121, 145, 148, 152
- Liberia, 84, 87, 90
- Lister, Joseph, 165n13
- Lopez, Alan D., 118
- Lubell, Yoel, 32
- Lujo virus, 176n62
- Lyme disease, 42, 170n6
- Maalin, Ali Maow, 109
- Madagascar, 159
- Makerere University, 103, 131
- malaria: and anemia, 27, 39, 40, 74, 170n3; bacterial infections confused with, 29, 40, 41, 43, 47; and blood transfusions, 40, 96, 139; cerebral malaria, 6, 167n10, 170n3; cognitive damage from, 26, 167n10; and convulsions, 24, 25, 26, 39, 40; diagnosis by clinical signs and symptoms, 26, 28, 29, 34, 40, 41, 46, 62, 160, 167n16; diagnostic protocol for, 18, 33, 62; diagnostic tests for, 30–37, 46–47, 55, 120–21, 136–38, 140–45, 148, 155–57, 159, 167nn22–24, 168n25, 168n28, 169n41, 169nn43–44, 183n9; and disease control, 35, 36–37, 122–24, 138, 160, 181n57; as endemic to Africa, 27, 34, 36, 38, 167n13, 181n57; eradication efforts, 33, 35–36, 107, 111, 122, 123–24, 168–69n37, 169n47, 181n57; fever diagnosed as, 7, 9, 18, 25–27, 29, 30, 32, 166n7; hemorrhagic viral infections confused with, 73–74, 78–80, 82, 84–85; history of, 14, 27; influenza confused with, 42, 170n6; and invaliding, 128; and laboratory diagnostics, 30–34, 35, 40, 122, 124, 138, 158, 167n22; Lassa fever confused with, 176n71; mortality rate of, 24, 38, 170n3; nonspecific signs and symptoms of, 28, 128; parasite-based diagnosis of, 27, 35, 36, 40, 62, 159, 169n43; prevalence of, 12, 29, 36, 50, 164n4; and self-medication, 167n16; and temperature charts, 45–46; treatment of, 25, 27, 28, 32, 33–34, 35, 40, 128, 169n41, 170n3; typhoid confused with, 42–43, 45–46, 48, 49. *See also falciparum malaria*
- malaria parasites (*Plasmodia*), 27–29, 31, 38–41, 61, 122, 167n22, 168n29, 170n3
- Malawi, 41, 49, 148, 160, 171n20, 185n47
- Mali, 94, 111, 116
- Mallon, “Typhoid Mary,” 48
- Mano River Union Lassa Fever Network, 87, 90
- Maputo Declaration on the Strengthening of Laboratory Systems, 154, 158, 185n55
- Marburg virus, 69, 70–73, 80, 89, 174n19, 176n54, 184n13
- Maude Commission, 129
- Mbeki, Thabo, 94
- McNerney, Ruth, 119
- measles, 106, 112–15, 167n16, 180n26, 180n28
- Medécins Sans Frontières (MSF, Doctors without Borders), 69, 140
- Medical Research Council–Gambia, 54–55, 115–16
- medications: and colonial model of health care system, 129, 130–31, 135, 182n18; and combination therapy, 117; costs of antimalarial drugs, 32–34, 62, 168n32, 169n41; and developing countries, 182–83n43; diagnostics partnered with, 33–34, 62, 63, 144, 150, 151, 153, 155, 159–60, 169n41; and dispensaries, 130–33, 155, 182n18; drug development, 6, 35; for fevers, 25; health practitioners’ dispensing of, 12, 24, 37, 52–53, 58, 65; hospitals’ dispensing of, 67–68; introduction of Western pharmaceuticals, 19; judicious use of, 6, 7; manufacturer donation program, 168n36; motivations for obtaining, 65; and needs of developed world, 145; pharmacists’ dispensing of, 12, 24, 37; prescribing of antimalarial drugs, 47, 53; prescribing without ascertaining causation, 20, 32, 33, 36, 43, 53, 56–58, 60, 127, 132, 135; quality of, 63, 64, 78; and specific indications, 126. *See also* drug resistance
- Meless, Hailu, 60
- men: and measles, 113; protective effect of male circumcision, 100; and sexually transmitted diseases, 93
- meningitis, 51, 52, 79, 88, 115, 140
- microbes, 13–17, 50–51, 53, 165n18
- microbiology, 4, 7, 14–16, 41, 127–28, 164n12, 165n15
- microscopy: and diagnostic tests for malaria, 30–31, 33–34, 40, 141–42, 167n22, 169n44; electron microscopy, 39, 165n18; and general hospitals, 156; and infectious diseases, 15; invention of microscopes, 4, 14, 164n8; skills for, 30, 31, 168n25; and tuberculosis, 118–21, 142, 148, 180–81n43; underutilization of, 147
- Millennium Development Goal, 35, 167n21, 168n35
- minimum inhibitory concentration (MIC), 59, 61, 172n27, 172n30
- missionary health care, 130

- molecular tests, 62, 76, 121, 136–37, 139, 146, 168n29
 mosquitoes, 10–11, 69–70, 106, 122–24, 174n11, 181n57
 mosquito netting, 10, 11, 35, 123, 168n37, 174n11
 Mozambique, 103, 149
 Muhimbili National Hospital, Dar es Salaam, Tanzania, 41, 56
 Multilateral Initiative on Malaria, 35
 Murray, Christopher J., 118
- Namibia, 103, 149, 177n4
 National Youth Service Corps, Nigeria, 66
 needle reuse, 72, 84, 100, 174n22
 Nigeria: “Adeola scandal,” 173n1; and AIDS, 67–68, 94, 100–102; divining practices of, 57; and guinea worm, 111; and hepatitis B, 92; and HIV, 96–100; laboratory diagnostics in, 61, 91, 148–49, 151, 158; and Lassa fever, 82–87, 90, 176n69, 176n72; malaria in, 9, 43; and measles, 180n28; medical schools of, 131–32, 148; and missionary health care, 130; outpatient clinics in, 1–3; and polio, 112; and road-building projects, 22–24; and transfusion risks, 103; and typhoid fever, 127; Western medicine in, 21–22; Widal test used in, 45
 Nkrumah, Kwame, 136, 182n33
 Noguchi Medical Research Institute, 185n56
 Nuland, Sherwin, 17
 nutrition, 4, 11, 49, 106, 182n16
 Nwapa, Flora, *Efuru*, 21, 23, 24, 25, 26, 173n6
- Obafemi Awolowo Teaching Hospitals, 91
 Obel, Arthur, 102
 Ogbimi, A., 45
 Ojo, ‘Segun, 91, 92, 148
 Onwenu, Charles, 22
 Onwenu, Onyeka, 22, 166n3
 Osler, William, 45
Outbreak (film), 71, 76
 outpatient clinics, 1–3, 19, 149–50
- pandemics, 80, 176n54
 Paramasivan, C. N. “Param,” 157
 Pasteur, Louis, 14, 15
 pathogens, 5–7, 14–17, 41, 57, 68, 80, 156, 161
 penicillin, 52, 92, 114, 171n4
 Petri, Richard J., 166n20
 Petri dishes, 16, 43, 166n20
 PfEMP1, 39–40
 pharmaceutical industry, 6, 17, 53, 62–63, 103
 pharmaceuticals. *See* medications
- plague, 14, 48, 140
 plant biology, 164n10
Plasmodia (malaria parasites), 27–29, 31, 38–41, 61, 122, 167n22, 168n29, 170n3
Plasmodium falciparum, 28, 30, 31, 35, 39–40, 167n15, 181n57. *See also* *falciparum* malaria
Plasmodium ovale, 31, 167n15
Plasmodium vivax, 31, 167n15
 Plett, Peter, 179n9
 pneumococcus, 41, 42, 115, 116
 pneumonia, 4, 115
 Polage, Christopher R., 159
 polio, 106, 111–12, 115, 180n22
 polymerase chain reaction (PCR), 31, 62, 121, 175n31, 181n43
 preventive measures: implementation of, 4–5, 11, 145; and laboratory diagnostics, 151–52, 155; for malaria, 50; neglect of, 133; and vaccines, 106, 135, 179n3
 primary care centers: and diagnostic insufficiency, 26, 134–35; diagnostic tools of, 25, 40, 134, 145, 148; and dispensaries, 132–33; and laboratory diagnostics, 155–56; and malaria treatment, 169n41; and susceptibility testing, 60
 primates, 71, 89, 100, 174n16, 175n38
 public health: and blind drug prescribing, 60; and colonial model of health care systems, 128–29; and costs of eradication, 115; and diagnostic development, 151, 161; and education, 81–82, 90; and epidemics, 79; and individualization of health care delivery, 110; and malaria, 36; role of diagnosis in, 110; role of scientific knowledge in, 4; successful programs of, 106; and threat of infection, 51; and tuberculosis, 117–19. *See also* disease control
 Pyrimethamine, 164n2
- quinine, 128, 171n4
- Ransome-Kuti, Beko, 99
 Ransome-Kuti, ‘Funmi, 99
 Ransome-Kuti, Olikoye, 99
 Rapataski, Brandy, 105
 ratchet effect, 6
 Reddish, George F., 172n27
 reverse transcriptase-PCR (RT-PCR) test, 76, 83, 175n31
 ribavirin, 85
 Rift Valley fever, 173n9
 river blindness, 106, 179n2
 Roll Back Malaria program, 33, 35–36, 168–69n37, 169n47

- Roosevelt, Franklin D., 111
 Ross, Ronald, 27, 167n12
 Royal Victoria Teaching Hospital, Banjul,
 The Gambia, 55
 Rwanda, 103, 149
- Sabin, Albert, 111
 Salk, Jonas, 111
 Salmon, Daniel, 165n18
Salmonella, 41, 43, 44, 45, 47, 48, 49
 sanitation, 11, 47, 129
 Schatz, Albert, 117
 Schram, Ralph, 130, 173n6
 Schroeter, Joseph, 15, 16
 secondary care centers, 40, 60, 66, 134, 148, 156
 Selwyn-Clark, P. C., 19
 Semmelweis, Ignaz, 18
 Senegal, 97
 sepsis, treatment of, 56, 172n18
 septicemia, 42
 severe acute respiratory syndrome (SARS), 79,
 175n43
 Sexually Transmitted Bacteria lab, 61
 sexually transmitted diseases: diagnostic tests
 for, 93, 95, 96, 144, 148, 155, 158, 177n3;
 role of diagnostic insufficiency in, 7, 92–93.
 See also AIDS (acquired immune deficiency
 syndrome); HIV (human immunodeficiency
 virus); syphilis
 Shillcutt, S., 183n9
 Sierra Leone, 83, 84, 85, 87, 88, 90
 Slater, Alexander Ransford, 19
 smallpox, 106–12, 114–15, 124, 179n5, 179n9
 Snow, John, 18, 69
 Snow, Robert, 36
 South Africa: and AIDS, 94, 102, 177n4; and
 Ebola virus, 78; and laboratory diagnostics,
 149; and Lassa fever, 83, 86; and transfusion
 risks, 103; and tuberculosis, 119, 120, 121
 South America, 36, 70, 107
 South Asia, 48
 spiritualist churches, 24–25, 166n6
 spiritual remedies, 17, 101, 102, 127
Streptococcus pneumoniae, 41, 42, 115, 116
 Sudan, 72, 78, 90, 94, 111, 174n19, 174n24
 Sulayman Jungkung General Hospital, The
 Gambia, 55, 56
 sulfadoxine-pyrimethamine (Fansidar), 50, 62,
 168n32, 171n4
 sulfa drugs, 52
 Sunday-Sunday medicine, 10, 164n2
 Suppe, Frederick, 105
 surveillance systems: for endemic diseases,
 80, 89; for Hib, 115–16, 180n35; for HIV,
 97, 98; for measles, 114; for pneumococcus,
 116–17; for polio, 112; sentinel surveillance
 sites, 54, 61, 97, 121
 susceptibility testing: availability of, 55,
 120–21, 158; costs of, 60–61, 173n41; diffu-
 sion tests, 59, 172n27, 172n30; dilution tests,
 59, 61, 172n27, 172n30; E-test, 61, 172n30;
 feasibility of, 59–64; location-specific data
 on, 56, 58; for preventing drug resistance,
 53–54, 56, 59–64, 172n27
 Swaziland, 57
 syphilis, 51, 92–94, 96, 105, 114, 178n9
- Tagbaru, Belete, 60
 Tanzania: and AIDS, 105; decline in febrile
 infections, 36–37; divining practices of, 57;
 and laboratory diagnostics, 56, 141, 146,
 149, 155; and malaria, 41; Mto wa Mbu, 36;
 and nontyphoidal *Salmonella*, 171n20
 tertiary care teaching hospitals: equipment of,
 55; and laboratory diagnostics, 9, 133–34,
 138, 142, 144, 148, 156, 185n56; and suscep-
 tibility testing, 60
 Theiler, Max, 174n10
 Thomas, Lewis, 19
 Thwing, Julie, 34, 170n58
 tissue culture, 165n18
 Togo, 170n6
 tragedy of the commons paradigm, 63
 transfusions, 40, 96, 102–3, 139
 treatment: for AIDS, 101–2, 178n24, 178n25; of
 bacterial infections, 56–57; basis of, 18; and
 diagnostic insufficiency, 3–5; and diagnostic
 precision, 5, 16, 127, 155–56; as diagnostic
 tool, 56; of fevers, 32, 38, 155; of hemor-
 rhagic viral infections, 73–74, 78, 81; of HIV,
 103–4; inadequacy of, 56, 66; for infectious
 diseases, 26, 32; of malaria, 25, 27, 28, 32,
 33–34, 35, 40, 128, 169n41, 170n3; of sepsis,
 56, 172n18; and Western medicine, 5, 13, 26
 Troup, Jeanette, 83
 Tshabalala-Msimang, Manto, 94
 tuberculosis: and AIDS, 105; and artists, 117,
 180n39; cause of, 14, 16, 165n17; and colo-
 nial model of health care system, 182n16;
 and diagnostic delay, 151, 166n8; diagnostic
 tests for, 55, 137, 145–48, 150, 156; and
 disease control, 117–21, 180–81n43; exceed-
 ingly drug-resistant tuberculosis, 119–21;
 Koch's work on, 16, 127, 165n15; and
 laboratory diagnostics, 118, 150, 157–58;
 and measles, 113; multidrug-resistant tu-
 berculosis, 117, 119–21, 137–38, 152; and
 streptomycin, 52

- Tubex, 170n13
Tulane University, 87
Turshen, Meredith, 181n4
Twain, Mark, 177n5
Twumasi, P. A., 133–34
Typhidot, 170n13
typhoid fever: carriers of, 44, 48, 49; chloramphenicol for, 12, 44, 126–27, 164n5; diagnostic tests for, 12, 43–47, 49, 145, 170n13; hemorrhagic viral infections confused with, 73–74, 78–80; malaria confused with, 42–43, 45–46, 48, 49; mortality rate for, 12, 128
- Uganda: and AIDS, 100, 103–4; and diagnostic tests, 159; Gulu Ebola outbreak, 69, 77–80, 82, 176n55; and HIV, 94; Kikyo Ebola outbreak, 79–80; and Marburg virus, 174n19; and syphilis, 94–95, 178n9; and tuberculosis, 119
Ugandan Ministry of Health, 47
University College Hospital, 10, 164n1
University of Ghana Medical School, Accra, Ghana, 61, 147, 172n34
University of Ibadan, Nigeria, 84, 131, 147
University of Nigeria Teaching Hospital, 84
University Teaching Hospital, Lusaka, Zambia, 61, 136–37, 138, 148, 182n37
U.S. Army Medical Research Institute of Infectious Diseases, 87
U.S. Centers for Disease Control (CDC): and Brazilian Purpuric Fever, 88; and Ebola virus, 77–80, 82, 175n28; field laboratories of, 153; and guinea worm eradication, 111; and laboratory diagnostics, 154; and Lassa fever, 85, 87; and quality assurance for diagnostic tests, 159; and typhoid fever, 47
U.S. Clinical Laboratory Standards Institute (CLSI), 154
U.S. President's Emergency Plan for AIDS Relief (PEPFAR), 154
- vaccines: for AIDS, 102, 103–4; for bacterial infections, 55, 115; development of, 4, 35, 39, 46–49, 51–52, 55, 145–46, 151–52; for hepatitis B, 92; and herd effect, 116–17; for Hib, 115–16; and infectious disease control, 7; for malaria, 35, 39, 122; for measles, 112–14, 180n26; for pneumococcus, 116–17; for pneumonia, 4; for polio, 111; and preventive measures, 106, 135, 179n3; Salmon's work on, 165n18; for sexually transmitted diseases, 92; for smallpox, 108–9, 179n9; for yellow fever, 70, 90, 177n85
- var* genes, 39
variola, 108
Vaughan, Megan, 94, 110, 138, 178n9, 183n6
vector control, 11, 106, 122, 124
viral infections: diagnostic tests for, 47, 155; epidemic potential of, 80; malaria confused with, 40, 42. *See also* hemorrhagic viral infections
virology, 90, 112, 165n18
- Waksman, Selman, 117
Wasserman tests, 95, 96
water supply: and general hospitals, 68; and guinea worm, 110, 111; safety of, 4, 10, 11, 106, 128, 151
Wellcome Trust, 138, 161
Western medicine: and AIDS, 103; and diagnostic precision, 17–19, 127; and dispensing of medications, 130; education of doctors, 182n19; evidence-based approach of, 18, 19, 54; and hemorrhagic virus infections, 73, 81; history of microbes, 13–17; and HIV, 105; and infection control, 81; and laboratory diagnostics, 42, 134, 135, 150–51, 153; and medical pluralism, 25, 135; parallels with diviner's consultation approach, 57–58; as term, 163n2; and treatment, 5, 13, 26; trust in, 21, 82
Widal, Geroges-Fernand-Isidor, 44
Widal test for typhoid, 12, 44–47, 96, 170n13
Wirth, Dyann, 136
women: and diagnostic delay, 166n8; and HIV, 96; and sexually transmitted diseases, 92–93
Wootton, David, 5
World Bank, 59, 118, 154
World Health Assembly, 107, 109, 111, 179n17
World Health Organization (WHO): and antiretroviral drugs, 103, 105; defining health, 173n2; and diagnostic tests, 146, 152, 159; and drug resistance, 53, 62, 171n13; and Ebola virus, 75, 78; and field laboratories, 153; and laboratory diagnostics, 154; and Lassa fever, 87; and malaria, 25, 28, 32–36, 123, 169n43; and Marburg virus, 72; and measles, 113–14; and notifiable diseases, 176n54; and polio, 112; and sepsis treatment, 172n18; and smallpox, 107, 109; and tuberculosis, 117; and typhoid, 126; and yaws, 132
World Malaria Report (2008), 35
wound fever, 16
- Yamada, Tadataka, 123–24
Yambuku Catholic Mission Hospital, Zaire, 72

yaws, 52, 95, 111, 114, 132, 178n9, 183n6
yellow fever, 69–70, 90, 111, 128, 174n10,
177n85

Yorke, James, 105

Ypres papyrus, 56

Zaire: Kikwit Ebola outbreak, 73, 74–77,
77, 78, 80–82, 175n28, 175nn35–37; and
laboratory diagnostics, 56; and Marburg,

72, 174n19; Yambuku Ebola outbreak, 72,
73–74, 75, 82, 126

Zambia: and AIDS, 100; decline in febrile
infections, 36–37; laboratory diagnostics
in, 61, 138, 149, 159; and malaria, 124;
and measles, 113; and Roll Back Malaria
program, 33, 35, 168–69n37, 169n47; and
tuberculosis, 119, 149, 166n8

zoonotic infections, 90