

The `dgruyter` Package^{*}

Walter de Gruyter GmbH

Printed April 9, 2024

Contents

1	Introduction	2
2	General usage	3
3	Some important settings and package features	3
3.1	Options for the document class	3
3.2	Engines, encoding packages, and fonts	4
3.3	The <code>dgruyter</code> package and its options	4
3.3.1	Layout-format options	4
3.3.2	Mode options	5
3.4	Symbols for IPA	5
3.5	Formulae	5
3.6	Theorem-like environments	5
3.7	Text boxes	6
3.8	Graphics	6
3.9	Tables	6
3.10	Floats	6
3.11	Rotating floats	7
3.12	Linguistic structures	7
3.13	Scholarly editions with the <code>reledmac</code> package	7
3.14	Source code	7
3.15	Bibliography	7
3.16	Index	8

^{*}This package was created by le-tex publishing services, Leipzig for Walter de Gruyter, Berlin.
This file has version number v3.1.2, last revised 2024/04/09.

4	Journal articles	8
4.1	The article header	8
4.2	At the end of an article	10
4.3	Some journal-specific macros beyond individual articles	10
4.3.1	Graphical abstracts	10
4.3.2	List of contributors	10
4.3.3	Reviews	11
5	Books	11
5.1	The title pages	12
5.2	DOI information in the page footer	13
5.3	Chapterwise bibliographies	13
5.4	Book parts with mottos	13
5.5	Contributions in multi-authored books	14
5.6	List of contributors	15

1 Introduction

The **dgruyter** package assists in preparing manuscripts for De Gruyter with L^AT_EX. It provides some special commands for journal articles as well as for books and generates the required appearance. Together with corresponding font packages it allows to produce the final layout of De Gruyter books and journal articles.

The README file describes the installation of the package.

The **dgruyter** package consists of the following files:

dgruyter.sty the L^AT_EX package file
dgruyter.pdf this documentation
dgruyter.ist/.xdy index style files (for Makeindex and Xindy, respectively)
DG_attention.eps/.pdf, **DG_exercise.eps/.pdf**, **DG_information.eps/.pdf**,
DG_notice.eps/.pdf, **DG_question.eps/.pdf** vignette files (for special environments)
dg-degruyter.eps/.pdf, **dg-mouton.eps/.pdf**, **dg-oldenbourg.eps/.pdf**,
dg-saur.eps/.pdf, **by.eps/.pdf**, **Open_Access.eps/.pdf**
 logo files (for the main title page of a book)
book.tex a L^AT_EX master file for a book, to be used as a template
article.tex a L^AT_EX master file for an article, to be used as a template

Note that the final layout will require the non-standard fonts De-Gruyter-Serif, De-Gruyter-Sans and MinionMath. These fonts come with extra packages that have to be installed separately from the **dgruyter** package. Please ask your De Gruyter contact if you need more information. **dgruyter.sty** itself checks whether these fonts are installed in your T_EX distribution, otherwise it switches to the standard L^AT_EX font (Latin Modern). That is, the **dgruyter** package works without De-Gruyter-Serif, De-Gruyter-Sans and MinionMath as well.

This documentation is not intended to give an introduction to L^AT_EX. For questions concerning T_EX systems/installations or the L^AT_EX mark-up language in general please visit www.tug.org, www.dante.de, uk.tug.org or any other T_EX user group worldwide. The essential reference for L^AT_EX is *Mittelbach F., Goossens M. (2004) The L^AT_EX Companion. 2nd edn.*, but there are many other good books providing insight into L^AT_EX.

`dgruyter` tries to benefit from standard L^AT_EX packages. (Have a look at `dgruyter.sty` to see which packages are used.) To learn more about the underlying packages we refer to their documentations (try for instance “`texdoc [package name]`” at your shell prompt or visit tug.ctan.org).

2 General usage

We suggest to employ a recent T_EX installation: the most important distributions, T_EX Live, MiK_TE_X/proT_EXt, and MacT_EX, all provide at least 2019 versions. But older versions should (in principle) work as well.

To use the `dgruyter` package, put the files mentioned above in your working directory, edit the file `article.tex` or `book.tex` in your preferred text editor and run L^AT_EX as usual. (See the following section for more detailed advises.)

3 Some important settings and package features

3.1 Options for the document class

L^AT_EX’s article class or book class know several options.

The following class options should *not* be used together with `dgruyter.sty`: `a4paper`, `a5paper`, `b5paper`, `letterpaper`, `legalpaper`, `executivepaper`, `landscape`, `10pt`, `11pt`, `12pt`, `oneside`, `twoside`, `titlepage`, `notitlepage`, `leqno`, `fleqn`, and `openbib`. (Corresponding settings are done by `dgruyter.sty` itself.)

The following class options, however, might be used: `draft`, `final`, `onecolumn`, `twocolumn`, `openright`, and `openany`.

The `dgruyter.sty` loads the `babel` package automatically, *unless* `polyglossia` is loaded beforehand. Therefore, it is recommended to provide a language option together with `\documentclass`. Suitable language options are, e.g., `Ukenglish`, `USenglish`, or `ngerman`. (Note that `dgruyter.sty` itself passes `english` as a kind of fallback language to the `babel` package, anyhow.)

Important Note to `polyglossia` users: If `polyglossia` is loaded, the `babel` package is *not* used! This may imply that certain language specific auto-generated names (e.g. `\figurename`, `\contentsname`, etc.) may need to be set manually!

3.2 Engines, encoding packages, and fonts

The `dgruyter` package does not prescribe the \TeX engine to be used. The standard engine nowadays is `pdfTeX`; a recent alternative is `luaTeX`.

With the standard engine `pdfTeX`, one can choose between different output and input encodings. Output encodings are selected with the `fontenc` package. `dgruyter.sty` already pre-loads the standard encoding `T1`. To provide further encodings, add to the \LaTeX preamble:

```
\usepackage[<encoding-options>]{fontenc}
```

One might also choose an input encoding other than the default UTF-8 encoding by adding

```
\usepackage[<encoding-option>]{inputenc}
```

to the \LaTeX preamble. For example, for the older Latin1 encoding, choose the option `latin1`.

The modern `luaTeX` engine has a different approach to handle encodings, and it strongly recommends Unicode/UTF-8 as input encoding

The standard package to use fonts with `luaTeX` is the `fontspec` package. To use this, add something like `\usepackage[no-math]{fontspec}` to your preamble. (The alternative `XeTeX` engine works similar.)

If the `fontspec` package is loaded, the math fonts will be set-up with the `unicode-math` package.

Please load the packages `fontenc`, `inputenc`, or `fontspec` before loading `dgruyter.sty` itself.

As already mentioned, `dgruyter.sty` checks whether the specific De Gruyter fonts are installed and acts accordingly. More precisely:

- If the `fontspec` package is not loaded (as is the case with standard `pdfTeX`), it checks whether a file `DeGruyterSerif.sty` exists. If it exists, it presumes that the fonts De-Gruyter-Serif and De-Gruyter-Sans are installed through the respective packages from De Gruyter (otherwise errors will result). Then it loads the math font “MinionMath” if it is installed through `minionmath.sty`.
- If `fontspec` is loaded, `dgruyter.sty` looks for De-Gruyter-Serif and De-Gruyter-Sans OpenType font files and loads them if present. Afterwards it proceeds similarly with the MinionMath font.

3.3 The `dgruyter` package and its options

To use the `dgruyter` package, add `\usepackage[<options>]{dgruyter}` to your \LaTeX preamble.

`dgruyter.sty` knows two option groups: layout-format options and mode options.

3.3.1 Layout-format options

Format options specify the layout size of your document.

small	155 × 230 mm
medium	170 × 240 mm (only available for books)
big	210 × 280 mm

The **big** layout is (mostly) a two-column layout.

Note that exactly one of these format option must be provided. Please ask your DeGruyter contact which one to choose.

The additional format option **margincol** is to adapt the layout in favour of a margin column. Margin notes can be added with `\marginpar` as usual.

3.3.2 Mode options

Mode options specify the output mode.

online <default> produces the document optimised for screen reading, i.e., with the final page format, hyperlinks and bookmarks.

print produces the document optimised for printing, i.e., hyperlinks and bookmarks are switched off.

work produces the document as in online mode but additionally with a layout frame for the type-area that simplifies manual type-setting and page-breaking.

In general, the final document is to be delivered in **print** mode.

3.4 Symbols for IPA

The **tipa** package is preloaded. Note that this is done with the option **safe** in order to retain normal behaviour of `\!` and similar commands in math mode.

3.5 Formulae

According to the De Gruyter style guide lines, displayed formulae should be centred and equation numbers must be at the right margin, so do *not* use the **fleqn** option (for equations aligned left) or the **leqno** option (for equation numbers on the left), either.

The **amsmath** package is preloaded, and you are encouraged to use its mark-up like the `\frac{}{}` command or the `{align}` environment instead of old-style mark-up like the `\over` command or the `{eqnarray}` environment.

3.6 Theorem-like environments






Through the **amsthm** package, **dgryuter.sty** provides two theorem styles: **dgdef** (upright text body) and **dgthm** (text body in italics). Please use these styles to introduce new theorem-like environments with the `\theoremstyle` and `\newtheorem` commands.

3.7 Text boxes

The `dgruyter` package provides the new `{note}` environment for highlighted text passages. `{note}` will display its content between two horizontal rules. The environment provides an optional argument to add a vignette in the margin. Write, e.g.,

```
\begin{note}[DG_notice]
  This is a special box.
\end{note}
```

to add the “attention” vignette. The following vignettes can be used in your document:

DG_notice – , DG_attention – , DG_information – , DG_exercise – ,
and DG_question – .

3.8 Graphics

The standard interface for graphic inclusion is the `\includegraphics` command provided by the `graphicx` package (which is also preloaded). Use the package option “draft” to (temporarily) switch off graphic inclusion (this may save processing time when generating PostScript or PDF output). Note that the `\graphicspath` command allows to declare one or more folders where the `graphicx` package looks for the image files, therefore it is not necessary to type in the whole file path into each `\includegraphics` command.

3.9 Tables

Preloaded packages are: the `array` package (for introducing new column types), the `multirow` package (row spanning cells), the `tabularx` package (automatic column width calculation), and the `supertabular` package (multi-page tables).

Because the table layout requires horizontal rules but forbids vertical rules, the `booktabs` package is also preloaded. The required horizontal rules at the top and at the bottom of the tabular material will be inserted automatically. To separate the table head and the table body, use the `\midrule` command *after* the `\\` of your table’s last heading line: It generates an additional rule and will also switch from the tabular head font to the tabular body font. For tables without header add `\starttabularbody` immediately after `\begin{tabular}{...}`.

There is a switch `\baretabulars` to return to LaTeX’s standard look & feel for tabulars. Respectively, `\layouttabulars` reactivates the required tabular layout. (Note that these switches act locally).

3.10 Floats

Captions of figures, tables, etc. are generated with the help of the `caption` package.

For narrow floating images (i.e. images whose widths are equal or less than half of the text width) it is recommended to place the caption besides the object. To achieve this, the preloaded `sidecap` package provides the environment

`{SCfigure}`. Please do not use the `SC` environments if the resulting caption will need more vertical space than the object itself.

3.11 Rotating floats

The preloaded `rotating` package provides the two environments “`sidewaysfigure`” and “`sidewaystable`”. They allow the rotation of floating objects.

3.12 Linguistic structures

To produce linguistic structures, one can use the common packages together with `dgruyter.sty`. For example, to create examples with labeled parts or interlinear glosses, try one of the packages:

- `gb4e` (preferably followed by `\noautomath`)
- `linguex`
- `expex`

(In case of doubt, load the packages *after* `dgruyter.sty`.)

3.13 Scholarly editions with the `reledmac` package

`dgruyter.sty` is compatible with the `reledmac` package. But note that it has to be loaded before the `reledmac` package. `dgruyter.sty` presets some parameters for `reledmac`.

3.14 Source code

To capture computer code, the `listings` package is a good option. Please see the `listings` documentation for further information on usage and configuration, e.g. how to use the `\lstset{...}` command for parameter settings. Note that the `dgruyter` package pre-configures the `listings` package to use a typewriter font and especially the `lstlisting` environment to have left-hand line numbers in the type area and not in the margin; the width of the line-number column can be fine-tuned with the known `numbersep` key from the `listings` package.

3.15 Bibliography

It is recommended to use the standard bibliography mechanism. You might copy and paste your bibliography entries from elsewhere into the `thebibliography` environment or, more elegantly, use `BIBTEX`. The `dgruyter` package does not prescribe any particular bibliography style.

The `natbib` package can be loaded additionally, so an author-year-style bibliography layout is possible. The special citing commands `\citet`, `\citep` and so on can be used. Feel free to configure `natbib`, e.g. with `\setcitestyle{numbers}` in your document preamble to force the numerical mode.

Alternatively, the `biblatex` package can be used. Be aware, however, that there is an abundance of options which have not all been tested for compatibility with the `dgruyter` package. The following seem to work fine for the numeric style:

- `\usepackage[backend=bibtex]{biblatex}` to load the package,
- `\addbibresource{BIBFILE}` to load the .bib-file,
- `\printbibliography[env=bibnumeric]` to output the bibliography.

With author-year citation you have to skip the optional argument of `\printbibliography`.

3.16 Index

The traditional tool for index generation is `Makeindex`. The `dgruyter` package provides the `Makeindex` style file “`dgruyter.ist`”. To use `Makeindex` type, e.g.

```
makeindex -c -s dgruyter.ist book
```

If you need a more elaborate index generation tool (e.g. for better alphabetical sorting in German books) you might prefer the program “`Xindy`”. The corresponding style file is `dgruyter.xdy`. To use `Xindy` type, e.g.,

```
texindy -M dgruyter book.idx
```

or for German books

```
texindy -g -M dgruyter book.idx
```

4 Journal articles

The `dgruyter` package is designed to produce journal articles as well as whole books. In this section, some features concerning journal articles are discussed; the following section will then give some special advice concerning books.

All the explanations given so far hold, in particular, for journal articles. Here, some information concerning (1) the article header and (2) the end of an article are added. In addition, (3) some special structures for journals material beyond individual articles are commented.

To use the `dgruyter` package for a journal article, it is necessary to employ L^AT_EX’s `article` document class.

4.1 The article header

In a L^AT_EX article it is common to first provide some title and meta information and then call the `\maketitle` command to process and output all this information. The same holds when `dgruyter.sty` is active. Here are the user macros one can/must use to provide article-specific information before calling `\maketitle`:

`\articletype{...}` For an article type like “`Editorial`”; it will be rendered at the top of the header.

`\articlesubtype{...}` For an article subtype like “Research Article”; it will be rendered under the article type.

`\openaccess` To mark an article with “Open Access”; it will be rendered in the right upper corner.

`\author[...]{...}` For the author name. The `author` command can be used as with the `authblk` package, that is, it can occur more than once. The optional argument can be added to refer to a corresponding `\affil{...}` command, and besides that one can use the starred version, `\author*{...}`, to mark the author as the corresponding author.

`\affil[...]{...}` For an affiliation; the syntax is as with the `authblk` package. Note that an optional e-mail address should be added after the actual affiliation, like: `\affil{Institute ..., University ..., e-mail: johnq.public@inst.org}`.

`\runningauthor{...}` This optional macro is to provide author names specifically for the running header, e.g. `\runningauthor{John Q. Public et al.}`.

`\title{...}` For the title of the article.¹

`\runningtitle{...}` This optional macro is to provide a specific (shorter) title for the running header.

`\subtitle{...}` For an optional sub-title of the article.

`\abstract{...}` For the abstract.

`\keywords{...}` For key words.

`\transabstract[...]{...}` For a translated abstract. The optional argument is to specify a language (in babel style).

`\transkeywords[...]{...}` For translated key words. The optional argument is to specify a language (in babel style).

`\correctionnote[...]{...}` For an erratum/corrigendum/retraction. The optional argument is to provide an alternative heading string.

`\classification[...]{...}` For classification information. The optional argument is to provide a classification system (e.g. MSC, PACS, or JEL).

`\communicated{...}` For the person who “communicated” the paper.

`\dedication{...}` For a dedication.

`\received{...}` For the “received” date, e.g. `\received{May 19, 2013}`.

`\accepted{...}` For the “accepted” date, e.g. `\accepted{June 30, 2013}`.

`\journalname{...}` For the (abbreviated) journal name, e.g. `\journalname{Biol. Chem.}`.

`\journalyear{...}` For the year (default is the present year).

`\journalvolume{...}` For the journal volume.

`\journalissue{...}` For the journal issue.

`\startpage{...}` For the article’s start page.

`\aop` A switch that activates output of “; aop” (i.e. “ahead of print”) and, at the same time, suppresses output of the journal volume, the journal issue, and the article’s page range.

`\DOI{...}` For the DOI of the paper.

`\contributioncopyright[...]{...}{...}` For copyright information in case De Gruyter does not solely hold the copyright or the work is an open access publication. The optional argument expects the name of an image file,

¹You can add notes to the title using `\articlenote` (in two-column mode, please put `\articlenote` outside the column-spanning title area, e.g. in the abstract).

usually a Creative Commons logo. The three obligatory arguments are for the copyright year, the copyright holder (and a possible publisher addition), and a copyright text (e.g. a Creative Commons text), respectively.

The contents of `\journalname{...}` and the subsequent macros will be rendered in the running header of the article's start page.

As already mentioned, all this information will be output by invoking the `\maketitle` command.

4.2 At the end of an article

At the end of an article, there are three special environments that can be used: `{acknowledgement}`, `{funding}`, `{conflictofinterest}`. They should be placed before the bibliography.

`\articlenote{...}` A container for pre-publication information or for information about the content or about supplemental material. It should only be used at the end of the article. For example, use

```
\articlenote{%
  \textbf{Supplemental Material:} The online version ...\\
  \textbf{Note:} This ...}.
```

4.3 Some journal-specific macros beyond individual articles

4.3.1 Graphical abstracts

The `{thegraphicalabstractsection}` environment sets up the layout for a section with graphical abstracts. Inside this environment a list of `\graphicalabstract` commands should be given.

`\graphicalabstract` has five obligatory arguments:

- #1 the author's names
- #2 the article's title
- #3 the article's meta information (DOI, journal name)
- #4 the abstract
- #5 file name of an image

4.3.2 List of contributors

The `{contributors}` environment sets up the layout for a section contributors. The environment has one optional argument to overwrite the default title ("List of contributors"). Inside this environment a list of `\contributor` commands should be given.

`\contributor` has five obligatory arguments:

- #1 the contributor's name
- #2 the contributor's address
- #3 the contributor's e-mail address
- #4 file name of a contributor's picture
- #5 a short vita

4.3.3 Reviews

For reviews, two additional macros are provided, `\reviewauthor` and `\reviewinfo`. They should be used as shown in the following example:

```
\articletype{Buchrezension}
\reviewauthor{Peter Rezensent}
\affil{Universität Muster, Musterstraße 3, 11111 Stadt,
      E-Mail: paul@muster.de}
\title{Die Kraft der Kunst}
\DOI{10.1515/dzph-2013-0002}
\reviewinfo{\textbf{Erika Mustermann:} Die Kraft der Kunst, Suhrkamp 2012}
\maketitle
Lorem ipsum ...\par
\articlenote{[additional information]}
```

Further reviews can be added with the `\furtherreview` macro (four arguments), e.g.:

```
\furtherreview
{\textbf{Erika Mustermann:} Die Kraft der Kunst, Suhrkamp Verlag 2012}
{Peter Rezensent}
{Universität Muster, Musterstraße 3, 11111 Stadt, E-Mail: paul@muster.de}
{10.1515/dzph-2013-0002}
```

5 Books

This section gives some special advice concerning books. First, all the information to build the title pages is given and it is described how to overwrite automatically generated DOI information. After explaining how to handle chapterwise bibliographies and how to use a special command for part mottos, those macros, which are needed to write a contribution in a multi-author book (e.g., a collection or conference proceedings), are presented. Finally, two macros are introduced which are required to create the very last page of a book that contains information on other books published in the same series.

To use the `dgruyter` package for a whole book, it is necessary to employ \LaTeX 's `book` document class.

Note that a book usually consists of three parts: the front matter, the main matter, and the back matter. \LaTeX 's book class provides three commands to invoke these parts: `\frontmatter`, `\mainmatter`, and `\backmatter`. It is highly recommended to take care of the correct use of these commands in your document.

Because a book usually is an extensive document, it might be a good idea to separate it into several files. It is appropriate to put each chapter in a separate file and include all these files in the \LaTeX master document using the `\include{...}` command. (Think also about `\includeonly{...}` to speed up \TeX processing while working on a certain chapter of the book!)

5.1 The title pages

The title pages are the first part of the front matter of the book. With the **dgruyter** package it should be sufficient to provide several meta information on the book to generate the title pages (comprising the imprint page), i.e., the pages I–IV of the book. The macros for the meta information are:

`\author{...}` The author name(s) (as in the standard **book** class).
`\title{...}` The title of the book (as in the standard **book** class).
`\transtitle{...}` A translated title of the book.
`\distributionseries{...}` The name of a distribution series to which the book belongs (e.g. “De Gruyter Studium”).
`\seriestitle{...}` The title of a series to which the book belongs.
`\transseriestitle{...}` A translated title of the series.
`\seriessubtitle{...}` The sub-title of a series to which the book belongs.
`\serieseditor{...}` The editor names of the respective series.
`\seriesvolume{...}` The volume number of the book within the respective series.
`\subtitle{...}` An (optional) subtitle.
`\editor{...}` The editor names(s) to be given on the main title page (and also on the half-title page if no authors are given). If unsure, ask your De Gruyter contact.
`\collaborator{...}` Collaborator information for the main title page.
`\edition{...}` The edition information of the book.
`\publisherlogo{...}` The De Gruyter imprint. The macro expects the name of a graphic file, at the moment one of **dg-degruyter**, **dg-mouton**, or **dg-saur**.
`\classification[...]{...}` For classification information, to be rendered at the top of the imprint page. The optional argument is to provide a classification system (e.g. MSC, PACS, or JEL).
`\authorinfo{...}` The author information to be rendered at the top of the imprint page.

Bibliographical Information Bibliographical data is captured by the following commands:

`\isbn{...}` The ISBN of the book.
`\eisbnpdf{...}` The eISBN (PDF) of the book.
`\eisbnpub{...}` The eISBN (EPUB) of the book.
`\issn{...}` The “International Standard Serial Number” (it is used for journals or series).
`\PCN{...}` The PCN entry.
`\eCIP{...}` The eCIP entry.
`\copyrightyear{...}` For the year (default is the present year).
`\copyrighttext{...}` For alternative copyright information.
`\openaccess` To mark a book with “Open Access”; a note will be put on the imprint page.
`\cover{...}` The name of the cover designer.
`\typesetter{...}` The name of the type-setter.
`\printbind{...}` The name of the print office.

Optional advertisement One may add an “Also-of-Interest” page to a book. It will be rendered either on page II in the front matter (mainly if this page does not contain series information) or at the end of the book (mainly to

present other volumes of the series already described on page II). To capture the advertisement information use the `{advertisement}` environment. The environment knows an optional argument to overwrite the standard heading of the “Also-of-Interest” page.

Inside `{advertisement}`, each publication to be listed should be tagged with `\otherpubl`, a macro with the following five arguments:

- #1 the cover image of the book (optional)
- #2 the volume of the book in the series (optional)
- #3 the title of the book
- #4 the authors of the book
- #5 ISBN information

The advertisement material collected in such a way will be output by invoking `\makeadvertisement`. If no `\makeadvertisement` is given, and page II does not contain any series information, the material will be output automatically on page II.

If you are unsure about specific information leave it out (except for author and title) or ask your DeGruyter contact.

After providing this information, it is sufficient to invoke `\maketitle` (right after `\frontmatter`).

To typeset a dedication page after the title pages, use the `\dedication` macro.

In most books, this is followed by a preface, the table of contents, and perhaps some other lists such as a list of figures or a list of abbreviations. This finishes the front matter.

5.2 DOI information in the page footer

`dgruyter` puts each book component’s DOI in the footer of its first page. To overwrite the automatically generated DOI please use the `\DOI{...}` macro.

5.3 Chapterwise bibliographies

Some books require chapterwise bibliographies instead of a single bibliography in the backmatter. In this case, the option `sectionbib` has to be added to the `\documentclass` command and the `natbib` package has to be used in order to get the proper layout for the chapter bibliographies.

If you want to use `bibtex` to generate several chapter bibliographies, the additional package `chapterbib` might help. See its documentation for further information.

5.4 Book parts with mottos

A book may be split in parts using the `\part/\part*` command as usual. The resulting half-title pages usually contain nothing but the heading of the part. To add a motto to a part page, the command `\partmotto{...}` is provided. Note that it must be invoked before the `\part` command itself.

5.5 Contributions in multi-authored books

All the explanations given for journal articles in principle hold for contributions as well. In this subsection the main differences and special features for a contribution in a multi-authored book are pointed out.

Please note that contributions are conceptualised as book chapters. So, even when writing only a single contribution, the L^AT_EX document class has to be `book`.

Each contribution needs an initialisation. This is done with the command `\contribution` – it is similar to the `\chapter{...}` command to start a “normal” chapter in a book, and it is crucial for the contribution header rendering mechanism to work.

Following the `\contribution` command, all the header and meta information to the contribution should be given – like in a journal article. After that, the command `\makecontributiontitle` finishes the header and triggers its rendering. (Keep in mind that the `\maketitle` command is reserved for the whole book’s title pages.)

Here are the user macros one can/must use to provide contribution-specific header and meta information before calling `\makecontributiontitle`:

`\contributionauthor[...]{...}` For the contributor (i.e. the chapter’s author(s)) name. The `\contributionauthor` command can be used as the `\author` command with the `authblk` package, that is, it can occur more than once. An optional argument can be added to refer to a corresponding `\affil{...}` command, and besides that one can use the starred version `\contributionauthor*{...}` to mark the author as the corresponding author.

`\affil[...]{...}` For an affiliation; the syntax is as with the `authblk` package. Note that an optional e-mail address should be added after the actual affiliation, like: `\affil{Institute ..., University ..., e-mail: johnq.public@inst.org}`.

`\runningauthor{...}` This optional macro is to provide author names specifically for the running header, e.g. `\runningauthor{John Q. Public et al.}`.

`\contributiontitle{...}` For the title of the contribution.²

`\runningtitle{...}` This optional macro is to provide a specific (shorter) title for the running header.

`\contributionsubtitle{...}` For an optional sub-title of the contribution.

`\abstract{...}` For the abstract.

`\keywords{...}` For key words.

`\transabstract[...]{...}` For a translated abstract. The optional argument is to specify a language (in babel style).

`\transkeywords[...]{...}` For translated key words. The optional argument is to specify a language (in babel style).

`\correctionnote[...]{...}` For an erratum/corrigendum/retraction. The optional argument is to provide an alternative heading string.

`\classification[...]{...}` For classification information. The optional argument is to provide a classification system (e.g. MSC, PACS, or JEL).

²You can add notes to the title using `\contributionnote` (in two-column mode, please put `\articlenote` outside the column-spanning title area, e.g. in the abstract).

`\DOI{...}` For the DOI of the paper.

`\contributioncopyright[...]{...}{...}{...}` For copyright information in case De Gruyter does not solely hold the copyright or the work is an open access publication. The optional argument expects the name of an image file, usually a Creative Commons logo. The three obligatory arguments are for the copyright year, the copyright holder (and a possible publisher addition), and a copyright text (e.g. a Creative Commons text), respectively.

`\contributionnote{...}` A container for information about supplemental material and/or pre-publication information. It should only be used at the end of the contribution. For example, use `\contributionnote{\textbf{Supplemental Material:} The online version ...\ \textbf{Note:} This ...}`.

As already mentioned, all this information will be output by invoking the `\makecontributiontitle` command.

Note that a possible `\label{...}` for the contribution has to be placed directly after `\contributiontitle{...}`.

5.6 List of contributors

To add a list of contributors (mainly in the front matter of the book) simply use `\chapter*{...}` and the `{multicols}{2}` environment. Inside this environment, each contributor should be tagged with the `\contributor` macro which provides 5 arguments:

- #1 the contributor's name
- #2 the contributor's address
- #3 the contributor's e-mail address
- #4 file name of a contributor's picture (leave empty if not required)
- #5 a short vita (leave empty if not required)